TACTIX®

HAND TOOLS

PRECISION TOOLS

POWER TOOLS ACCESSORIES

PERSONAL PROTECTIVE EQUIPMENT

CATALOGUE 2026/2027

www.tactixtools.com



HAND TOOLS

Fastening	1-19
Striking	20-24
Measuring	24-27
Layout	28-29
Cutting	30-36
Masonry & Painting	37-44
Finishing	45-48
Plumbing	49-52
Mechanic's Tools	53-80
Electrician	81-85
Insulated Tools	87-89
Knives & Multi-Tools	90-91
Security & Torches	92-93
Miscellaneous	94-96
Tool Sets	97-99
Hardware Assortment	100-105
Promotion	106-114
TACTIX QP	115
TACTIX PRO	116-118



PRECISION TOOLS

Precision Screwdrivers	120-122
Wood Working Tools	122-124
Machinist Tools	124
Specialty Tools	125-127



TABLE OF CONTENTS



TABLE OF CONTENTS


POWER TOOLS ACCESSORIES

Drill Bits In Eco-Friendly Poly Bag	131-132
HSS Metal Drill Bits	133-137
Taps & Dies	138
Step Drill Bits	139-140
Concrete Drill Bits	141
Multi-Purpose Drill Bits & Glass Drill Bits	142
SDS Drill Bits & Chisels	143-144
Garden Auger Drill Bits	145
Wood Drill Bits & Wood Spades	146
Auger Drill Bits	147
Forstner Drill Bits & Counter Sink Bits	147-148
Pilot Drill bits & Carpentry Tools	148
Router Bits	149-150
Drilling & Driving Bits Set	151-156
Impact Screwdriver Bits Set	157-158
Interlock Range Set	159-160
Diamond Blades	161-163
Multi-purpose Diamond Blades & Diamond Grinding Wheel	164-166
Diamond Drill Bits & Hole Saws	167-168
Circular Saw Blades	169-170
Cutting Off & Grinding Wheels	171-172
Jig Saw Blades & Reciprocating Saw Blades	173-178
Bi-metal Hole Saws & Carbon Steel Hole Saws	179
Arbors For Hole Saws & Carbide Hole Saws	180
Multi Saw Blades	181-183
Impact bits & Accessories	184-185
Power Bits sets	186-188
Driving Bits & Accessories	189-191
Sanding Discs, Sheets & Belts	192-194
Flap Disc	195
Polishing Accessories	196-197
Wire Brushes	198-202
Rotary Rasp & Strip Disc	203
Drill Brushes	204
Welding Accessories	205-209
Welding Consumables	210
Drill Bits Display & Promotions	211

PERSONAL PROTECTIVE EQUIPMENT

Eye Protection	213-214
Respiratory Protection	215
Hearing Protection	216-218
Electronic Hearing Protection	219-220
Head & Face Protection	221
Work Wear	222-226

TACTIX GEAR 227





LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200001	160 mm (6 in.)	0369 8	6	36
200003	200 mm (8 in.) high leverage	0370 4	6	24

LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200009	160 mm (6 in.)	0373 5	6	36
200011	190 mm (7-1/2 in.) high leverage	0374 2	6	24
200013	220 mm (8-1/2 in.) high leverage	0375 9	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200021	160 mm (6 in.)	0379 7	6	36

END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200023	160 mm (6 in.)	0380 3	6	36

DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200005	160 mm (6 in.)	0371 1	6	36
200007	200 mm (8 in.) high leverage	0372 8	6	24

FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200015	160 mm (6 in.)	0376 6	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200024	200 mm (8 in.)	4706 7	6	36

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200008	190 mm (7-1/2 in.) high leverage	0742 9	6	24

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200017	160 mm (6 in.)	0377 3	6	36
200019	200 mm (8 in.)	0378 0	6	24

WIRE STRIPPER

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200025	160 mm (6 in.)	0381 0	6	36

SCREW REMOVAL PLIERS

- Removes stripped screws
- Specifically designed to grip screw heads
- Wire cutting blades



Item No.	Size	EAN 69426292+	Inner	Outer
200029	160 mm (6 in.)	8373 7	6	36

MULTI FUNCTION COMBINATION PLIERS

NEW

- Nail puller
- Wire stripping AWG #10-#18
- Crimping insulated terminals 0.75-6mm² (#10-#18AWG)





Item No.	Size	EAN 69426292+	Inner	Outer
200045	230 mm (9 in.)	4031 0	6	24

FENCE PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200075	270 mm (10-1/2 in.)	4876 7	6	24

MINI LONG NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200081	120 mm (4-3/4 in.)	0388 9	6	36

DISPLAY FOR SCREW REMOVAL PLIERS

- Display includes 1 pc try me pliers
- Display contains 12 pliers



Item No.	Size	EAN 69426292+	Inner	Outer
200029DISPLAY			0	1

GROOVE JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200061	200 mm (8 in.)	0384 1	6	24
200063	250 mm (10 in.)	0385 8	6	24
200065	300 mm (12 in.)	0386 5	6	12

MINI DIAGONAL PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200083	110 mm (4-1/4 in.)	0389 6	6	36

SLIP JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200051	175 mm (7 in.)	0382 7	6	36
200053	200 mm (8 in.)	0383 4	6	24

BOX JOINT PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200071	250 mm (10 in.)	0387 2	6	24

MINI BENT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200085	120 mm (4-3/4 in.)	0390 2	6	36

MINI FLAT NOSE PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200087	120 mm (4-3/4 in.)	0391 9	6	36

PLASTIC CUTTING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Spring-loaded

Without cutting edge bevel, for plastic parts flush cutting



Item No.	Size	EAN 69426292+	Inner	Outer
200104	160 mm (6 in.)	5173 6	6	36

HEAVY-DUTY LINESMAN PLIERS

- High-leverage mechanics
- Crimping function
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200114	230 mm (9 in.)	6843 7	6	24

MINI END NIPPER

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200089	100 mm (4 in.)	0392 6	6	36

DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200105	160 mm (6 in.)	0395 7	6	36
200107	200 mm (8 in.)	0396 4	6	24

FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200115	160 mm (6 in.)	0400 8	6	36

MINI LINESMAN PLIERS

- Chrome-Nickel steel for longer life
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200091	115 mm (4-1/2 in.)	0743 6	6	36

HEAVY-DUTY DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200108	190 mm (7-1/2 in.)	0744 3	6	24

BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200117	160 mm (6 in.)	0401 5	6	36
200119	200 mm (8 in.)	0402 2	6	24

LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200101	160 mm (6 in.)	0393 3	6	36
200103	200 mm (8 in.)	0394 0	6	24

LINESMAN PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200109	160 mm (6 in.)	0397 1	6	36
200111	190 mm (7-1/2 in.)	0398 8	6	24
200113	220 mm (8-1/2 in.)	0399 5	6	24

ROUND NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200121	160 mm (6 in.)	0403 9	6	36

END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200123	160 mm (6 in.)	0404 6	6	36

MINI LONG NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200181	120 mm (4-3/4 in.)	0411 4	6	36

MINI END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200189	100 mm (4 in.)	0415 2	6	36

HEAVY-DUTY END NIPPER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200124	200 mm (8 in.)	4916 0	6	36

MINI DIAGONAL PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200183	110 mm (4-1/4 in.)	0412 1	6	36

MINI LINESMAN PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200191	115 mm (4-1/2 in.)	0745 0	6	36

SLIP JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200151	160 mm (6 in.)	0406 0	6	36
200153	200 mm (8 in.)	0407 7	6	24

MINI BENT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200185	120 mm (4-3/4 in.)	0413 8	6	36

HEAVY-DUTY FENCE PLIERS

- For installing, maintaining, and repairing wire fences
- 3 wire cutters
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200201	250 mm (10 in.)	7784 2	6	24

GROOVE JOINT PLIERS

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200161	200 mm (8 in.)	0408 4	6	24
200163	250 mm (10 in.)	0409 1	6	24
200165	300 mm (12 in.)	0410 7	6	12

MINI FLAT NOSE PLIERS

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200187	120 mm (4-3/4 in.)	0414 5	6	36

LONG REACH PLIERS

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200221	280 mm (11 in.)	0416 9	6	24

LONG REACH PLIERS 45º

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200223	280 mm (11 in.)	0417 6	6	24

TOWER PINCER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200313	225 mm (9 in.)	0421 3	6	24
200316	250 mm (10 in.)	7786 6	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Faster adjustable screw



Item No.	Size	EAN 69426292+	Inner	Outer
200557	165 mm (6-1/2 in.)	0430 5	6	36
200559	235 mm (9-1/2 in.)	0431 2	6	24

LONG REACH PLIERS 90º

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200225	280 mm (11 in.)	0418 3	6	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200501	125 mm (5 in.)	0422 0	6	36
200503	175 mm (7 in.)	0423 7	6	24
200505	250 mm (10 in.)	0424 4	6	12

STRAIGHT JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Faster adjustable screw



Item No.	Size	EAN 69426292+	Inner	Outer
200563	175 mm (7 in.)	3481 4	6	24
200565	250 mm (10 in.)	3482 1	6	12

LONG REACH PLIERS 20º OFFSET

- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200227	280 mm (11 in.)	0419 0	6	24

LONG NOSE LOCKING PLIERS

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
200507	165 mm (6-1/2 in.)	0425 1	6	36
200509	235 mm (9-1/2 in.)	0426 8	6	24

WELDING CLAMP LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN 69426292+	Inner	Outer
200603	266 mm (10 in.)	3143 1	2	24

CARPENTER'S PINCER

- Chrome-Vanadium steel
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
200303	200 mm (8 in.)	0420 6	6	24

CURVED JAW LOCKING PLIERS

- Chrome-Vanadium steel
- Double dipped handle
- Faster adjustable screw



Item No.	Size	EAN 69426292+	Inner	Outer
200551	125 mm (5 in.)	0427 5	6	36
200553	175 mm (7 in.)	0428 2	6	24
200555	250 mm (10 in.)	0429 9	6	12

FLAT WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated



Item No.	Size	EAN 69426292+	Inner	Outer
200611	200 mm (8 in.)	3144 8	4	24
200613	250 mm (10 in.)	3145 5	4	24

C TYPE WELDING LOCKING PLIERS

- High carbon steel
- Nickel plated




Item No.	Size	EAN 69426292+	Inner	Outer
200621	160 mm (6 in.)	3146 2	4	24
200623	275 mm (11 in.)	3147 9	4	24

INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201001	160 mm (6 in.)	8089 7	6	24
201003	200 mm (8 in.)	1435 9	6	24



C TYPE WELDING LOCKING PLIERS WITH SWIVEL PAD

- High carbon steel
- Nickel plated



Item No.	Size	EAN 69426292+	Inner	Outer
200633	275 mm (11 in.)	3149 3	4	24

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201005	160 mm (6 in.)	1436 6	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201011	200 mm (8 in.)	1437 3	6	24

AUTO GRIP PLIERS

- Auto-grip function
- Chrome-Vanadium steel
- Non-slip bi-material handle




Item No.	Size	EAN 69426292+	Inner	Outer
200711	180 mm (7 in.)	5913 8	20	40
200713	250 mm (10 in.) - 2 pc jaw protector included	5914 5	20	40



MINI WATER PUMP PLIERS

- Chrome-Vanadium steel
- Compact design
- Precision forged
- 26 mm max jaw opening



Item No.	Size	EAN 69426292+	Inner	Outer
200721	100 mm (4 in.)	5064 7	6	36

INSULATED BENT NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
201017	160 mm (6 in.)	8091 0	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
201025	160 mm (6 in.)	1438 0	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- Wire crimping • Wire stripping



Item No.	Size	EAN 69426292+	Inner	Outer
201063	200 mm (8 in.)	1439 7	6	24

CIRCLIP PLIERS STRAIGHT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN 69426292+	Inner	Outer
202011	175 mm (7 in.)	1440 3	6	24

4 PC CIRCLIP PLIERS SET

- Internal and external use
- 0º, 45º, 90º tips
- 1.4 mm tip diameter



Item No.	Size	EAN 69426292+	Inner	Outer
202024	150 mm (6 in.)	3351 0	6	24

INSULATED BOX JOINT PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle

NEW



Item No.	Size	EAN 69426292+	Inner	Outer
201071	250 mm (10 in.)	2614 7	6	24

CIRCLIP PLIERS STRAIGHT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN 69426292+	Inner	Outer
202013	175 mm (7 in.)	1441 0	6	24

2 PC PLIERS & WRENCH SET

- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) adjustable wrench



Item No.	Size	EAN 69426292+	Inner	Outer
204001	2 pc	1272 0	6	12

3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers • VDE/GS certified
- 160 mm (6 in.) long nose pliers • 1000 V insulated
- 200 mm (8 in.) combination pliers • High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201083	3 pc	8642 4	3	12

CIRCLIP PLIERS BENT EXTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN 69426292+	Inner	Outer
202015	175 mm (7 in.)	1442 7	6	24

CIRCLIP PLIERS BENT INTERIOR

- Chrome-Vanadium steel
- Double dipped handle
- 1.8 mm tip diameter



Item No.	Size	EAN 69426292+	Inner	Outer
202017	175 mm (7 in.)	1443 4	6	24

3 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers



Item No.	Size	EAN 69426292+	Inner	Outer
204005	3 pc	1274 4	6	12

3 PC PLIERS SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN 69426292+	Inner	Outer
204007	3 pc	1275 1	6	12

4 PC PLIERS SET

- 160 mm (6 in.) long nose pliers & diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers



Item No.	Size	EAN 69426292+	Inner	Outer
204009	4 pc	1444 1	6	12

2 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose pliers
- 110 mm (4-1/4 in.) diagonal pliers



Item No.	Size	EAN 69426292+	Inner	Outer
204024	2 pc	1555 4	6	24

5 PC MINI PLIERS


- 1 pc mini bent nose pliers • 1 pc mini long nose pliers
- 1 pc mini linesman pliers • 1 pc mini diagonal pliers
- 1 pc mini end nipper • Zipper case included



Item No.	Size	EAN 69426292+	Inner	Outer
204025	5 pc	5667 0	6	12

4 PC MINI PLIERS SET

- 120 mm (4-3/4 in.) long nose plier
- 120 mm (4-3/4 in.) bent nose pliers
- 110 mm (4-1/4 in.) diagonal pliers
- 100 mm (4 in.) end nipper



Item No.	Size	EAN 69426292+	Inner	Outer
204036	4 pc	1606 3	6	24

SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle
- Parallel tip



Item No.	Size	EAN 69426292+	Inner	Outer
205000	2.5 x 75 mm (3/32 x 3 in.)	2987 2	6	72
205001	3.0 x 75 mm (1/8 x 3 in.)	0432 9	6	72
205002	3.0 x 100 mm (1/8 x 4 in.)	2988 9	6	72
205003	4.0 x 100 mm (5/32 x 4 in.)	0433 6	6	72
205004	4.0 x 125 mm (5/32 x 5 in.)	2989 6	6	72

SLOTTED SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205009	5.5 x 100 mm (7/32 x 4 in.)	0436 7	6	72
205017	5.5 x 150 mm (7/32 x 6 in.)	2991 9	6	72
205010	6.5 x 100 mm (1/4 x 4 in.)	1373 4	6	72
205014	6.5 x 150 mm (1/4 x 6 in.)	3024 3	6	72
205020	6.5 x 38 mm (1/4 x 1-1/2 in.)	2827 1	6	72
205013	8.0 x 150 mm (5/16 x 6 in.)	0438 1	6	60
205015	10 x 200 mm (3/8 x 8 in.)	0439 8	6	60

PHILLIPS SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205031	#0 x 60 mm (2-1/2 in.)	0440 4	6	72
205032	#0 x 75 mm (3 in.)	2994 0	6	72
205033	#1 x 75 mm (3 in.)	0441 1	6	72
205047	#1 x 38 mm (1-1/2 in.)	4740 1	6	72
205037	#2 x 100 mm (4 in.)	0443 5	6	72
205038	#2 x 125 mm (5 in.)	2996 4	6	72
205035	#2 x 38 mm (1-1/2 in.)	0442 8	6	72
205041	#3 x 150 mm (6 in.)	0445 9	6	60
205045	#3 x 200 mm (8 in.)	4164 5	6	60

GO-THROUGH SLOTTED SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205173	6 x 150 mm (1/4 x 6 in.)	5069 2	6	72
205177	8 x 200 mm (5/16 x 8 in.)	5071 5	6	72

POZI SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205052	#0 x 75 mm (3 in.)	2997 1	6	72
205054	#1 x 100 mm (4 in.)	2998 8	6	72
205063	#1 x 38 mm (1-1/2 in.)	4741 8	6	72
205057	#2 x 100 mm (4 in.)	0449 7	6	72
205055	#2 x 38 mm (1-1/2 in.)	0448 0	6	72
205061	#3 x 150 mm (6 in.)	0451 0	6	60

TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205069	T-8 x 75 mm (3 in.)	0847 1	6	72
205071	T-10 x 75 mm (3 in.)	0452 7	6	72
205073	T-15 x 100 mm (4 in.)	0453 4	6	72
205075	T-20 x 100 mm (4 in.)	0454 1	6	72
205077	T-25 x 100 mm (4 in.)	0455 8	6	72
205081	T-30 x 125 mm (5 in.)	0457 2	6	72
205083	T-40 x 150 mm (6 in.)	0458 9	6	60
205085	T-45 x 150 mm (6 in.)	0459 6	6	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TAMPER TORX® SCREWDRIVERS

- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205151	T-10 x 75 mm (3 in.)	3463 0	6	72
205153	T-15 x 100 mm (4 in.)	3464 7	6	72
205155	T-20 x 100 mm (4 in.)	3465 4	6	72
205157	T-25 x 100 mm (4 in.)	3466 1	6	72
205159	T-27 x 125 mm (5 in.)	3467 8	6	72
205161	T-30 x 125 mm (5 in.)	3468 5	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

GO-THROUGH PHILLIPS SCREWDRIVERS

- Go-through blade with hex bolster
- Magnetic tip
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205183	#2 x 100 mm (4 in.)	5073 9	6	72
205185	#2 x 150 mm (6 in.)	5074 6	6	72
205187	#3 x 150 mm (6 in.)	5075 3	6	72
205189	#3 x 200 mm (8 in.)	5076 0	6	72

6-IN-1 SCREWDRIVER WITH BITS

- Non-slip bi-material handle
- #1 & #2
- 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
205211	6-in-1	0849 5	6	60

2-IN-1 SCREWDRIVER

- Non-slip bi-material handle
- 125 mm (5 in.) interchangeable shank
- 6.5 mm (1/4 in.)
- #2



Item No.	Size	EAN 69426292+	Inner	Outer
205213	2-in-1	9397 2	12	48

AWL

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205233	100 mm (4 in.)	1446 5	6	60

MAGNETIC TIP DRIVER

- Non-slip bi-material handle
- Magnetic bit holder



Item No.	Size	EAN 69426292+	Inner	Outer
205241	100 mm (4 in.)	1447 2	6	72

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- Display pack
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN 69426292+	Inner	Outer
205245		4807 1	16	48

STUBBY RATCHET SCREWDRIVER

- Removable extension bar for working in tight space
- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- Display pack
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN 69426292+	Inner	Outer
205247		4808 8	16	48

43 PC RATCHET SCREWDRIVER SET

- 40 pc bits:
- #0, #1 x 3, #2 x 3, #3 x 2
- 3 mm x 2, 4 mm x 2, 5 mm x 2, 6 mm x 2, 7 mm
- #1, #2, #3 #0 x 2, #1 x 2, #2 x 2
- T-8, T-10, T-15, T-20, T-25, T-27, T-30
- 2, 2.5, 3, 4, 5, 6 mm
- 215 mm flexible extension
- Ratchet screwdriver
- Bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
205253	43 pc	5051 7	6	12

RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN 69426292+	Inner	Outer
205248		4153 9	6	24

STUBBY RATCHET SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN 69426292+	Inner	Outer
205249		1908 8	6	24

RATCHET TELESCOPIC SCREWDRIVER

- Strong magnetic tip holds bits securely
- Non-slip bi-material handle with bit storage
- 45 tooth, high quality ratchet
- 6 bits included
- 4 mm, 5.5 mm, 6.5 mm
- #1, #2, #3



Item No.	Size	EAN 69426292+	Inner	Outer
205250		1885 2	6	24

6-IN-1 SCREWDRIVER WITH BITS

- Display pack
- #1 & #2
- 6 mm (1/4 in.) & 5 mm (3/16 in.)
- 5/16 in. & 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
205387	6-in-1	4810 1	12	48

6 PC SCREWDRIVER SET

- #0 x 75 mm (3 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.) & 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205401	6 pc	1276 8	6	24

6 PC SCREWDRIVER SET

- #0 x 60 mm (2-1/2 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.) & T-25 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205403	6 pc	1277 5	6	24

6 PC SCREWDRIVER SET

- T-10 x 75 mm (3 in.), T-15 x 100 mm (4 in.), T-20 x 100 mm (4 in.), T-25 x 100 mm (4 in.), T-27 x 125 mm (5 in.) & T-30 x 125 mm (5 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205405	6 pc	1448 9	6	24

10 PC SCREWDRIVER SET

- 6.5 x 38 mm (1/4 x 1-1/2 in.), 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.) & 6.5 x 100 mm (1/4 x 4 in.)
- #2 x 38 mm (1-1/2 in.), #0 x 75 mm (3 in.), #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- T-10 x 75 mm (3 in.) & T-15 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205407	10 pc	1449 6	6	12

6 PC GO-THROUGH SCREWDRIVER SET

- 5 x 75 mm (3/16 x 3 in.), 6 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.)
- #1 x 75 mm (3 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205426	6 pc	4809 5	6	24

6 PC SCREWDRIVER SET

- #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)
- 3 x 75 mm (1/8 x 3 in.), 4 x 100 mm (5/32 x 4 in.)
- #1 x 100 mm (4 in.), #2 x 125 mm (5 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205408	6 pc	8431 4	6	24

2 PC SCREWDRIVER SET

- #2 x 100 mm (4 in.)
- 6.5 x 100 mm (1/4 x 4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205409	2 pc	8861 9	6	24

2 PC STUBBY SCREWDRIVER SET

- #2 x 38 mm (1-1/2 in.)
- 6.5 x 38 mm (1/4 x 1-1/2 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205411	2 pc	8862 6	6	24

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6.5 x 150 mm (1/4 x 6 in.)
- 5.5 x 100 mm (3/16 x 4 in.)
- #1 x 150 mm (6 in.)
- #2 x 150 mm (6 in.)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205435	4 pc	3949 9	6	36

4 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- T-10 x 83 mm (3-1/4 in.)
- T-15 x 83 mm (3-1/4 in.)
- T-20 x 83 mm (3-1/4 in.)
- T-25 x 83 mm (3-1/4 in.)

CR-V




Item No.	Size	EAN 69426292+	Inner	Outer
205437	4 pc	3950 5	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6.5 x 100 mm (1/4 x 4 in.)
- 6.5 x 150 mm (1/4 x 6 in.)
- 5.5 x 75 mm (3/16 x 3 in.)
- 5.5 x 150 mm (3/16 x 6 in.)
- #1 x 100 mm (4 in.)
- #2 x 100 mm (4 in.)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205439	6 pc	3951 2	6	24

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- #2 x 100 mm (4 in.)
- 6.5 x 100 mm (1/4 x 4 in.)

CR-V




Item No.	Size	EAN 69426292+	Inner	Outer
205431	2 pc	3947 5	6	60

2 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- T-10 x 83 mm (3-1/4 in.)
  T-15 x 83 mm (3-1/4 in.)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205433	2 pc	3948 2	6	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

20 PC SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 5.5 x 75 mm (3/16 x 3 in.), 5.5 x 100 mm (3/16 x 4 in.), 5.5 x 150 mm (3/16 x 6 in.), 6.5 x 100 mm (1/4 x 4 in.), 6.5 x 150 mm (1/4 x 6 in.), 6.5 x 150 mm (1/4 x 6 in.), 6.5 x 38 mm (1/4 x 1-1/2 in.)
- #1 x 100 mm (4 in.), #1 x 150 mm (6 in.), #2 x 100 mm (4 in.), #2 x 150 mm (6 in.), #2 x 38 mm (1-1/2 in.)
- 6 pc precision screwdriver
- #0, #00
- 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- 2 pc offset
- #1-5 mm (3/16 in.)
- #2-6 mm (1/4 in.)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205440	20 pc	4544 5	0	8

2 PC STUBBY SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 6.5 x 38 mm (1/4 x 1-1/2 in.)
- #2 x 38 mm (1-1/2 in.)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205441	2 pc	3952 9	6	60

6 PC PRECISION SCREWDRIVER SET

- Chrome-Vanadium steel blade
- 1.5 mm (1/16 in.), 2.0 mm (5/64 in.), 2.5 mm (3/32 in.), 3.0 mm (1/8 in.)
- #00, #0

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205791	6 pc	1460 1	8	32


35 PC SCREWDRIVER SET


- 8 pc Screwdriver:
- 6.5 x 38 mm, 5.5 x 75 mm, 6.5 x 100 mm, 8 x 150 mm
- #2 x 38 mm, #2 x 100 mm, #1 x 75 mm, #3 x 150 mm
- 1 pc Magnetic Driver
- 20 pc 1 in. Bits: #1, #2, #3 4,5,6 mm
  3, 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
  #1, #2, #3 T-10, T-20, T-30
- 6 pc Precision Screwdriver
- 1.5 mm, 2 mm, 2.5 mm, 3 mm
- #0, #00

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205445	35 pc	6730 0	0	6





SLOTTED INSULATED SCREWDRIVERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205500	2.5 x 75 mm	4736 4	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

PHILLIPS INSULATED SCREWDRIVERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

POZI INSULATED SCREWDRIVERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205523	#1 x 80 mm	1457 1	6	60

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- #0 x 60 mm, #1 x 80 mm & #2 x 100 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
205601	6 pc	1459 5	6	24

12 PC SCREWDRIVER SET

- 5 pc VDE screwdriver:
- #1 x 80 mm, #2 x 100 mm
- 3 x 75 mm, 4 x 100 mm, 5.5 x 125 mm
- 6 pc precision screwdriver:
- #00, #0
- 1.5, 2.0, 2.5, 3.0 mm
- 1 pc 140 mm VDE tester



Item No.	Size	EAN 69426292+	Inner	Outer
205604	12 pc	8643 1	6	24

12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle,
  10 pc S2 steel interchangeable VDE shank
  2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
  #0, #1, #2,
  1 pc VDE tester 125-250 V
- Nylon pouch included

S2



Item No.	Size	EAN 69426292+	Inner	Outer
205605VD	12 pc	9322 4	6	24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include #00, #0
  1.5, 1.8, 2.0, 2.5, 3.0 mm
- Plastic storage case included

S2



Item No.	Size	EAN 69426292+	Inner	Outer
205793VD	7 pc	9323 1	6	24

SLOTTED CHS SCREWDRIVERS


- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205611	2.5 x 75 mm (3/32 x 3 in.)	0001 7	12	96
205612	3.0 x 75 mm (1/8 x 3 in.)	0002 4	12	96
205613	3.0 x 100 mm (1/8 x 4 in.)	0003 1	12	96
205614	3.0 x 150 mm (1/8 x 6 in.)	0004 8	12	96
205617	4.0 x 100 mm (5/32 x 4 in.)	0005 5	12	96
205618	4.0 x 125 mm (5/32 x 5 in.)	0008 6	12	96
205621	5.0 x 38 mm (3/16 x 1-1/2 in.)	0009 3	12	96
205622	5.0 x 75 mm (3/16 x 3 in.)	0010 9	12	96
205623	5.0 x 100 mm (3/16 x 4 in.)	0011 6	12	96
205624	5.0 x 150 mm (3/16 x 6 in.)	0012 3	12	96
205626	6.0 x 38 mm (1/4 x 1-1/2 in.)	0013 0	12	96
205627	6.0 x 100 mm (1/4 x 4 in.)	0014 7	12	96
205628	6.0 x 125 mm (1/4 x 5 in.)	0015 4	12	72
205629	6.0 x 150 mm (1/4 x 6 in.)	0016 1	12	72
205632	8.0 x 150 mm (5/16 x 6 in.)	0019 2	12	72
205635	10.0 x 200 mm (3/8 x 8 in.)	0020 8	12	72

PHILLIPS CHS SCREWDRIVERS

- Chrome-Vanadium steel blade
- Magnetic tip



Item No.	Size	EAN 69426292+	Inner	Outer
205641	#0 x 60 mm (2-1/2 in.)	0021 5	12	96
205642	#0 x 75 mm (3 in.)	0022 2	12	96
205645	#1 x 75 mm (3 in.)	0023 9	12	96
205646	#1 x 100 mm (4 in.)	0024 6	12	96
205647	#1 x150 mm (6 in.)	0025 3	12	96
205651	#2 x 38 mm (1-1/2 in.)	0026 0	12	96
205652	#2 x 100 mm (4 in.)	0027 7	12	72
205653	#2 x 125 mm (5 in.)	0028 4	12	72
205655	#2 x 200 mm (8 in.)	0029 1	12	72
205656	#2 x 250 mm (10 in.)	0030 7	12	72
205659	#3 x 150 mm (6 in.)	0031 4	12	72
205660	#3 x 200 mm (8 in.)	0080 2	12	72

CHS NUT DRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205705	3/16 in. x 75 mm	0087 1	12	72
205706	1/4 in. x 75 mm	0088 8	12	72
205707	5/16 in. x 75 mm	0089 5	12	72
205708	11/32 in. x 75 mm	0090 1	12	72
205709	3/8 in. x 75 mm	0195 3	12	72
205710	7/16 in. x 75 mm	0196 0	12	72
205711	1/2 in. x 75 mm	0199 1	12	72

4 PC CHS SCREWDRIVER SET

- 5 x 100 mm (3/16 x 4 in.), 6 x 100 mm (1/4 x 4 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205774	4 pc	0200 4	6	24

6 PC CHS SCREWDRIVER SET


- 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205775	6 pc	0214 1	6	24

10 PC CHS SCREWDRIVER SET

- 5 x 75 mm (3/16 x 3 in.), 5 x 100 mm (3/16 x 4 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 38 mm (1/4 x 1-1/2 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.)
- #1 x 100 mm (4 in.), #2 x 38 mm (1-1/2 in.), #2 x 100 mm (4 in.), #3 x 150 mm (6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
205776	10 pc	0215 8	6	12

16 PC HEX & TORX KEY SET

- Chrome-Vanadium steel
- 1.27, 1.5, 2, 2.5, 3, 4, 5, 6 mm
- T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-40




Item No.	Size	EAN 69426292+	Inner	Outer
206028	16 pc	4879 8	10	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206001	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0460 2	6	36
206003	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0461 9	6	36

9 PC BALL END LONG HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206005	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	0462 6	6	36
206007	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	0463 3	6	36

9 PC LONG TORX® KEY SET

- Chrome-Vanadium steel
- 2-component clip




Item No.	Size	EAN 69426292+	Inner	Outer
206009	T-10, 15, 20, 25, 27, 30, 40, 45 & 50	0464 0	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

9 PC EXTRA LONG BALL END HEX KEY SET

- Chrome-Vanadium steel
- 2-component clip



Item No.	Size	EAN 69426292+	Inner	Outer
206015	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	4260 4	6	36
206017	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4261 1	6	36

LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206031	1.5 mm	78	15	4362 5	20	120
206032	2 mm	84	17	4363 2	20	120
206033	2.5 mm	91	20	4364 9	20	120
206034	3 mm	101	22	4365 6	20	120
206036	4 mm	108	28	4366 3	20	120
206038	5 mm	121	32	4367 0	20	120
206040	6 mm	144	37	4368 7	20	120
206042	8 mm	166	43	4369 4	20	120
206044	10 mm	177	49	4370 0	20	120
206046	12 mm	220	57	6699 0	10	60
206048	14 mm	250	69	6700 3	10	60
206050	16 mm	256	75	6701 0	10	40
206051	1/16 in.	77	15	4371 7	20	120
206052	5/64 in.	83	17	4372 4	20	120
206053	3/32 in.	88	19	4373 1	20	120
206054	7/64 in.	93	21	4374 8	20	120
206055	1/8 in.	98	22	4375 5	20	120
206056	9/64 in.	103	23	4376 2	20	120
206057	5/32 in.	109	25	4377 9	20	120
206058	3/16 in.	119	29	4378 6	20	120
206059	7/32 in.	129	31	4379 3	20	120
206060	1/4 in.	141	34	4380 9	20	120
206061	5/16 in.	160	40	4381 6	20	120
206062	3/8 in.	180	44	4382 3	20	120

BALL END LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206071	1.5 mm	78	15	4383 0	20	120
206072	2 mm	84	17	4384 7	20	120
206073	2.5 mm	91	20	4385 4	20	120
206074	3 mm	101	22	4386 1	20	120
206076	4 mm	108	28	4387 8	20	120
206078	5 mm	121	32	4388 5	20	120
206080	6 mm	144	37	4389 2	20	120
206082	8 mm	166	43	4390 8	20	120
206084	10 mm	177	49	4391 5	20	120
206091	1/16 in.	77	15	4392 2	20	120
206092	5/64 in.	83	17	4393 9	20	120
206093	3/32 in.	88	19	4394 6	20	120
206094	7/64 in.	93	21	4395 3	20	120
206095	1/8 in.	98	22	4396 0	20	120
206096	9/64 in.	103	23	4397 7	20	120
206097	5/32 in.	109	25	4398 4	20	120
206098	3/16 in.	119	29	4399 1	20	120
206099	7/32 in.	129	31	4400 4	20	120
206100	1/4 in.	141	34	4401 1	20	120
206101	5/16 in.	160	40	4402 8	20	120
206102	3/8 in.	180	44	4403 5	20	120

EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206111	1.5 mm	90	14	4404 2	20	120
206112	2 mm	101	17	4405 9	20	120
206113	2.5 mm	113	19	4406 6	20	120
206114	3 mm	128	22	4407 3	20	120
206116	4 mm	143	28	4408 0	20	120
206118	5 mm	164	32	4409 7	20	120
206120	6 mm	185	37	4410 3	20	120
206122	8 mm	207	43	4411 0	20	120
206124	10 mm	233	49	4412 7	12	72
206131	1/16 in.	90	14	4413 4	20	120
206132	5/64 in.	101	17	4414 1	20	120
206133	3/32 in.	113	19	4415 8	20	120
206134	7/64 in.	122	21	4416 5	20	120
206135	1/8 in.	128	22	4417 2	20	120
206136	9/64 in.	139	24	4418 9	20	120
206137	5/32 in.	143	28	4419 6	20	120
206138	3/16 in.	164	32	4420 2	20	120
206139	7/32 in.	175	35	4421 9	20	120
206140	1/4 in.	185	37	4422 6	20	120
206141	5/16 in.	207	43	4423 3	20	120
206142	3/8 in.	232	48	4424 0	12	72

BALL END EXTRA LONG HEX KEY

- Chrome-Vanadium steel



Item No.	Size	L (mm)	W (mm)	EAN 69426292+	Inner	Outer
206151	1.5 mm	90	14	4425 7	20	120
206152	2 mm	101	17	4426 4	20	120
206153	2.5 mm	113	19	4427 1	20	120
206154	3 mm	128	22	4428 8	20	120
206156	4 mm	143	28	4429 5	20	120
206158	5 mm	164	32	4430 1	20	120
206160	6 mm	185	37	4431 8	20	120
206162	8 mm	207	43	4432 5	20	120
206164	10 mm	233	49	4433 2	12	72
206171	1/16 in.	90	14	4434 9	20	120
206172	5/64 in.	101	17	4435 6	20	120
206173	3/32 in.	113	19	4436 3	20	120
206174	7/64 in.	121.8	20.8	4437 0	20	120
206175	1/8 in.	128.2	22.2	4438 7	20	120
206176	9/64 in.	139	24	4439 4	20	120
206177	5/32 in.	143	28	4440 0	20	120
206178	3/16 in.	164	32	4441 7	20	120
206179	7/32 in.	175	35	4442 4	20	120
206180	1/4 in.	185	37	4443 1	20	120
206181	5/16 in.	207	43	4444 8	20	120
206182	3/8 in.	232	48	4445 5	12	72

25 PC HEX KEY SET

- 1.3, 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 9, 10 mm; 0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 in.
- Chrome-Vanadium steel
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
206195	25 pc	6727 0	6	18

9 PC MULTI COLORED LONG BALL END HEX KEY

NEW

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
206224	1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm	9154 1	6	36

9 PC MULTI COLORED LONG TORX KEY

NEW

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
206225	T-10, 15, 20, 25, 27, 30, 40, 45 & 50	9155 8	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

8 PC TORX® TAMPER KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206209	T-9, 10, 15, 20, 25, 27, 30 & 40	0469 5	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

8 PC HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206201	2, 2.5, 3, 4, 5, 6, 7 & 8 mm	0465 7	6	36
206203	5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 9/32 & 5/16 in.	0466 4	6	36

8 PC BALL END HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206205	2, 2.5, 3, 4, 5, 6, 7 & 8 mm	0467 1	6	36

4 PC PUNCH SCREWDRIVER BIT SET

- Slotted 10 mm (3/8 in.), 8 mm (5/16 in.), PH #2, #3
- Forward/reverse rotation
- Can use with 1/2 in. Dr. impact socket



Item No.	Size	EAN 69426292+	Inner	Outer
207201	4 pc	2781 6	6	12

BALL END T-HANDLE HEX KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206301	2 mm	4446 2	6	60
206303	2.5 mm	4447 9	6	60
206305	3 mm	4448 6	6	60
206307	4 mm	4449 3	6	60
206309	5 mm	4450 9	6	60
206311	6 mm	4451 6	6	36
206313	7 mm	4452 3	6	36
206315	8 mm	4453 0	6	36
206317	10 mm	4454 7	6	36
206331	5/64 in.	4455 4	6	60
206333	3/32 in.	4456 1	6	60
206335	1/8 in.	4457 8	6	60
206337	5/32 in.	4458 5	6	60
206339	3/16 in.	4459 2	6	60
206343	1/4 in.	4461 5	6	36
206345	5/16 in.	4462 2	6	36
206347	3/8 in.	4463 9	6	36

5 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206360	3, 4, 5, 6 & 8 mm	4976 4	6	12

7 PC T-HANDLE HEX KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206366	2.5, 3, 4, 5, 6, 8 & 10 mm	2650 5	6	12
206367	3/32, 1/8, 5/32, 3/16, 1/4, 5/16 & 3/8 in.	4874 3	6	12

T-HANDLE TORX® KEY

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206377	T-9	2659 8	6	60
206378	T-10	2660 4	6	60
206379	T-15	2661 1	6	60
206380	T-20	2662 8	6	60
206381	T-25	2663 5	6	60
206382	T-27	2664 2	6	36
206383	T-30	2665 9	6	36
206384	T-40	2666 6	6	36
206385	T-45	2667 3	6	36
206386	T-50	2668 0	6	36

5 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206393	T-10, 15, 20, 25 & 30	4978 8	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC TORX® KEY SET

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
206397	T-10, 15, 20, 25, 27, 30 & 40	2669 7	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

FASTENING

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210001	150 mm (6 in.)	0308 7	6	36
210003	200 mm (8 in.)	0309 4	6	36
210005	250 mm (10 in.)	0310 0	6	24
210007	300 mm (12 in.)	0311 7	6	12
210009	375 mm (15 in.)	0312 4	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Heavy-duty
- Wide open



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
210011	150 mm (6 in.)	24 mm	2952 0	6	36
210013	200 mm (8 in.)	29 mm	2953 7	6	36
210015	250 mm (10 in.)	34 mm	2954 4	6	24
210017	300 mm (12 in.)	41 mm	2955 1	6	12
210019	375 mm (15 in.)	44 mm	2956 8	6	12

ADJUSTABLE WRENCH

- Laser etched mm/in. scale
- Chrome-Vanadium steel
- Chrome plated



Item No.	Size	EAN 69426292+	Inner	Outer
210021	150 mm (6 in.)	3842 3	6	36
210023	200 mm (8 in.)	3843 0	6	36
210025	250 mm (10 in.)	3844 7	6	24
210027	300 mm (12 in.)	3845 4	6	12
210029	375 mm (15 in.)	3846 1	6	12

3 PC ADJUSTABLE WRENCH SET

- Laser etched mm/in. scale
- Chrome-Vanadium steel • Cr-plated
- 150 mm (6 in.), 200 mm (8 in.), 250 mm (10 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
210123	3 pc	5665 6	6	12

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24

C-CLAMP

- Heavy-duty cast-iron body



Item No.	Size	EAN 69426292+	Inner	Outer
215001	50 mm (2 in.)	0257 8	6	60
215003	75 mm (3 in.)	0258 5	6	24
215005	100 mm (4 in.)	0259 2	6	12
215007	125 mm (5 in.)	0260 8	6	12
215009	150 mm (6 in.)	0261 5	4	8
215011	200 mm (8 in.)	0262 2	4	8

QUICK ACTION F-CLAMP

- Quick release function
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215453	300 mm (12 in.)	2748 9	6	12
215455	450 mm (18 in.)	2749 6	6	12
215457	600 mm (24 in.)	2750 2	6	12
215459	900 mm (36 in.)	2751 9	6	12

PUMP CLAMP

- Heavy-duty cast-iron body
- For professional wood and metal working



Item No.	Size	EAN 69426292+	Inner	Outer
215475	500 x 120 mm	8376 8	0	6
215479	1000 x 120 mm	8377 5	0	4

F-CLAMP

- All steel construction and swivel handle for more clamp force
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215213	200 x 80 mm	0608 8	6	12
215217	300 x 80 mm	0610 1	6	12
215227	300 x 120 mm	0615 6	4	8
215229	400 x 120 mm	0616 3	4	8
215233	600 x 120 mm	0618 7	2	4
215237	1000 x 120 mm	0620 0	2	4

RATCHET F-CLAMP

NEW

- All steel construction; Quick ratchet design provides increased clamping force



Item No.	Size	EAN 69426292+	Inner	Outer
215282	300 x 120 mm	7115 4	2	8
215283	400 x 120 mm	7116 1	2	8

F-CLAMP

- Heavy-duty cast iron body
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
215403	150 x 50 mm	0625 5	6	36
215405	200 x 50 mm	0626 2	6	36
215409	300 x 50 mm	0628 6	6	36
215413	200 x 80 mm	0630 9	6	12
215417	300 x 80 mm	0632 3	6	12
215425	200 x 120 mm	1679 7	0	8
215427	300 x 120 mm	0637 8	0	8
215429	400 x 120 mm	0638 5	0	6
215431	500 x 120 mm	1680 3	0	6
215433	600 x 120 mm	0640 8	0	6
215435	800 x 120 mm	1681 0	0	6
215437	1000 x 120 mm	0642 2	0	4
215438	1200 x 120 mm	1682 7	0	4
215439	1500 x 120 mm	1683 4	0	4

DUAL-ACTION TRIGGER CLAMP

- One-hand clamping and spreading function
- Non-slip soft handle
- 100 kg (230 lbs.) clamp force





Item No.	Size	EAN 69426292+	Inner	Outer
215601	150 mm (6 in.)	2642 0	6	12
215603	300 mm (12 in.)	2643 7	6	12
215604	450 mm (18 in.)	2744 1	6	12
215605	600 mm (24 in.)	2644 4	6	12
215607	900 mm (36 in.)	2645 1	4	8
215609	1200 mm (48 in.)	2646 8	4	8

HEAVY-DUTY TRIGGER CLAMP

- 135 kg (300 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 81mm throat depth
- Pivoting jaws











Item No.	Max open	EAN 69426292+	Inner	Outer
215611	150 mm (6 in.)	9391 0	6	12
215613	300 mm (12 in.)	9392 7	6	12
215614	450 mm (18 in.)	9393 4	6	12
215615	600 mm (24 in.)	9394 1	6	12
215617	900 mm (36 in.)	9395 8	4	8



RATCHET CLAMP

- Quick release function







Item No.	Size	Max open	EAN 69426292+	Inner	Outer
215771	205 mm	50 mm	3473 9	6	24
215772	240 mm	100 mm	5432 4	6	24

BAND CLAMP

- Used in cabinet work, furniture assembly, and framing
- Ideal for use with various shaped work pieces
- Pass through joints







Item No.	Size	EAN 69426292+	Inner	Outer
215901	4 m (13 ft.)	3472 2	0	12

CORNER & VISE CLAMP

- Used in cabinet work, furniture assembly, and framing
- Clamp different thicknesses
- Pass through joints





Item No.	Size	EAN 69426292+	Inner	Outer
215907		7201 4	12	24

DUAL-ACTION TRIGGER CLAMP

- 60 kg (138 lbs.) clamp force
- Quick change function
- One-hand clamping and spreading
- 65 mm throat depth



Item No.	Max open	EAN 69426292+	Inner	Outer
215631	150 mm (6 in.)	3022 9	0	6
215632	300 mm (12 in.)	3932 1	0	6
215633	450 mm (18 in.)	9464 1	0	6
215634	600 mm (24 in.)	9465 8	0	6
215636	900 mm (36 in.)	9485 6	0	6
215638	1200 mm (48 in.)	9118 3	0	6

NYLON CLAMP

- Non-slip soft handle



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
215701	2 pc 80 mm	32 mm	1461 8	6	24
215703	110 mm	46 mm	1462 5	12	48
215704	4 pc 110 mm	46 mm	5123 1	9	54
215705	165 mm	58 mm	1463 2	6	36
215706	3 pc 165 mm	58 mm	5626 7	18	36
215707	225 mm	90 mm	1464 9	6	24

PIPE CLAMP

- Works with steel pipes
- Soft jaws included
- H style base prevents clamps from tipping over



Item No.	Size	EAN 69426292+	Inner	Outer
215803	1/2 in. (12.7 mm)	1699 5	3	12
215805	3/4 in. (19.05 mm)	1465 6	3	12

CORNER CLAMP

- Clamp various sized work pieces with 2 spindles



Item No.	Size	EAN 69426292+	Inner	Outer
215851	75 mm (3 in.)	2752 6	6	24

BENCH VISE WITH SWIVEL BASE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216004	100 mm (4 in.)	2980 3	0	2
216005	125 mm (5 in.)	2981 0	0	2
216006	150 mm (6 in.)	2982 7	0	1
216008	200 mm (8 in.)	9233 3	0	1

BENCH VISE WITH FIXED BASE

- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216033	75 mm (3 in.)	5217 7	0	2
216034	100 mm (4in.)	5218 4	0	2
216035	125 mm (5 in.)	5219 1	0	1
216036	150 mm (6 in.)	5220 7	0	1
216038	200 mm (8 in.)	5221 4	0	1

HEAVY-DUTY BENCH VISE WITH FIXED BASE


- Extra weight provides more stability
- Replaceable hardened jaw
- Fixed base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216054	100 mm (4in.)	5223 8	0	2
216055	125 mm (5 in.)	5224 5	0	1
216056	150 mm (6 in.)	5225 2	0	1
216058	200 mm (8 in.)	5226 9	0	1

HOME VISE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216093	90 mm (3-1/2 in.)	3449 4	0	4

TABLE VISE WITH SWIVEL BASE

- Replaceable hardened jaw
- Swivel base
- Polished anvil



Item No.	Size	EAN 69426292+	Inner	Outer
216203	60 mm (2-1/2 in.)	3450 0	0	10

MULTI-ANGLE VISE

- Ideal for holding small parts
- Portable, quickly Clamps to surface
- Tabletop 360° rotates and swivels vise tilts



Item No.	Size	EAN 69426292+	Inner	Outer
216211		7202 1	0	12

DRILL VISE

- Replaceable hardened jaw



Item No.	Size	EAN 69426292+	Inner	Outer
216404	100 mm (4 in.)	2983 4	0	8

WOOD WORKING VISE

- Cast iron base



Item No.	Size	EAN 69426292+	Inner	Outer
216447	150 mm (6 in.)	3451 7	0	6

RIVET GUN

- Heavy-duty



	2.4 mm (3/32 in.)	3.2 mm (1/8 in.)	4.0 mm (5/32 in.)	4.8 mm (3/16 in.)
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	
Stainless Steel	✓	✓		

Item No.	Size	EAN 69426292+	Inner	Outer
217001	250 mm (10 in.)	0853 2	6	12

FLEX HEAD RIVET GUN

- 360° rotating head for working in tight space



	2.4 mm (3/32 in.)	3.2 mm (1/8 in.)	4.0 mm (5/32 in.)	4.8 mm (3/16 in.)
Aluminium	✓	✓	✓	✓
Steel	✓	✓	✓	
Stainless Steel	✓	✓		

Item No.	Size	EAN 69426292+	Inner	Outer
217022		2610 9	4	8

HEAVY-DUTY RIVET GUN

- Single pull action for fast, repetitive applications



	3.2 mm (1/8 in.)	4.0 mm (5/32 in.)	4.8 mm (3/16 in.)	6.0 mm (15/16 in.)	6.4 mm (1/4 in.)
Aluminium	✓	✓	✓	✓	✓
Steel	✓	✓	✓	✓	
Stainless Steel	✓	✓	✓		

Item No.	Size	EAN 69426292+	Inner	Outer
217025		3356 5	0	6

LONG-ARM RIVET GUN

- Industrial compound action riveter with high leverage long tubular handle




	2.4 mm (3/32 in.)	3.2 mm (1/8 in.)	4.0 mm (5/32 in.)	4.8 mm (3/16 in.)
Aluminium	✓	✓	✓	✓

Item No.	Size	EAN 69426292+	Inner	Outer
217029		3357 2	0	10

100 PC RIVET SET

- Grip range 0.8-3 mm
- Aluminum



Item No.	D	L	EAN 69426292+	Inner	Outer
217051	2.4 mm (3/32 in.)	6.4 mm (1/4 in.)	3938 3	20	120
217053	3.2 mm (1/8 in.)	6.4 mm (1/4 in.)	3939 0	20	120
217055	4.0 mm (5/32 in.)	6.4 mm (1/4 in.)	3940 6	12	72
217057	4.8 mm (3/16 in.)	6.4 mm (1/4 in.)	3941 3	12	72

EYELET PLIERS

- Use with 4 mm eyelet
- Ergonomic large handle
- 50 eyelets included



Item No.	Size	EAN 69426292+	Inner	Outer
217201		1466 3	6	36
217210	50 pc 4 mm replace eyelets	8793 3	12	144

EYELET PLIERS

- Use with 6 mm eyelet
- 50 pc 6 mm eyelets included



Item No.	Size	EAN 69426292+	Inner	Outer
217203		8664 6	6	36
217211	50 pc 6 mm replace eyelets	8690 5	54	216

PUNCH PLIERS

- 6 punch size 2.5, 3, 3.5, 4, 4.5 & 5 mm
- Ergonomic large handle



Item No.	Size	EAN 69426292+	Inner	Outer
217401	225 mm (9 in.)	1467 0	6	24

PUNCH PLIERS HIGH LEVERAGE

- High leverage design for labor saving more than 30%
- 6 punch size 2.5, 3, 3.5, 4, 4.5 & 5 mm
- Ergonomic non-slip bi-material handle





Item No.	Size	EAN 69426292+	Inner	Outer
217403	250 mm (10 in.)	9131 2	6	24

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 100 pc staples



Item No.	Size	EAN 69426292+	Inner	Outer
218003		1468 7	6	12

STAPLE GUN

- Use with 11.3 mm wide x 4, 6, 8 mm long light duty staples
- Supplied with 200 pc staples



Item No.	Size	EAN 69426292+	Inner	Outer
218005		7032 4	6	12

HEAVY-DUTY STAPLE GUN

- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplied with 600 pc staples



Item No.	Size	EAN 69426292+	Inner	Outer
218011	3-in-1	1469 4	6	12

HEAVY-DUTY STAPLE GUN

- High/low power adjustment
- Use with 11.3 mm & 10.6 mm wide x 4-14 mm long heavy-duty staples
- Supplier with 600 pc staples
- With belt clip



Item No.	Size	EAN 69426292+	Inner	Outer
218013		7033 1	6	12

11.3 mm HEAVY-DUTY STAPLES


- Fits 218011, 218013
- 11.3 mm wide staples



Item No.	Size	EAN 69426292+	Inner	Outer
218101	1000 pc 6 mm (1/4 in.)	3358 9	12	144
218103	1000 pc 8 mm (5/16 in.)	3359 6	12	72
218105	1000 pc 10 mm (3/8 in.)	3360 2	12	72
218107	1000 pc 12 mm (1/2 in.)	3361 9	12	72
218109	1000 pc 14 mm (9/16 in.)	3362 6	12	72

11.3 mm LIGHT-DUTY STAPLES

- Fits 218003, 218005
- 11.3 mm wide staples



Item No.	Size	EAN 69426292+	Inner	Outer
218121	1000 pc 6 mm (1/4 in.)	3363 3	12	144
218123	1000 pc 8 mm (5/16 in.)	3364 0	12	72

BRAD NAILS



Item No.	Size	EAN 69426292+	Inner	Outer
218147	1000 pc 12 mm (1/2 in.)	3367 1	12	144
218151	1000 pc 16 mm (5/8 in.)	3368 8	12	144

10.6 mm HEAVY-DUTY STAPLES

- Fits 218011, 218013
- 10.6 mm wide staples



Item No.	Size	EAN 69426292+	Inner	Outer
218161	1000 pc 6 mm	0298 1	12	144
218162	1000 pc 8 mm	2292 7	12	72
218163	1000 pc 10 mm	2293 4	12	72
218164	1000 pc 12 mm	2295 8	12	72
218165	1000 pc 14 mm	2296 5	12	72



MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220011	25 mm	0646 0	6	24
220013	30 mm	0647 7	6	12
220015	35 mm	0648 4	6	12
220017	40 mm	0649 1	6	12
220019	45 mm	0650 7	4	8
220021	50 mm	0651 4	2	6

JOINER HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220031	16 mm	0652 1	6	36
220033	20 mm	0653 8	6	36
220035	25 mm	0654 5	6	24
220037	30 mm	0655 2	6	12
220039	35 mm	0656 9	6	12

ELECTRICIAN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220051	18 mm	0657 6	6	36

MACHINIST HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220103	200 g	0658 3	6	36
220105	300 g	0659 0	6	24
220107	400 g	0660 6	6	24
220109	500 g	0661 3	6	12
220111	600 g	0662 0	6	12
220113	800 g	0663 7	4	12
220115	1000 g	0664 4	4	8

STONE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220531	1000 g	0665 1	4	8
220533	1250 g	0666 8	4	8
220535	1500 g	0667 5	4	8

DRILLING HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
220631	0.9 kg (2 lbs.)	0668 2	4	8
220635	1.36 kg (3 lbs.)	0670 5	4	8
220637	1.8 kg (4 lbs.)	0671 2	4	8

CLAW HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
221001	225 g (8 oz.)	0672 9	6	24
221003	340 g (12 oz.)	0673 6	6	24
221005	450 g (16 oz.)	0674 3	6	12
221007	570 g (20 oz.)	0675 0	6	12

CLAW HAMMER

- Forged hammer head with magnetic nail holder
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
221031	700 g	0678 1	6	12

CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
221051	450 g (16 oz.)	0679 8	6	12
221053	570 g (20 oz.)	0680 4	6	12

RIP CLAW HAMMER

- Fully polished forged one-piece construction
- Non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
221055	680 g (24 oz.)	0681 1	6	12

MAX-IMPACT CLAW HAMMER

- Max-impact technology enables a faster swing and greater impact
- Precision balanced head for user comfort and control
- Magnetic nail start feature enables one-handed nailing operation
- Fully forged one piece for a lifetime of use
- Non-slip bi-material soft handle





Item No.	Size	EAN 69426292+	Inner	Outer
221057	450 g (16 oz.)	7780 4	6	12

CLAW HAMMER

- Fully polished forged hammer head
- Wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
221209	225 g (8 oz.)	3998 7	6	24
221211	340 g (12 oz.)	3999 4	6	24
221213	450 g (16 oz.)	3847 8	6	12
221215	570 g (20 oz.)	3848 5	6	12

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
222559	2.7 kg (6 lbs.)	0700 9	0	2
222561	3.6 kg (8 lbs.)	0701 6	0	2
222563	4.5 kg (10 lbs.)	0702 3	0	2
222565	5.4 kg (12 lbs.)	0703 0	0	2

BALL PEIN HAMMER

- Fully polished forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
222003	225 g (8 oz.)	0689 7	6	24
222005	340 g (12 oz.)	0690 3	6	24
222007	450 g (16 oz.)	0691 0	6	12
222009	680 g (24 oz.)	0692 7	6	12
222011	910 g (32 oz.)	0693 4	4	8
222013	1200 g (40 oz.)	0694 1	4	8

CROSS PEIN HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
222701	0.9 kg (2 lbs.)	2782 3	4	8
222703	1.36 kg (3 lbs.)	2783 0	4	8
222705	1.8 kg (4 lbs.)	2784 7	4	8

CLAW HAMMER

- Fully polished forged hammer head
- Tubular handle with non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
221071	225 g (8 oz.)	0682 8	6	36
221073	450 g (16 oz.)	0683 5	6	12
221075	570 g (20 oz.)	0684 2	6	12

BALL PEIN HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
222103	225 g (8 oz.)	3369 5	6	24
222107	450 g (16 oz.)	3371 8	6	12
222111	910 g (32 oz.)	3373 2	4	8

CROSS PEIN HAMMER

- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
222751	110 g (4 oz.)	8387 4	6	48

CLAW HAMMER

- Fully polished forged hammer head
- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
221201	225 g (8 oz.)	0685 9	6	24
221203	450 g (16 oz.)	0686 6	6	12
221205	570 g (20 oz.)	0687 3	6	12

SLEDGE HAMMER

- Forged hammer head
- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
222551	0.9 kg (2 lbs.)	0696 5	4	8
222557	1.8 kg (4 lbs.)	0699 6	4	8

WARRINGTON HAMMER

- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
222753	225 g (8 oz.)	8388 1	6	24

RUBBER MALLET

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
223001	65 mm (24 oz.), black	0708 5	6	12
223003	65 mm (24 oz.), white	0709 2	6	12
223005	45 mm (8 oz.), black	2746 5	6	24
223007	58 mm (16 oz.), black	2747 2	6	24

AXE

- Non-slip bi-material fiberglass handle



Item No.	Size	EAN 69426292+	Inner	Outer
224001	600 g	0711 5	6	12

TYPE R MASON'S HAMMER

- Forged hammer head
- Wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
224106	600 g	5856 8	6	24

DEAD BLOW HAMMER

- Soft face
- Prevents rebound



Item No.	Size	EAN 69426292+	Inner	Outer
223035	910 g (2 lbs.)	9379 8	6	12
223037	1360 g (3 lbs.)	8385 0	6	12

MULTI-PURPOSE HATCHET

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
224101	600 g	0713 9	6	12

TYPE B MASON'S HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
224107	600 g	0716 0	6	12

2-WAY RUBBER MALLET

- Exchangeable PU heads
- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
223101	35 mm	0710 8	6	24
223102	Spare head-black	4191 1	24	96
223103	Spare head-orange	4192 8	24	96

TACK HAMMER

- Hickory handle



Item No.	Size	EAN 69426292+	Inner	Outer
223203	142 g (5 oz.)	3849 2	12	48

ROOFING HAMMER

- Tubular handle
- Non-slip bi-material soft grip



Item No.	Size	EAN 69426292+	Inner	Outer
224103	600 g	0714 6	6	12

TYPE R MASON'S HAMMER


- Tubular handle
- Non-slip bi-material soft grip




Item No.	Size	EAN 69426292+	Inner	Outer
224105	600 g	0715 3	6	12

GO-THROUGH BLADE CHISEL

- Chrome vanadium blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness
- Professional go-through blade construction





Item No.	Size	EAN 69426292+	Inner	Outer
225011	6 mm (1/4 in.)	0313 1	6	24
225015	10 mm (3/8 in.)	0314 8	6	24
225017	13 mm (1/2 in.)	0315 5	6	24
225019	16 mm (5/8 in.)	0316 2	6	24
225021	19 mm (3/4 in.)	0317 9	6	24
225023	22 mm (7/8 in.)	0318 6	6	24
225025	25 mm (1 in.)	0319 3	6	24
225029	32 mm (1-1/4 in.)	0320 9	6	24
225031	38 mm (1-1/2 in.)	0321 6	6	24
225053	3 pc (13, 19, 25 mm)	2769 4	6	12



WOOD CHISEL

- Chrome vanadium blade for superior performance and edge retention
- Ergonomic handle for precision and comfort
- Designed to be used with wooden mallet or hand for fine wood working




Item No.	Size	EAN 69426292+	Inner	Outer
225061	6 mm (1/4 in.)	9381 1	6	24
225065	10 mm (3/8 in.)	9382 8	6	24
225067	13 mm (1/2 in.)	9383 5	6	24
225069	16 mm (5/8 in.)	9384 2	6	24
225071	19 mm (3/4 in.)	9385 9	6	24
225073	22 mm (7/8 in.)	9386 6	6	24
225075	25 mm (1 in.)	9387 3	6	24
225079	32 mm (1-1/4 in.)	9388 0	6	24
225081	38 mm (1-1/2 in.)	9389 7	6	24
225093	3 pc (13, 19, 25 mm)	9390 3	6	12

SIDE STRIKE CHISEL

- Side cutting edge, standard wood chisel, serrated cutting edge
- Cr-V blade for superior performance and edge retention
- Extra-large strike cap withstands repetitive hammer strikes and can be hit from multiple angles
- Non-slip PP/TPR handle for comfortable grip and reinforced toughness





Item No.	Size	EAN 69426292+	Inner	Outer
225625	25 mm (1 in.)	3021 2	6	24

COLD CHISEL



Item No.	Size	EAN 69426292+	Inner	Outer
227001	200 x 12 mm (8 x 1/2 in.)	1470 0	12	24
227003	250 x 20 mm (10 x 13/16 in.)	1471 7	12	24
227005	250 x 24 mm (10 x 15/16 in.)	1472 4	12	24
227009	250 x 28 mm (10 x 1-1/8 in.)	1474 8	12	24
227011	250 x 30 mm (10 x 1-3/16 in.)	1475 5	12	24
227013	250 x 50 mm (10 x 2 in.)	1476 2	12	24

RUBBER HOLDER FOR COLD CHISEL

- Ergonomic design
- Soft handle to avoid injuries
- Fits TACTIX cold chisel



Item No.	Size	EAN 69426292+	Inner	Outer
227101		1478 6	0	12

POINT CHISEL

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
227015	250 x 16 mm (10 x 5/8 in.)	1477 9	12	24
227017	250 x 18 mm (10 x 11/16 in.)	2839 4	12	24
227027	300 x 18 mm (12 x 11/16 in.)	5027 2	12	24

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Brick bolster 216 x 102 x 22 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227303	216 x 102 x 22 mm	1479 3	6	18

COLD CHISEL WITH HAND GUARD

- Drop forged steel
- Floor chisel 225 x 56 x 19 mm
- Soft handle to avoid injuries



Item No.	Size	EAN 69426292+	Inner	Outer
227323	225 x 56 x 19 mm	1480 9	6	18

6 PC PIN PUNCH SET

- Chrome vanadium steel
- 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230011	150 mm (6 in.)	1481 6	6	24

3 PC NAIL SET

- Chrome vanadium steel
- 0.8, 1.6, 2.4 mm (1/32, 1/16, 3/32 in.)
- Soft handle



Item No.	Size	EAN 69426292+	Inner	Outer
230033	3 pc	3475 3	10	60

CENTER PUNCH

- Chrome vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
230085	6 x 100 mm	9031 5	10	60

3 PC CHISEL SET


- Chrome vanadium steel
- 10, 12, 16 mm (3/8, 1/2, 5/8 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230103	3 pc	3476 0	10	40

12 PC CHISEL AND PUNCH SET

- Drop forged, hardened and tempered
- Center punch: 6, 8 mm (1/4, 5/16 in.)
- Taper punch: 2 mm (3/32 in.)
- Cold chisel: 10, 12, 16 mm (3/8, 1/2, 5/8 in.)
- Pin punch: 2, 3, 4, 5, 6, 8 mm (3/32, 1/8, 5/32, 3/16, 1/4, 5/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
230112	12 pc	3477 7	6	12

PRY BAR


- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233005	380 mm (15 in.)	1482 3	5	20

WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233181	450 mm (18 in.) x 16 mm	3440 1	6	12
233183	600 mm (24 in.) x 18 mm	3441 8	0	6
233185	900 mm (36 in.) x 18 mm	3442 5	0	6

HEAVY-DUTY WRECKING BAR

- Drop forged steel



Item No.	Size	EAN 69426292+	Inner	Outer
233305	600 mm (24 in.) x 29 x 15 mm	1485 4	2	6
233307	750 mm (30 in.) x 29 x 15 mm	1486 1	2	6

TAPE MEASURE

- Impact resistant ABS case



Item No.	Size	EAN 69426292+	Inner	Outer
235083	3 m x 16 mm-MID	0179 3	20	60
235085	5 m x 19 mm-MID	0180 9	20	60
235088	8 m x 25 mm-MID	0181 6	10	30
235183	12 ft. x 5/8 in.	0343 8	20	60
235185	16 ft. x 3/4 in.	0344 5	20	60
235188	26 ft. x 1 in.	0345 2	10	30
235283	3.5 m (12 ft.) x 16 mm	0358 2	20	60
235285	5 m (16 ft.) x 19 mm	0359 9	20	60
235288	8 m (26 ft.) x 25 mm	0360 5	10	30

TAPE MEASURE

- Impact resistant ABS case
- 3 assorted colors





Item No.	Size	EAN 69426292+	Inner	Outer
235089	8 m x 25 mm-MID	4743 2	15	30

TAPE MEASURE-NYSLIK BLADE™

- NYSLIK BLADE™ nylon coated for increased blade life
- Dual-end-large hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
235341	3 m x 16 mm-MID	4812 5	15	30
235343	5 m x 19 mm-MID	4813 2	15	30
235345	8 m x 25 mm-MID	4814 9	12	24
235347	10 m x 25 mm-MID	4815 6	12	24
235361	12 ft. x 5/8 in.	4819 4	15	30
235363	16 ft. x 3/4 in.	4820 0	15	30
235365	26 ft. x 1 in.	4821 7	12	24
235367	33 ft. x 1 in.	4822 4	12	24
235381	3.5 m (12 ft.) x 16 mm	4826 2	15	30
235383	5 m (16 ft.) x 19 mm	4827 9	15	30
235385	8 m (26 ft.) x 25 mm	4828 6	12	24
235387	10 m (33 ft.) x 25 mm	4829 3	12	24

AUTO-LOCK TAPE MEASURE

- Auto-locking blade with ergonomic retraction button
- Dual-end-hook grasps objects from the bottom and top of the tape
- Dual-material, impact-resistant case



Item No.	Size	EAN 69426292+	Inner	Outer
236401	3 m x 16 mm-MID	6067 7	6	36
236403	5 m x 19 mm-MID	6068 4	6	24
236405	8 m x 25 mm-MID	6070 7	6	24
236411	3.5 m (12 ft.) x 16 mm	6071 4	6	36
236413	5 m (16 ft.) x 19 mm	6073 8	6	24
236415	8 m (26 ft.) x 25 mm	6074 5	6	24

TAPE MEASURE

- Pocket size
- Great gift idea



Item No.	Size	EAN 69426292+	Inner	Outer
235292	2 m (6 ft.)	3863 8	12	120

TAPE MEASURE-ULTRA BLADE™

- ULTRA BLADE™ nylon sleeve technology for heavy duty use
- Dual-sided blade printing for maximum visibility
- High-impact bi-material non-slip case
- Extra-large dual sided magnetized hook



Item No.	Size	EAN 69426292+	Inner	Outer
235353	5 m x 27 mm-MID	4816 3	12	24
235355	8 m x 27 mm-MID	4817 0	12	24
235357	10 m x 27 mm-MID	4818 7	12	24
235373	16 ft. x 1-1/16 in.	4823 1	12	24
235375	26 ft. x 1-1/16 in.	4824 8	12	24
235377	33 ft. x 1-1/16 in.	4825 5	12	24
235393	5 m (16 ft.) x 27 mm	4830 9	12	24
235395	8 m (26 ft.) x 27 mm	4831 6	12	24
235397	10 m (33 ft.) x 27 mm	4832 3	12	24

CORNER RULER-ALUMINUM

- High quality aluminum for durability
- Lightweight



Item No.	Size	EAN 69426292+	Inner	Outer
239012	250 x 150 mm	2756 4	6	36
239013	300 x 165 mm	1487 8	6	24

CARPENTER SQUARE-STEEL


- Hardened steel for durability and long life



Item No.	Size	EAN 69426292+	Inner	Outer
239043	300 x 200 mm (12 x 8 in.)	3378 7	12	60
239055	610 X 406 mm (24 x 16 in.)	3379 4	6	24
239057	24 x 16 in.	3380 0	6	24

RAFTER SQUARE ALUMINUM

- Common/jack, Hip-val, protractor scale, fixed base, pivot point
- Metric scale







Item No.	Size	EAN 69426292+	Inner	Outer
239071	178 mm	5574 1	12	48

HI-VIS RAFTER SQUARE

- Dual color for easy reading
- Common/jack, Hip-val, protractor scale, fixed base, inch scale, scribing notched, pivot point
- SAE scale






Item No.	Size	EAN 69426292+	Inner	Outer
239081	7 in. (177 mm)	7156 7	12	24
239083	12 in. (304 mm)	3124 0	12	24

HI-VIS RAFTER SQUARE ALUMINUM

- Common/jack, Hip-val, protractor scale, fixed base, mm scale, scribing notched, pivot point
- Metric scale







Item No.	Size	EAN 69426292+	Inner	Outer
239091	178 mm	9488 7	6	12
239093	300 mm	9491 7	6	12

HI-VIS RAFTER SQUARE METRIC SCALE

- Common/jack, Hip-val, protractor scale, fixed base, scribing notched, pivot point
- Metric scale





Item No.	Size	EAN 69426292+	Inner	Outer
239095	180 mm	9193 0	12	24
239096	300 mm	9194 7	12	24

COMBINATION RULER

- Stainless steel ruler
- Die cast metal handle



Item No.	Size	EAN 69426292+	Inner	Outer
239111	300 mm	1488 5	6	24

BEVEL


- Stainless steel ruler
- Movable blade helps copy an angle and transfer it onto another surface



Item No.	Size	EAN 69426292+	Inner	Outer
239161	200 mm	1489 2	6	24

RULER STAINLESS STEEL


- MID • Stainless steel
- Permanently etched graduation



Item No.	Size	EAN 69426292+	Inner	Outer
239201	300 mm MID	9063 6	10	100
239202	600 mm MID	9064 3	10	60
239203	1000 mm MID	9065 0	10	30

RULER-STAINLESS STEEL

- Stainless steel
- Permanently etched graduation



Item No.	Size	EAN 69426292+	Inner	Outer
239211	300 mm	1490 8	10	100
239212	300 mm (12 in.)	2882 0	10	100
239215	600 mm	1491 5	10	60
239216	600 mm (24 in.)	2883 7	10	60
239219	1000 mm	1492 2	10	60
239220	1000 mm (39 in.)	2884 4	10	60

WOOD FOLDING RULER



Item No.	Size	EAN 69426292+	Inner	Outer
239241	1 m (39 in.)	6486 6	10	100
239243	2 m (78 in.)	6487 3	10	100
239245	2 m-MID	6488 0	10	100

MULTI FUNCTION LEVEL

- 4 vials - 45° 90° 135° 180°
- Metric scale
- 2 line marker for alignment




Item No.	Size	EAN 69426292+	Inner	Outer
239263	600 mm (23-1/2 in.)	9035 3	0	20

MULTI FUNCTION LEVEL

- 6 vials: 22.5°, 45°, 67.5°, 90°, 2x180°
- 2 sliding marking aids
- Marking holes & drill holes
- Removable pocket level





Item No.	Size	EAN 69426292+	Inner	Outer
239267	1000 mm	9076 6	0	16

LONG TAPE MEASURE-STEEL BLADE

- 3x gear ratio offers a fast blade rewind speed
- Impact resistant bi-material non-slip case
- Nylon coated 0.15 mm thick steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
240010	10 m x 13 mm MID	0182 3	6	24
240020	20 m x 13 mm MID	0183 0	6	24
240030	30 m x 13 mm MID	0184 7	6	24
240510	10 m (33 ft.) x 13 mm	0361 2	6	24
240520	20 m (66 ft.) x 13 mm	0362 9	6	24
240530	30 m (100 ft.) x 13 mm	0363 6	6	24

LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- 3x gear ratio offers a fast blade rewind speed
- Fiberglass blade



Item No.	Size	EAN 69426292+	Inner	Outer
240120	20 m x 15 mm - MID	0186 1	6	24
240130	30 m x 15 mm - MID	0187 8	6	24
240620	20 m (66 ft.) x 15 mm	0365 0	6	24
240630	30 m (100 ft.) x 15 mm	0366 7	6	24

LONG TAPE MEASURE

- Impact resistant bi-material non-slip case
- Fiberglass blade
- Soft handle for comfort



Item No.	Size	EAN 69426292+	Inner	Outer
240230	30 m x 13 mm - MID	0188 5	6	12
240260	60 m x 13 mm - MID	0189 2	6	12
240730	30 m (100 ft.) x 13 mm	0367 4	6	12
240760	60 m (200 ft.) x 13 mm	0368 1	6	12

MEASURING WHEEL 0-9999 m

- Dual wheels for stability
- Instant zero button
- Telescopic handle
- Storage bag included





Item No.	Size	EAN 69426292+	Inner	Outer
241001	0-9999 m	8099 6	0	6

MEASURING WHEEL 0-9999 m

- Instant zero button
- Telescoping handle
- Compact design





Item No.	Size	EAN 69426292+	Inner	Outer
241005	0-9999 m	1621 6	0	15



VERNIER CALIPER

- Inside, outside, depth and step measurements
- Accuracy to 0.02 mm and 1/1000 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245011	150 mm (6 in.) x 0.02 mm (1/1000 in.)	1493 9	6	24

VERNIER CALIPER


- Inside, outside, depth and step measurements
- Accuracy to 0.05 mm and 1/128 in.



Item No.	Size	EAN 69426292+	Inner	Outer
245012	150 mm (6 in.) x 0.05 mm (1/128 in.)	6156 8	6	24

LASER DISTANCE MEASURER 60 m (195 ft.)

- Distance, Area, Volume, Pythagorean, Auto level & Continuous measurment
- Add/Subtract
- Data storage: 20 times
- Baseline:Front, back, tripod
- Tripod adaptor
- Unit: m / ft / in / ft+in
- Laser level: Class 2
- Laser type: 630-670nm, <1mW
- Battery: 3 x AAA




Item No.	Size	EAN 69426292+	Inner	Outer
254005	60 m (195 ft.)	8315 7	5	30

LASER DISTANCE MEASURER 40 m (130 ft.)

- Range: 0.2-40M
- Accuracy: ±2 mm
- Distance, Area, Volume & Continuous measurment
- Baseline: Front, back
- Unit: m / ft / in / ft+in
- Laser level: Class 2
- Laser type: 630-670nm, <1mW
- Battery: 2 x AAA





Item No.	Size	EAN 69426292+	Inner	Outer
254000	40 m (130 ft.)	7059 1	6	24

DIGITAL CALIPER

- Inside, outside, depth and step measurements
- Stainless steel construction
- Accuracy to 0.01 mm and 1/1000 in.
- Screw fixed battery holder



Item No.	Size	EAN 69426292+	Inner	Outer
245111	150 mm (6 in.) x 0.01 mm (1/1000 in.)	1494 6	6	24

EXTERNAL MICROMETER

- Accuracy to 0.01 mm
- Special wrench included for simple zero adjustments



Item No.	Size	EAN 69426292+	Inner	Outer
245311	0-25 mm x 0.01 mm	1495 3	6	24
245411	0-1 in. x 1/1000 in.	1496 0	6	24

LEVEL-I STYLE


- 1 horizontal and 2 vertical vials
- Rugged aluminum I-beam frame for durability
- Shockproof end caps • Accuracy 1.0 mm/m
- 1.5 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
250051	400 mm (15-3/4 in.)	0288 2	6	24
250053	600 mm (23-1/2 in.)	0289 9	6	24
250056	900 mm (35-1/2 in.)	1398 7	6	24
250059	1200 mm (47-1/4 in.)	0292 9	6	12

LEVEL-I STYLE

- 3 vials-0, 45, 90°
- Aluminum I-beam frame



Item No.	Size	EAN 69426292+	Inner	Outer
250110	300 mm (11-3/4 in.)	3862 1	0	24
250112	450 mm (17-3/4 in.)	3858 4	0	24
250113	600 mm (23-1/2 in.)	3859 1	0	24
250116	900 mm (35-1/2 in.)	3860 7	0	24
250119	1200 mm (47-1/4 in.)	3861 4	0	12

LEVEL-TORPEDO STYLE

- 3 vials-0, 45, 90°
- With magnetic base
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253005	225 mm (9 in.)	0307 0	6	36

LEVEL-BOX STYLE


- 1 horizontal and 2 vertical vials
- Dual side milled aluminum box style frame for durability
- V groove can be used on pipe • Shockproof end caps
- Accuracy 0.5 mm/m
- 1.7 mm thickness



Item No.	Size	EAN 69426292+	Inner	Outer
251011	400 mm (15-3/4 in.)	0293 6	6	24
251013	600 mm (23-1/2 in.)	0294 3	6	12
251016	900 mm (35-1/2 in.)	1399 4	6	12
251019	1200 mm (47-1/4 in.)	0297 4	5	10

LEVEL-TORPEDO STYLE

- 3 vials-0, 45, 90°
- With magnetic base
- Shockproof end caps
- Accuracy 1.0 mm/m



Item No.	Size	EAN 69426292+	Inner	Outer
253001	225 mm (9 in.)	0306 3	6	36

HANDY LEVEL

- Solid acrylic vial
- Shockproof end caps
- With magnet base
- Accutacy 1.0 mm/m




Item No.	Size	EAN 69426292+	Inner	Outer
253007	100 mm (4 in.)	9493 1	6	36

LEVEL-BOX STYLE SIDE VIEW

- 1 horizontal and 2 vertical vials
- Side view function
- Dual side milled
- Shockproof end caps
- Accuracy 0.5 mm/m
- 1.6 mm thickness





Item No.	Size	EAN 69426292+	Inner	Outer
251033	600 mm (23-1/2 in.)	8682 0	6	12

LEVEL-BOX STYLE EASY GRIP

- 1 horizontal and 1 vertical vials
- Bottom milled
- Accuracy 0.5 mm/m
- Shockproof end caps
- 1.3mm thickness





Item No.	Size	EAN 69426292+	Inner	Outer
251061	400 mm (15-3/4 in.)	9056 8	6	36
251063	600 mm (23-1/2 in.)	9057 5	6	24
251065	800 mm (31-1/2 in.)	9058 2	6	24
251067	1000 mm (39-3/8 in.)	9059 9	6	24
251069	1200 mm (47-1/4 in.)	9060 5	6	24
251072	1800 mm (70-3/4 in.)	9107 7	6	12

HANDY LEVEL

- ABS frame with aluminum base
- 2 vials - 0 & 90°
- V groove can be used on pipe
- With magnet base



Item No.	Size	EAN 69426292+	Inner	Outer
253008	85 mm (3-3/8 in.)	9069 8	12	60

LINE LEVEL


- Plastic construction
- Hooks for level sliding freely



Item No.	Size	EAN 69426292+	Inner	Outer
253011	75 mm (3 in.)	7158 1	20	60

FOLDING POST LEVEL

- 3 vials-0, 45, 90°
- With magnetic base



Item No.	Size	EAN 69426292+	Inner	Outer
253022		8794 0	6	36

2 PC CHALK LINE SET

- 30 m (100 ft.) Zinc alloy chalk box
- 113 g (4 oz.) blue chalk



Item No.	Size	EAN 69426292+	Inner	Outer
258051	2 pc	1497 7	6	24

3 PC CHALK LINE SET

- 30 m (100 ft.) plastic chalk box
- 113 g (4 oz.) blue chalk
- Oil & water-resistant black marker



Item No.	Size	EAN 69426292+	Inner	Outer
258055	3 pc	1498 4	6	24

CHALK POWDER




Item No.	Size	EAN 69426292+	Inner	Outer
258101	113 g (4 oz)-red	1499 1	10	60
258103	113 g (4 oz)-blue	1500 4	10	60
258105	113 g (4 oz)-yellow	1501 1	10	60

COMBINATION POINT AND LINE LASER LEVEL

- Class 2 laser product
  EN60825-1
  Max output:<1 mw
  λ = 630-650 nm
- Horizontal, vertical or diagonal laser lines, as well as point laser
- Working range up to 3 m (laser line) and 20 m (laser point)
- Convenient, flexible wall mount






Item No.	Size	EAN 69426292+	Inner	Outer
254101		8316 4	6	24

SELF-LEVELING CROSS LINE LASER

- Class 2 laser product
  EN 60825-1: 2014 + A11:2021
  Max output:<1 mw
  λ = 635 nm
- Projects horizontal, vertical and cross lines, projects two lines independently or together
- Projection of diagonal lines at any angle thanks to lock function
- Integrated 1/4" thread fits for conventional tripods
- Automatic self-leveling








Item No.	Size	EAN 69426292+	Inner	Outer
254105		8317 1	6	12

1.5 m TRIPOD

- Adjust height from 60-150 cm
- Fits 254101, 254105, 254111






Item No.	Size	EAN 69426292+	Inner	Outer
254191	1.5 m	8321 8	0	6

SELF-LEVELING 360 DEGREE LINE LASER

- Class 2 laser product
  EN 60825-1: 2014 + A11:2021
  Max output:<1 mw
  λ = 635 nm
- Projects 360-degree horizontal, vertical and cross lines, projects two lines independently or together
- Projection of diagonal lines at any angle thanks to lock function
- Integrated 1/4" thread fits for conventional tripods
- Automatic self-leveling








Item No.	Size	EAN 69426292+	Inner	Outer
254111		8319 5	6	12

SNAP-OFF KNIFE

- Zinc alloy and stainless steel construction with soft grip
- Quick change blade function
- Removable blade separator for fast and safe removal of dulled segments
- 3 pc SK2 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
260001	9 mm	0273 8	6	36
260011	18 mm	0275 2	6	36

SNAP-OFF KNIFE

- Zinc alloy body
- 1 pc SK5 blade included



Item No.	Size	EAN 69426292+	Inner	Outer
260005	9 mm	2320 7	6	36

SNAP-OFF KNIFE

- AL alloy and stainless steel construction
- Auto-load quick change blade function
- Removable blade separator
- Locking knob minimizes blade movement
- 3 pc SK2 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
260021	25 mm	0277 6	6	24

SNAP-OFF KNIFE

- Stainless steel
- 1 pc SK5 blade included



Item No.	Size	EAN 69426292+	Inner	Outer
260031	9 mm	5809 4	12	72

SNAP-OFF KNIFE

- 1 pc SK5 blade included



Item No.	Size	EAN 69426292+	Inner	Outer
260035	9 mm	5810 0	6	36
260036	18 mm	5811 7	6	36

SNAP-OFF KNIFE

- Integrated blade storage
- 3 pc SK2 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
260038	9 mm	5963 3	6	36
260039	18 mm	5964 0	6	36

SNAP-OFF KNIFE BLADE

- SK2
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
260511	10 pc 9 mm	0278 3	10	60
260513	10 pc 18 mm	0279 0	10	60

SNAP-OFF KNIFE BLADE

- SK5
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
260515	10 pc 25 mm	0280 6	10	60

SNAP-OFF KNIFE W OPENER

- 1 pc SK2 blade included



Item No.	Size	EAN 69426292+	Inner	Outer
260043	18 mm	5814 8	6	36

UTILITY KNIFE-RETRACTABLE

- Zinc alloy handle
- Retractable blade
- 3 pc SK2 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
261003	150 mm (6 in.)	0282 0	6	24

UTILITY KNIFE-HEAVY DUTY

- Heavy duty Zinc alloy handle with non-slip soft grip
- Retractable and quick-change blade



Item No.	Size	EAN 69426292+	Inner	Outer
261007	165 mm (6-1/2 in.)	0952 2	6	24

UTILITY KNIFE

- Zinc alloy handle
- Self-retracting blade



Item No.	Size	EAN 69426292+	Inner	Outer
261015		3381 7	6	36

SAFETY UTILITY KNIFE


- Unique auto retractable function allows blade to retract automatically when surface contact is lost for safety
- Large D-handle with non-slip soft grip for hand protection
- 5 pc SK5 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
261051		3015 1	6	24

DUAL-FUNCTION FOLDING/UTILITY KNIFE

- Dual-function: Retractable utility knife and folding knife
- 10 pc SK2 blades included
- Aluminum body
- With belt clip



Item No.	Size	EAN 69426292+	Inner	Outer
261125		2621 5	12	24

FOLDING UTILITY KNIFE

- 10 pc SK2 blades included
- With belt clip



Item No.	Size	EAN 69426292+	Inner	Outer
261201		3002 1	12	24

HEAVY-DUTY FOLDING UTILITY KNIFE

- 4 pc SK2 blades included
- With belt clip



Item No.	Size	EAN 69426292+	Inner	Outer
261215		5823 0	6	24

FOLDING UTILITY KNIFE FLIP OPEN

- Strong nylon with steel construction handle
- Press and flip opening; Compact size
- Quick change blade
- Wire stripper
- Bottle opener
- 1 pc SK2 blade

NEW





Item No.	Size	EAN 69426292+	Inner	Outer
261216		9157 2	6	36

FOLDING KNIFE

- With belt clip



Item No.	Size	EAN 69426292+	Inner	Outer
261203		3099 1	12	24

RETRACTABLE UTILITY KNIFE

- Patented retractable design
- Safety locking mechanism
- 5 pc SK5 blades included



Item No.	Size	EAN 69426292+	Inner	Outer
261223		3004 5	6	24

5 PC UTILITY KNIFE BLADE

- SK5
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
261501	5 pc	0955 3	10	100

10 PC UTILITY KNIFE BLADE

- SK2
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
261503	10 pc	0956 0	10	60

16 PC HOBBY KNIFE SET



Item No.	Size	EAN 69426292+	Inner	Outer
263017	16 pc	6842 0	6	24

35 PC HOBBY KNIFE SET



Item No.	Size	EAN 69426292+	Inner	Outer
263015	35 pc	1701 5	0	10

PULL SAW

- Flexible SK5 blade, 22 teeth/23 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle

Hardened Teeth · Triple Ground Teeth · SK5



Item No.	Size	EAN 69426292+	Inner	Outer
265001	165 mm (6-1/2 in.)	0192 2	6	24

PULL SAW

- Flexible SK5 blade, 10 teeth/11 points per inch, hardened triple ground teeth for precision cuts
- Pull-action only cuts for maximum precision
- Non-slip bi-material handle

Hardened Teeth · Triple Ground Teeth · SK5



Item No.	Size	EAN 69426292+	Inner	Outer
265003	380 mm (15 in.)	0193 9	6	24

RAZOR SAW

- SK5 blade, 45 teeth/46 points per inch, hardened double ground teeth for precision cuts
- Non-slip bi-material handle

Hardened Teeth · Double Ground Teeth · SK5



Item No.	Size	EAN 69426292+	Inner	Outer
265005	115 mm (4-1/2 in.)	0194 6	6	36

HAND SAW-PTFE

- SK5 blade, 8 teeth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle • PTFE coated

Hardened Teeth · Triple Ground Teeth · SK5

Item No.	Size	EAN 69426292+	Inner	Outer
265011	380 mm (15 in.)	0253 0	6	24
265013	500 mm (20 in.)	0254 7	6	24
265015	550 mm (22 in.)	0255 4	6	24

HAND SAW-POLISH

- SK5 blade, 8 teeth/9 points per inch, hardened triple ground teeth for fast cutting
- Non-slip bi-material handle

Hardened Teeth · Triple Ground Teeth · SK5



Item No.	Size	EAN 69426292+	Inner	Outer
265021	380 mm (15 in.)	0263 9	6	24
265022	450 mm (18 in.)	2745 8	6	24
265023	500 mm (20 in.)	0264 6	6	24
265025	550 mm (22 in.)	0265 3	6	24

HAND SAW-POLISH

- 65 Mn blade, 7 teeth/8 points per inch, hardened double ground teeth for fast cutting
- Non-slip bi-material handle

Hardened Teeth · Double Ground Teeth



Item No.	Size	EAN 69426292+	Inner	Outer
265070	300 mm (12 in.)	1678 0	6	24
265071	380 mm (15 in.)	0514 2	6	24
265073	450 mm (18 in.)	0515 9	6	24
265074	500 mm (20 in.)	0516 6	6	24
265075	550 mm (22 in.)	0518 0	6	24

4 PC SAW AND LEVEL SET

- 550 mm (22 in.) hand saw
- 225 mm (9 in.) torpedo level
- 2 pc 175 mm (7 in.) carpenter pencil

Hardened Teeth · Triple Ground Teeth · SK5



Item No.	Size	EAN 69426292+	Inner	Outer
265104	4 pc	3479 1	6	24

HAND SAW

- 7 teeth/8 points per inch, hardened double ground teeth for fast cutting
- Wood handle

Hardened Teeth · Double Ground Teeth



Item No.	Size	EAN 69426292+	Inner	Outer
265122	400 mm (16 in.)	3854 6	6	24
265123	450 mm (18 in.)	3855 3	6	24
265125	500 mm (20 in.)	3856 0	6	24
265127	550 mm (22 in.)	3857 7	6	24

BRICK SAW (MASONRY SAW)


- 65 Mn blade
- Tungsten carbide tipped teeth
- 17 teeth/18 points per inch



Item No.	Size	EAN 69426292+	Inner	Outer
265308	700 mm (28 in.)	2878 3	6	24

MITER SAW

- For accurate cutting of various angles or miters on picture frames
- Max. cutting width clamped at 45°: 110 mm
- Max. cutting width clamped at 90°: 160 mm
- Max. cutting height: 120 mm
- Blade length: 550 mm
- Blade width: 45 mm
- Table length: 395 mm



Item No.	Size	EAN 69426292+	Inner	Outer
266255	550 mm (22 in.)	0256 1	0	4

BACK SAW-POLISH

- SK5 blade, 13 teeth/14 points per Inch, hardened double ground teeth
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
266011	300 mm (12 in.)	0266 0	6	24

MULTI FUNCTION HIGH TENSION HACKSAW FRAME

- Jab saw function
- High Tension securely holds the blade up to 150 kg
- With bi-metal saw blade






Item No.	Size	EAN 69426292+	Inner	Outer
267000	300 mm (12 in.)	9114 5	0	12

WALL BOARD SAW

- Hardened double ground teeth
- Non-slip bi-material handle






Item No.	Size	EAN 69426292+	Inner	Outer
266051	150 mm (6 in.)	1559 2	6	36

HIGH TENSION HACKSAW FRAME

- Durable one-piece body for ultra-high tension
- Adjustable tension mechanism
- Non-slip ergonomic soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267005	300 mm (12 in.)	7215 1	6	12



HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade





Item No.	Size	EAN 69426292+	Inner	Outer
267007	300 mm (12 in.)	2648 2	6	12

ADJUSTABLE HACKSAW FRAME

- Adjustable to 250 mm (10 in.), 300 mm (12 in.)
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267031	300 mm (12 in.)	1561 5	6	24

JUNIOR HACKSAW


- With SK4 saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267111	150 mm (6 in.)	1562 2	6	36

HACKSAW BLADE-BI-METAL


- 300 mm (12 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
267311	2 pc 18 T	1748 0	10	100
267313	2 pc 24 T	1749 7	10	100
267315	2 pc 32 T	1757 2	10	100
267317	6 pc 18 T, 24 T, 32 T	1758 9	10	60

HEAVY-DUTY HACKSAW FRAME

- Heavy-duty construction
- Non-slip soft handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267032	300 mm (12 in.)	8863 3	6	12

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
267117VD	150 mm (6 in.)	9356 9	6	24

HACKSAW BLADE-HSS

- 300 mm (12 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
267321	2 pc 18 T	1750 3	10	100
267323	2 pc 24 T	1751 0	10	100

HACKSAW FRAME

- Non-slip bi-material handle
- With bi-metal saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267053	250 mm (10 in.)	2852 3	6	36

JUNIOR HACKSAW

- With SK4 saw blade



Item No.	Size	EAN 69426292+	Inner	Outer
267105	150 mm (6 in.)	8864 0	6	24

COPING SAW

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
268001	165 mm (6-1/2 in.)	1565 3	6	60
268004	4 pc spare blades -14 T, 18 T, 24 T and 24 T wide	5172 9	10	100

FRET SAW


- Non-slip bi-material handle
- Use for fine cutting work in thin materials such as wood, plastics, etc.



Item No.	Size	EAN 69426292+	Inner	Outer
268011	125 mm (5 in.)	8791 9	6	24
268012	6 pc spare blades 18T	8792 6	10	100

HACKSAW BLADE-BI-METAL

- 250 mm (10 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
267341	2 pc 24 T	2855 4	10	100

JUNIOR HACKSAW BLADE


- 150 mm (6 in.)
- SK4



Item No.	Size	EAN 69426292+	Inner	Outer
267403	2 pc 32 T	1753 4	10	100

QUICK ACTION MITER BOX

- Patented quick clamp and release design
- Cuts miter on 45°, 90° and 22.5°





Item No.	Size	EAN 69426292+	Inner	Outer
269001	370 mm (14-1/2 in.)	0859 4	6	12

MITRE BOX



Item No.	Size	EAN 69426292+	Inner	Outer
269005	300 x 140 x 80 mm	5965 7	6	24

MITRE BOX



Item No.	Size	EAN 69426292+	Inner	Outer
269006	310 x 170 x 110 mm	2299 6	6	24

BLOCK PLANE

- Die cast body
- Hardened and tempered 25 mm (1 in.) alloy steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
270003	90 mm (3-1/2 in.)	2773 1	6	36

ADJUSTABLE BLOCK PLANE

- Die cast body
- Hardened and tempered 41 mm (1-5/8 in.) alloy steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
270007	180 mm (7 in.)	2775 5	6	12

HEAVY-DUTY BLOCK PLANE

- Heavy-duty die cast body
- Hardened and tempered 51 mm (2 in.) alloy steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
270009	250 mm (10 in.)	2776 2	0	6

SPOKESHAVE-FLAT

- Hardened and tempered 51 mm (2 in.) alloy steel blade
- Die cast body
- Flat type



Item No.	Size	EAN 69426292+	Inner	Outer
270015	250 mm (10 in.)	3098 4	6	24

AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Cutting capacity:1.2 mm cold rolled steel, 0.8 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273011	250 mm (10 in.)	0470 1	6	24

AVIATION TIN SNIP-LEFT CUT

- Chrome-Vanadium steel
- Cutting capacity:1.2 mm cold rolled steel, 0.8 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273013	250 mm (10 in.)	0471 8	6	24

AVIATION TIN SNIP-RIGHT CUT

- Chrome-Vanadium steel
- Cutting capacity:1.2 mm cold rolled steel, 0.8 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273015	250 mm (10 in.)	0472 5	6	24

HEAVY-DUTY AVIATION SNIP-RIGHT CUT

- Chrome-Vanadium steel
- Cutting capacity:1.5 mm cold rolled steel, 0.9 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273023	250 mm (10 in.)	2298 9	6	24

AVIATION TIN SNIP-STRAIGHT

- Chrome-Vanadium steel
- Cutting capacity:0.6 mm cold rolled steel, 0.5 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273027	300 mm (12 in.)	1877 7	6	24

TIN SNIP-STRAIGHT

- Cr-Mo jaw, compact design for working in confined spaces
- Cutting capacity:1.2 mm cold rolled steel, 0.8 mm stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273031	200 mm (8 in.)	9158 9	6	24

TIN SNIP

- Non-slip double dipped handle
- Large handle provide superior comfort



Item No.	Size	EAN 69426292+	Inner	Outer
273111	200 mm (8 in.)	0473 2	6	36
273113	250 mm (10 in.)	0474 9	6	24
273115	300 mm (12 in.)	0475 6	6	12
273117	350 mm (14 in.)	3383 1	6	12

CABLE CUTTER

- Cutting capacity:8 mm aluminum and soft copper cable
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273203	200 mm (8 in.)	7161 1	6	36

MULTI-PURPOSE INDUSTRIAL SCISSORS

- Chrome-Vanadium steel
- Serrated edge, Spring loaded mechanism
- Applied to carpet, cardboard, thin metal plate, thin aluminum sheet, leather, plastic, iron wire and other materials
- Cutting capacity:1.2 mm cold rolled steel, 0.8 mm stainless steel
- Non-slip bi-material handle





Item No.	Size	EAN 69426292+	Inner	Outer
273121	200 mm (8 in.)	9072 8	6	24

CABLE CUTTER

- Crimping function
- Cutting capacity:6 mm aluminum and soft copper cable
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273212	150 mm (6 in.)	7789 7	6	36

CABLE CUTTER

- Cutting capacity:8 mm aluminum and soft copper cable
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273214	250 mm (10 in.)	7790 3	6	36

HEAVY-DUTY CABLE CUTTER

- Cutting capacity:10 mm aluminum and soft copper cable
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
273218	250 mm (10 in.)	2787 8	6	24

CABLE CUTTER

- Used for cutting copper and aluminum cable
- Cutting Area: 500 mm²
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
273237	900 mm (36 in.)	7046 1	0	2

BOLT CUTTER

- 65 Mn cutting blade
- Cutting capacity:2 mm steel wire
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
275111	200 mm (8 in.)	0476 3	6	36

BOLT CUTTER

- Cr-Mo cutting blade
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
275113	300 mm (12 in.)	0477 0	6	12
275115	350 mm (14 in.)	0478 7	5	10
275117	450 mm (18 in.)	0479 4	0	6
275119	600 mm (24 in.)	0480 0	0	4
275121	750 mm (30 in.)	0481 7	0	3
275123	900 mm (36 in.)	0482 4	0	2

DRYWALL TAPING KNIFE

- Flexible blue steel blade for easy work
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
280208	203 mm (8 in.)	5083 8	10	60
280210	254 mm (10 in.)	5084 5	10	60
280212	305 mm (12 in.)	5085 2	10	60

PLASTERERS HAWK

- Used for holding plaster or mortar during application
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281330	300 mm (12 in.)	5089 0	6	24

PLASTERING FLOAT

- Smooth face for plastering



Item No.	Size	EAN 69426292+	Inner	Outer
281432	280 x 130 mm (11 x 5-1/8 in.)	8395 9	6	24

FLOORING TROWEL

- Designed for laying concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281040	405 x 115 mm (16 x 4-1/2 in.)	5086 9	6	24

RUBBER FLOAT

- Used to smoothly apply grout to floor and wall tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281402	240 x 100 mm (9-1/2 x 4 in.)	5090 6	6	24

GROOVER TROWEL

- Used to cut joints in concrete before they set
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282051	170 x 77 mm (6-5/8 x 3 in.)	5092 0	6	36

FINISHING TROWEL

- Used for finishing concrete
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281111	280 x 115 mm (11 x 4-1/2 in.)	5087 6	6	24
281113	355 x 100 mm (14 x 4 in.)	6046 2	6	24

SPONGE FLOAT

- For applying grout on newly placed tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281408	240 x 100 mm (9-1/2 x 4 in.)	5091 3	6	24

EDGER TROWEL

- Used to create a curved lip around the concrete surface
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
282061	150 x 75 mm (6 x 3 in.)	5093 7	6	36

FINISHING TROWEL SQUARE NOTCHED

- Ideal for laying floor or wall tile
- Square tooth 6 x 6 mm (1/4 x 1/4 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
281211	280 x 115 mm (11 x 4-1/2 in.)	5088 3	6	24

POLYURETHANE FLOATS

- Lightweight general purpose float manufactured from rigid polyurethane foam



Item No.	Size	EAN 69426292+	Inner	Outer
281423	280 x 140 mm (11 x 5-1/2 in.)	5511 6	6	24

POINT TROWEL

- Philadelphia style
- For patching cracks and shaping joints in brick, stone and concrete walls
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283012	150 mm (6 in.)	5094 4	6	36
283014	178 mm (7 in.)	5095 1	6	36

BRICK TROWEL

- Philadelphia style
- For patching cracks and shaping joints
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283022	227 mm (9 in.)	5096 8	6	36
283024	254 mm (10 in.)	5097 5	6	36
283026	277 mm (11 in.)	5098 2	6	36

CAULKING TROWEL

- Used to repair mortar joints between rows of bricks and blocks
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283083	10 mm (3/8 in.)	5103 3	6	36
283085	13 mm (1/2 in.)	5104 0	6	36

STUD CRIMPER

- Secure or crimp metal stud up to 0.8 mm thickness
- Single hand operation
- Aluminum alloy die-casting head makes it compact and lightweight
- Spring loaded with non-slip handle.



Item No.	Size	EAN 69426292+	Inner	Outer
283151	250 mm (10 in.)	8680 6	6	24

GAUGING TROWEL

- Used to mix or gauge small quantities of mortar or quick setting plaster
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283033	175 mm (7 in.)	5099 9	6	36

INSIDE CORNER TROWEL

- Stainless steel
- Used to finish inside corners
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283094	125 x 100 mm (5 x 4 in.)	5105 7	6	36

TRIM PULLER

- For commercial work, repair and remodel projects



Item No.	Size	EAN 69426292+	Inner	Outer
283149		9167 1	6	24

MARGIN TROWEL

- For patch jobs, hard-to-reach areas and spreading thinset on v-cap or bullnose tile
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283063	125 x 50 mm (5 x 2 in.)	5100 2	6	36
283065	200 x 50 mm (8 x 2 in.)	5101 9	6	36

OUTSIDE CORNER TROWEL

- Stainless steel
- Used to finish outside corners
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283096	125 x 100 mm (5 x 4 in.)	5106 4	6	36

15 PC DRYWALL TOOL SET

- 1 pc 250 mm (10 in.) stud crimper
  1 pc 250 mm (10 in.) aviation tin snip
  1 pc bit adapter
  12 pc ✚ #2 bits
- Nylon bag included



Item No.	Size	EAN 69426292+	Inner	Outer
283153	15 pc	8685 1	0	6

BUCKET TROWEL

- Used to clean buckets
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
283073	178 mm (7 in.)	5102 6	6	36

BRICK JOINTER

- Used to finish the mortar joints between bricks



Item No.	Size	EAN 69426292+	Inner	Outer
283111	13 x 16 mm (1/2 x 5/8 in.)	5107 1	10	100



TILE CUTTING PLIERS

- For cutting ceramic wall and thin floor tile of small dimensions
- Tungsten-carbide cutting wheel



Item No.	Size	EAN 69426292+	Inner	Outer
284013	200 mm (8 in.)	1760 2	6	24

GROUT SPREADER

- Flexible grout spreader for applying grout to any tile surface



Item No.	Size	EAN 69426292+	Inner	Outer
284051	200 mm (8 in.)	1764 0	10	60

TIN FOLDING PLIERS

- For bending, seaming and flattening sheet metal
- Jaw width 75 mm (3 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
283164	75 mm (3 in.)	0283 7	6	12

HEAVY-DUTY TILE CUTTING PLIERS

- Drop-forged steel with carbide-tipped jaws
- Handle spring and return system
- Double dipped handle



Item No.	Size	EAN 69426292+	Inner	Outer
284015	200 mm (8 in.)	1761 9	6	24

TILE ADHESIVE TROWEL


- U and V style notched edges



Item No.	Size	EAN 69426292+	Inner	Outer
284071	280 mm (11 in.) x 115 mm (4-1/2 in.)	1765 7	0	12

PLUMB BOB

- Removable brass top for easy, centered string installation
- With cotton line



Item No.	Size	EAN 69426292+	Inner	Outer
283903	200 g (7 oz.)	2761 8	6	24
283907	350 g (12 oz.)	2763 2	6	24
283909	500 g (18 oz.)	2764 9	6	24

TILE SAW

- Tungsten carbide blade



Item No.	Size	EAN 69426292+	Inner	Outer
284031	150 mm (6 in.)	1762 6	10	60

DRYWALL CARRYING HANDLE

- Panel carry helps transport building boards and other flat materials with ease
- Features a 14 in. handle for extra reach and visibility while carrying drywall
- Non-slip soft handle



Item No.	Size	EAN 69426292+	Inner	Outer
284079		8665 3	6	24

GROUT FINISHING TOOL

- For smooth and consistent joints



Item No.	Size	EAN 69426292+	Inner	Outer
284001		1759 6	10	60

TILE SAW BLADE


- Tungsten carbide



Item No.	Size	EAN 69426292+	Inner	Outer
284035	150 mm (6 in.)	1763 3	12	144

TILE SCRIBER

- Tungsten carbide cutting tip



Item No.	Size	EAN 69426292+	Inner	Outer
284091		1766 4	10	60

CARBIDE GROUT SAW

- For cleaning and removing grout joints
- Tungsten carbide cutting tip
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
284103		1767 1	6	36

TILE SPACERS

- Flexible PE material
- Precision manufactured for accuracy



Item No.	Size	EAN 69426292+	Inner	Outer
284150	500 pc 1 mm	5025 8	6	24
284151	500 pc 1.5 mm	5026 5	6	24
284152	500 pc 2 mm	1768 8	6	24
284153	350 pc 3 mm	1769 5	6	24
284154	250 pc 4 mm	1770 1	6	24
284155	250 pc 5 mm	1771 8	6	24
284157	200 pc 7 mm	1772 5	6	24

TILE CUTTER

- High-leverage construction makes cutting easier and reduces fatigue
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness








Item No.	Size	EAN 69426292+	Inner	Outer
284201	400 mm (16 in.)	1773 2	0	10
284202	3 pc spare wheels	5034 0	0	100

3-IN-1 TILE CUTTER

- Cuts straight, angles, and circles
- Tungsten carbide cutting wheel
- Max 10 mm cutting thickness








Item No.	Size	EAN 69426292+	Inner	Outer
284203	500 mm (20 in.)	2801 1	0	4
284204	1 pc spare wheel	5609 0	50	100


HEAVY-DUTY TILE CUTTER

- Parallel cuts
- Max 12 mm cutting thickness
- Non-slip bi-material grip
- Gauge for straight cutting
- Tungsten carbide cutting wheel









Item No.	Size	EAN 69426292+	Inner	Outer
284206	600 mm (24 in.)	2319 1	0	2

CIRCLE TILE BORER

- Tungsten carbide blade
- With safety guard



Item No.	Size	EAN 69426292+	Inner	Outer
284215		2803 5	6	24

DIAMOND FILE-HALF ROUND

- Tungsten carbide surface
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
284223	160 mm (6 in.)	2804 2	6	36

SUCTION CUP LIFTER

- Max capacity 40 kg (88 lbs.)
- Safety working load 20 kg (44 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
284301	118 mm (4-3/4 in.)	2805 9	6	12

DUAL SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
284302	118 mm (4-3/4 in.)	8662 2	6	24

ALUMINUM SUCTION CUP LIFTER

NEW

- Max capacity 40 kg (88 lbs.)
- Safety working load 20 kg (44 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
284305	118 mm (4-3/4 in.)	7037 9	6	24

DUAL ALUMINUM SUCTION CUP LIFTER

- Max capacity 80 kg (176 lbs.)
- Safety working load 40 kg (88 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
284306	118 mm (4-3/4 in.)	8432 1	0	10

TRIPLE ALUMINUM SUCTION CUP LIFTER


- Max capacity 100 kg (220 lbs.)
- Safety working load 50 kg (110 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
284307	118 mm (4-3/4 in.)	8433 8	0	10

TILE SHAPE TEMPLATE

- Accurately duplicates internal and external shapes prior to working
- For tiling, flooring, plumbing and carpet laying applications
- Magnet equipped on back



Item No.	Size	EAN 69426292+	Inner	Outer
284313	125 mm (5 in.)	2806 6	6	24

PP CORD DISPENSER

- Polypropylene material
- Can be used as plumb bob



Item No.	Size	EAN 69426292+	Inner	Outer
289015	152 m (500 ft.)	8679 0	6	48

GLASS CUTTER

- With 6 tungsten carbide wheels



Item No.	Size	EAN 69426292+	Inner	Outer
284903	135 mm (5-1/2 in.)	2765 6	10	60

DELUXE GLASS CUTTER

- Diamond cutting tip
- Notched tooth for snapping scored glass



Item No.	Size	EAN 69426292+	Inner	Outer
284907	180 mm (7 in.)	2766 3	10	60

PAINTING BRUSH

- Synthetic Bristle
- Stainless steel ferrule
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
290801	25 mm (1 in.)	0857 0	12	48
290802	38 mm (1-1/2 in.)	2811 0	12	48
290803	50 mm (2 in.)	2813 4	12	48
290804	63 mm (2-1/2 in.)	2817 2	12	48
290805	75 mm (3 in.)	2824 0	12	48
290806	100 mm (4 in.)	2825 7	12	48

PAINTING BRUSH

- Mixed bristle
- Maple wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
290901	25 mm (1 in.)	5514 7	36	144
290902	38 mm (1-1/2 in.)	5515 4	36	144
290903	50 mm (2 in.)	5516 1	36	144
290904	63 mm (2-1/2 in.)	5517 8	24	96
290905	75 mm (3 in.)	5518 5	24	96
290906	100 mm (4 in.)	5519 2	12	72

1.5 L HANDY PAINT BOWL

- Strong magnetic block for holding brush
- 1 pc scraper included
- Adjustable handle
- Floor display pack









Item No.	Size	EAN 69426292+	Inner	Outer
291301	1.5 L	5905 3	0	48

5 PC TRAY FOR HANDY PAINT BOWL






Item No.	Size	EAN 69426292+	Inner	Outer
291302	5 pc	6020 2	0	24

HANDY PAINT BOWL ECO

- Strong magnetic block for holding brush





Item No.	Size	EAN 69426292+	Inner	Outer
291303	0.9 L	4839 2	6	48

100 mm (4 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
293001	100 mm (4 in.)	2826 4	12	48

250 mm (10 in.) PAINTING ROLLER FRAME-TAPERED HANDLE


- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
293025	250 mm (10 in.)	2931 5	6	24

228 mm (9 in.) ROLLER COVER ACRYLIC

- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293441	228 x 38 mm (9 x 1-1/2 in.) acrylic	2935 3	12	36

228 mm (9 in.) PAINTING ROLLER FRAME-THREADED HANDLE

- Threaded end handle
- 5-wire roller cage reduces cover slippage
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
293005	228 x 38 mm (9 x 1-1/2 in.)	2828 8	6	24

100 mm (4 in.) ROLLER COVER ACRYLIC


- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293401	100 mm (4 in.) acrylic	2932 2	20	60

228 mm (9 in.) ROLLER COVER MICROFIBER


- Fits 293005
- 10 mm pile
- Diameter 38 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293442	228 x 38 mm (9 x 1-1/2 in.) microfiber	2936 0	12	36

100 mm (4 in.) PAINTING ROLLER FRAME-TAPERED HANDLE


- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
293021	100 mm (4 in.)	2929 2	12	48

100 mm (4 in.) ROLLER COVER MICROFIBER


- Gives superior cover, smooth finish with max paint pick up
- Easy to clean
- Fits 293001, 293021
- 10 mm pile
- Diameter 15 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293402	100 mm (4 in.) microfiber	2933 9	20	60

180 mm (7 in.) ROLLER COVER ACRYLIC


- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293701	180 mm (7 in.) x 44 mm acrylic	2937 7	12	36

180 mm (7 in.) PAINTING ROLLER FRAME-TAPERED HANDLE


- Tapered end handle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
293023	180 mm (7 in.)	2930 8	6	24

100 mm (4 in.) ROLLER COVER FOAM POLYESTER

- Fits 293001, 293021
- Diameter 15 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293403	100 mm (4 in.) foam polyester	2934 6	20	60

180 mm (7 in.) ROLLER COVER MICROFIBER

- Fits 293023
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293702	180 mm (7 in.) x 44 mm microfiber	2938 4	12	36

250 mm (10 in.) ROLLER COVER ACRYLIC

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293751	250 mm (10 in.) x 44 mm acrylic	2939 1	12	36

250 mm (10 in.) ROLLER COVER MICROFIBER

- Fits 293025
- 10 mm pile
- Diameter 44 mm
- Density 850



Item No.	Size	EAN 69426292+	Inner	Outer
293752	250 mm (10 in.) x 44 mm microfiber	2940 7	12	36

FOAM GUN

- Aluminum alloy body & adapter
- Brass nozzle
- Stainless steel barrel & needle
- One hand operation design
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
298002		9195 4	0	20

CAULKING GUN

- Suitable for sausage packs and cartridges
- Replacement nozzle
- Aluminum construction



Item No.	Size	EAN 69426292+	Inner	Outer
298101	225 mm (9 in.)	1653 7	6	24

HEAVY-DUTY CAULKING GUN

- Heavy-duty frame, aluminum alloy trigger
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN 69426292+	Inner	Outer
298103	225 mm (9 in.)	8661 5	6	24

CAULKING GUN

- Ratchet rotating construction
- Tip cutter function
- With seal puncture tool



Item No.	Size	EAN 69426292+	Inner	Outer
298117	225 mm (9 in.)	3384 8	6	24

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Zn-plated



Item No.	Size	EAN 69426292+	Inner	Outer
294801	400 x 290 mm	2941 4	0	12

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- PP



Item No.	Size	EAN 69426292+	Inner	Outer
294803	400 x 290 mm	2943 8	0	12

CAULKING GUN-SKELETON

- With hex piston rod and quick release lever
- Anti-Drip function



Item No.	Size	EAN 69426292+	Inner	Outer
298113	225 mm (9 in.)	1687 2	6	24

PAINTING TRAY 400 x 290 mm

- Suitable for 230 mm paint roller
- Can use with 294801
- PET



Item No.	Size	EAN 69426292+	Inner	Outer
294802	400 x 290 mm	2942 1	0	60

GALVANISED STEEL BUCKET

- General building using
- Φ33 x Φ22.5 x 29.8 (H) cm



Item No.	Size	EAN 69426292+	Inner	Outer
294820	15 L	2305 4	0	10



PAINT MIXER


- For stirring paint using a power tool



Item No.	Size	EAN 69426292+	Inner	Outer
298201	400 x 60 mm	1702 2	6	24
298205	400 x 80 mm	8675 2	6	24
298213	600 x 100 mm	1703 9	6	24

PAINT MIXER

- Helical paddles for faster paint stirring using a power tool



Item No.	Size	EAN 69426292+	Inner	Outer
298221	290 x 64 mm (1 gallon)	3171 4	12	72
298225	460 x 82 mm (5 gallon)	3172 1	6	48

EXTENSION SUPPORT ROD

- Very practical to set all materials in height, 1150-2900 mm in height, Max 30 kg
- Adjust the length by snap hook or trigger
- Quick release function (press the block below the trigger)
- Two plastic feet included, both top and bottom feet can be sloped Max 45°



Item No.	Size	EAN 69426292+	Inner	Outer
298501	1150 to 2900 mm	8676 9	0	10

EXTENSION SUPPORT ROD

- Practical to set materials in height
- Load capacity 60 kg






Item No.	Size	EAN 69426292+	Inner	Outer
298503	750-1250 mm (30-49 in.)	7034 8	3	6
298505	1600-2900 mm (63-114 in.)	7035 5	3	6

175 mm (7 in.) CARPENTER PENCIL

- Round flat square side to prevent rolling



Item No.	Size	EAN 69426292+	Inner	Outer
298401	1 pc	6207 7	50	400
298403	3 pc	2767 0	10	60



8 PC PENCILS WITH SHARPENER SET

- 175 mm (7 in.) carpenter pencil
- Round flat square side to prevent rolling
- With a sharpener



Item No.	Size	EAN 69426292+	Inner	Outer
298409	8 pc	8663 9	6	36

240 mm PENCIL

- Suitable for different applications



Item No.	Size	EAN 69426292+	Inner	Outer
298421	yellow for glass	2301 6	50	400
298422	white for woodworking	2302 3	50	400
298423	green for bricklaying	2303 0	50	400
298424	blue for wet surface	2304 7	50	400

DEEP HOLE PENCIL SET

- ABS construction
- Tail sharpener design
- 6 x refills included
- Extended, needle-nose tip for tight and hard to reach areas





Item No.	Size	EAN 69426292+	Inner	Outer
298391	7 pc	9133 6	12	48

STEEL FILE-FLAT

- Used for rapid removal of metal
- #2 second cut file
- Double cut on sides, single cut on edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300000	150 mm (6 in.)	2316 0	6	36
300001	200 mm (8 in.)	0483 1	6	36

STEEL FILE-TRIANGLE

- Used for filing internal angles, clearing out square corners and filing tapes and gutters
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300009	200 mm (8 in.)	0487 9	6	36
300010	150 mm (6 in.)	4988 7	6	36

WOOD RASP-FLAT

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301001	200 mm (8 in.)	0488 6	6	36

STEEL FILE-ROUND

- Used to file circular openings or concave surfaces
- #2 second cut file
- Single cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300003	200 mm (8 in.)	0484 8	6	36

STEEL FILE-MILL

- Used for sharpening mill or circular saws
- #2 second cut file
- Single cut on side and edges
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300021	200 mm (8 in.)	4989 4	6	36

WOOD RASP-ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301003	200 mm (8 in.)	0489 3	6	36

STEEL FILE-HALF ROUND

- Used on concave, convex and flat surfaces
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300005	200 mm (8 in.)	0485 5	6	36
300012	150 mm (6 in.)	2318 4	6	36

STEEL FILE-CHAIN SAW

- Smooth, knurl cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300033	200 mm (8 in.) x 5 mm (3/16 in.)	4994 8	6	36

WOOD RASP-HALF ROUND

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301005	200 mm (8 in.)	0490 9	6	36

STEEL FILE-SQUARE

- Used on slots, keyways and general surface filing
- #2 second cut file
- Double cut
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300007	200 mm (8 in.)	0486 2	6	36

3 PC STEEL FILE SET


- Include flat, round, half round steel file
- #2 second cut file
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
300103	200 mm (8 in.)	3385 5	6	12

3 PC WOOD RASP SET

- Include flat, round, half round wood rasp
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301103	200 mm (8 in.)	3386 2	6	12

6 PC NEEDLE FILE SET

- Include half round, round, equaling, square, flat, triangle
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
301256	140 mm (5-1/2 in.)	4917 7	6	36

MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301609	270 mm (10-3/4 in.)	7206 9	12	36

JOINT KNIFE-FLEXIBLE (PUTTY KNIFE)

- Stainless steel blade
- Non-slip bi-material handle
- Steel hammer end



Item No.	Size	EAN 69426292+	Inner	Outer
305000	25 mm (1 in.)	0809 9	10	60
305001	38 mm (1-1/2 in.)	4518 6	10	60
305002	50 mm (2 in.)	4519 3	10	60
305003	75 mm (3 in.)	4520 9	10	60
305004	100 mm (4 in.)	4521 6	10	60
305005	125 mm (5 in.)	3020 5	10	60
305006	150 mm (6 in.)	4522 3	10	60

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 60 x 40 mm blade (301631)



Item No.	Size	EAN 69426292+	Inner	Outer
301601	185 mm (7-1/4 in.)	7203 8	12	36

MULTI-RASP PLANE

- Aluminum construction
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301612	150 mm (6 in.)	7207 6	12	36

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Stainless steel blade
- Steel hammer end
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305031	38 mm (1-1/2 in.)	4523 0	10	60
305033	75 mm (3 in.)	4524 7	10	60

MULTI-RASP PLANE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301603	305 mm (12 in.)	7204 5	12	36

MULTI-RASP PLANE

- Heavy-duty Zn-alloy construction
- Ergonomic ABS handle
- Use 250 x 40 mm blade (301635)



Item No.	Size	EAN 69426292+	Inner	Outer
301615	300 mm (12 in.)	7208 3	12	36

6-IN-1 PAINTER'S TOOL

- 6 functions: flat and corner scraper, steel hammer end, roller cleaner, paint can opener, putty knife
- Non-slip bi-material handle
- Stainless steel blade
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305056	6-in-1	4525 4	10	60


MULTI-RASP PLANE TRI-ANGLE

- Lightweight & ergonomic ABS handle
- Use 140 x 40 mm blade (301633)



Item No.	Size	EAN 69426292+	Inner	Outer
301607	150 mm (6 in.)	7205 2	12	36

MULTI-RASP PLANE BLADE



Item No.	Size	EAN 69426292+	Inner	Outer
301631	60 x 40 mm	7209 0	0	60
301633	140 x 40 mm	7210 6	0	60
301635	250 x 40 mm	7211 3	0	60

5 PC BLADE FOR WALL STRIPER

- 100 mm (4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
305195	5 pc	9335 4	10	60

ECONOMIC JOINT KNIFE - FLEXIBLE (PUTTY KNIFE)

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305101	38 mm (1-1/2 in.)	5876 6	10	60
305102	50 mm (2 in.)	5877 3	10	60
305103	75 mm (3 in.)	5878 0	10	60
305104	100 mm (4 in.)	5879 7	10	60
305106	150 mm (6 in.)	5880 3	10	60

SCRAPER PUTTY KNIFE - SITFF

- Non-slip bi-material handle
- Carbon steel blade



Item No.	Size	EAN 69426292+	Inner	Outer
305111	38 mm (1-1/2 in.)	5881 0	10	60
305113	75 mm (3 in.)	5882 7	10	60

5-IN-1 ECONOMIC PAINTER'S TOOL

- 5 functions: flat and corner scraper, roller cleaner, paint can opener, putty knife
- Carbon steel blade
- Non-slip bi-material handle
- Bevelled edge blade



Item No.	Size	EAN 69426292+	Inner	Outer
305116	5-in-1	5883 4	10	60

WALL STRIPPER

- Aluminium alloy body
- Overall length 360 mm
- 5 pc blade set included



Item No.	Size	EAN 69426292+	Inner	Outer
305193	100 mm (4 in.)	3110 3	6	24

5 WAY SMOOTHING TOOL


- 102 mm (4 in.), 152 mm (6 in.) & 254 mm (10 in.) edges
- Drywall, plaster patching, cement patching, painting shield, wall covering



Item No.	Size	EAN 69426292+	Inner	Outer
305401		3185 1	12	72

PAIL OPENER

- Easy-grip handle, saves time and effort



Item No.	Size	EAN 69426292+	Inner	Outer
305471		3187 5	12	72

SAFETY SCRAPER

- With safety blade guard
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308003		2808 0	10	60

RETRACTABLE SCRAPER

- Retractable blade
- 5 pc blade set included
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
308007		2809 7	10	60

10 PC SCRAPER BLADE

- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
308035	10 pc	2837 0	10	100

HAND SANDER

- Use with 1/2 sanding sheet (280 x 115 mm)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
310151	240 x 80 mm (9-1/2 x 3-1/4 in.)	5029 6	6	24

SANDING BLOCK

- Use with wet and dry sandpaper



Item No.	Size	EAN 69426292+	Inner	Outer
310173	125 x 68 mm (5 x 2-5/8 in.)	4764 7	12	60

SANDING BLOCK


- Sands flat, contoured, or irregular surfaces
- 60# and 100#



Item No.	Size	EAN 69426292+	Inner	Outer
310191	95 x 70 x 25 mm (3-3/4 x 2-3/4 x 1 in.)	3043 4	10	60

SHARPENING STONE

- Silicon carbide
- 120# and 240#



Item No.	Size	EAN 69426292+	Inner	Outer
310213	150 mm (6 in.)	2785 4	6	24

3-IN-1 DIAMOND SHARPENER

- Diamond, tungsten steel and ceramic rod sharpening blade.
  Diamond blade repairs and straightens damaged blades.
  Tungsten blade restore V-shape.
  Ceramic rod for clean polish.



Item No.	Size	EAN 69426292+	Inner	Outer
310231	3-in-1	2949 0	10	20

FOLDING DIAMOND SHARPENER


- 400# & 600#
- Portable folding design




Item No.	Size	EAN 69426292+	Inner	Outer
310233	2-in-1	2950 6	10	20

5-IN-1 DIAMOND SHARPENER

- Diamond slot, tungsten slot, ceramic rod, 400# & 600# sharpener







Item No.	Size	EAN 69426292+	Inner	Outer
310235	5-in-1	3443 2	0	10

3 PC MINI BRUSH SET

- 1 x Nylon bristle, 1 x Brass bristle, 1 x Stainless steel bristle
- Non-slip bi-material handle
- 3 x 13 rows



Item No.	Size	EAN 69426292+	Inner	Outer
315003	3 pc	2833 2	6	36

STRIPPER BRUSH-BRASS

- 175 mm (7 in.)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315011	Brass	2834 9	6	36
315013	Stainless steel	2835 6	6	36

WIRE BRUSH WITH SCRAPER

- Stainless steel
- With scraper
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315021	340 mm (13-1/2 in.)	3100 4	6	36

WIRE BRUSH

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315031	215 mm (8-1/2 in.)	3101 1	6	36

WIRE BRUSH

- Threaded pole socket fits standard SAE extension poles
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315037	175 mm (7 in.)	3102 8	12	48

D-HANDLE BRUSH

- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
315039	210 mm (8-1/4 in.)	3103 5	6	36

FOLDABLE WORK BENCH

- Portable workbench with 24 holes for work clamping fixings
- 100 kg (220 lbs.) capacity
- Two-piece MDF worktop
- Tabletop printed with ruler and protractor for added convenience
- Maximum clamping width with fixings 240 mm
- Supplied with four plastic clamping fixings



Item No.	Size	EAN 69426292+	Inner	Outer
330001	640 x 605 x 820 mm	2786 1	0	1

4 IN 1 ROLLING STAND

- Unit size: 430 x 485 x 750 mm (extended to 1220 mm).
- Roller size: 295 mm x Φ48 mm.
- Easy lock grip, Rubber foot for anti-slip.
- Load capacity: 60 kg





Item No.	Size	EAN 69426292+	Inner	Outer
330032	4 in 1	9052 0	0	1

TELESCOPIC SAW HORSE

- Working heights from 800 to 1300 mm
- Folding size 680 x 160 x 840mm
- Foldable for easy storage and transportation
- Max load capacity 200 kg



Item No.	Size	EAN 69426292+	Inner	Outer
330043	680 x 580 x 810 -1300 mm	3376 3	0	1

ROLLING STAND

- Unit size: 495 x 440 x 695 mm (extended to 1100 mm)
- Roller size: 282 mm x Φ 48 mm (Zinc electronic plate)
- Easy lock grip, Rubber foot for anti-slip
- Load capacity: 60 kg



Item No.	Size	EAN 69426292+	Inner	Outer
330031	695 to 1100 mm	8658 5	0	1

2 PC SAW HORSE

- Anti-slip work surface
- Foldable and Built-in carrying handle for easy storage and transportation
- Max load capacity 250 kg





Item No.	Size	EAN 69426292+	Inner	Outer
330042	1000 x 780 x 480 mm	2754 0	0	1

MULTI-FUNCTION SAW HORSE

- Product size: W (1055) x D (590) x H (760) mm
- Fast-open mechanism for straightforward and simple setup
- 500 kg capacity for single piece
- Anti-slip work surface,create extra stability and better support for all work pieces
- Foldable and Built-in carrying handle for easy storage and transportation



Item No.	Size	EAN 69426292+	Inner	Outer
330047	1055 x 590 x 760 mm	1669 8	0	1

MULTI FUNCTION HEAVY-DUTY SAW HORSE





- Product size: W (1085) x D (520~690) x H (618~820) mm
- Fast-open mechanism for straightforward and simple setup
- 590 kg (1300 lb) capacity for single piece

Item No.	Size	EAN 69426292+	Inner	Outer
330045	1085 x (520~690) x (618~820) mm	1797 8	0	1

PIPE WRENCH

- High-strength, lightweight aluminum handle



Item No.	Size	EAN 69426292+	Inner	Outer
335103	250 mm (10 in.)	0508 1	6	12
335105	300 mm (12 in.)	0509 8	6	12
335109	450 mm (18 in.)	0511 1	2	4
335113	900 mm (36 in.)	0513 5	1	2

PIPE WRENCH-90º

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
335201	1 in.	40 mm	0851 8	6	12
335202	1-1/2 in.	55 mm	4855 2	6	12
335203	2 in.	67 mm	0852 5	2	6

ANGLE GRINDER STAND


- Dimension: 300 x 300 x 345 mm
- For angle grinder with blade, Max outer diameter 230 mm



Item No.	Size	EAN 69426292+	Inner	Outer
330081	230 mm	2314 6	0	6

PIPE WRENCH

- Cast iron body



Item No.	Size	EAN 69426292+	Inner	Outer
335001	200 mm (8 in.)	0493 0	6	36
335003	250 mm (10 in.)	0494 7	6	12
335005	300 mm (12 in.)	0495 4	6	12
335007	350 mm (14 in.)	0496 1	4	8
335009	450 mm (18 in.)	0497 8	2	4
335011	600 mm (24 in.)	0498 5	2	4
335013	900 mm (36 in.)	0499 2	1	2

PIPE WRENCH-45º

- Chrome-Vanadium steel



Item No.	Size	Max open	EAN 69426292+	Inner	Outer
335210	1/2 in.	25 mm	4856 9	6	12
335211	1 in.	40 mm	0854 9	6	12
335212	1-1/2 in.	55 mm	4857 6	6	12
335213	2 in.	67 mm	0855 6	2	6

ANGLE GRINDER STAND

- Dimension: 240 x 190 x 280 mm
- For angle grinder 115-125mm
- Aluminum stand and clamp with iron base



Item No.	Size	EAN 69426292+	Inner	Outer
330083	115-125 mm	3377 0	0	4

PIPE WRENCH

- Heavy-duty construction
- Cr-Mo head



Item No.	Size	EAN 69426292+	Inner	Outer
335021	200 mm (8 in.)	0500 5	6	36
335025	300 mm (12 in.)	0502 9	6	12
335027	350 mm (14 in.)	0503 6	4	8
335029	450 mm (18 in.)	0504 3	2	4
335031	600 mm (24 in.)	0505 0	2	4

BASIN WRENCH

- Chrome-plated, with pivoting reversible jaw
- Up to 32 mm (1-1/4 in.) pipe capacity



Item No.	Size	EAN 69426292+	Inner	Outer
336002	275 mm (11 in.)	2757 1	6	24

ADJUSTABLE COMBINATION WRENCH

- Fits spud nuts, slip and lock nuts and basket strainer nuts for various under sink and toilet work
- Adjusts from 25 mm (1 in.) to 75 mm (3 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
336040		2812 7	6	24

4 PC TUBE BENDER

- Easily make bends of soft materials
- 6.35 mm (1/4 in.), 9.52 mm (3/8 in.), 12.7 mm (1/2 in.) and 15.87 mm (5/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339060	4 pc	2819 6	6	24

TUBE CUTTER

- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340030	3-30 mm (1/8 in.-1-1/8 in.)	2759 5	6	36
340041	2 pc replace blade	5250 4	10	60

FAUCET PULLER


- Removes large and small faucet handles with longer adjustable puller arms



Item No.	Size	EAN 69426292+	Inner	Outer
336070		2814 1	6	48

PVC NIPPLE EXTRACTOR

- Removes 12.7 mm (1/2 in.) and 19 mm (3/4 in.) broken risers from fittings



Item No.	Size	EAN 69426292+	Inner	Outer
338003		3168 4	6	60

PVC PIPE CUTTER


- One hand ratchet action for quick, clean cuts
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340201	42 mm (1-5/8 in.)	2760 1	6	24

7 PC FLARING TOOL SET


- Flares all standard sizes of soft copper, brass, aluminum and soft steel tubing
- Self-centering yoke makes 45° flare joints without splitting or cracking



Item No.	Size	EAN 69426292+	Inner	Outer
338015	5, 6, 8, 10, 12, 14, 16 mm	2758 8	6	12
338017	3/16, 1/4, 5/16, 3/8, 7/16, 1/2 & 5/8 in.	2807 3	6	12

INNER/OUTER REAMER

- For reaming on both the inside and outside edges of tube and pipe
- 5 mm (3/16 in.) to 38 mm (1-1/2 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
338082		8955 5	6	36

PVC PIPE CUTTER HEAVY DUTY

- One hand ratchet action for quick and clean cuts
- Aluminum casting body
- Stainless steel cutting blade



Item No.	Size	EAN 69426292+	Inner	Outer
340206	64 mm (2-1/2 in.)	2802 8	6	24

3-IN-1 TUBE BENDER


- For air conditioning and refrigeration tubing use
- 6.35 mm (1/4 in.), 7.94 mm (5/16 in.) and 9.52 mm (3/8 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
339013	3-in-1	2818 9	6	24

MINI TUBE CUTTER


- Alloy steel blade
- Zinc alloy body



Item No.	Size	EAN 69426292+	Inner	Outer
340008	3-16 mm (1/8 in.-5/8 in.)	2820 2	6	60

INTERNAL PVC PIPE CUTTER

- Internal PVC pipe cutting
- 32 mm (1-1/4 in.) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340225	32 mm (1-1/4 in.)	3169 1	6	60

PVC SAW

- Cuts PVC, CPVC, ABS, wood, dry wall and more
- Adjustable saw blade angle

Hardened Teeth
Double Ground Teeth



Item No.	Size	EAN 69426292+	Inner	Outer
340513	325 mm (13 in.)	2821 9	6	24

5 PC SHOWER WRENCH SET

- Removes and installs nuts on tub and shower faucet stems to allow washer replacement
- 17 x 22 mm (21/32 x 27/32 in.), 23 x 25 mm (29/32 x 31/32 in.), 26 x 28 mm (1-1/32 x 1-3/32 in.), 29 x 32 mm (1-5/32 x 1-9/32 in.), 34 x 36 mm (1-11/32 x 1-7/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340621	5 pc	2831 8	6	24

4 WAY UTILITY KEY

- Suitable for use on gas/electric/water meter cabinets.



Item No.	Size	EAN 69426292+	Inner	Outer
340904		6047 9	10	100

6 PC FAUCET RESEATERS SET

- Long stem to fix faucet leaks in tubs and hard to reach areas
- 10, 12, 13, 14, 15 & 16 mm



Item No.	Size	EAN 69426292+	Inner	Outer
340601	6 pc	2822 6	6	48

6-IN-1 SWAGING TOOL

- Join similar size copper tubing without couplings: just insert tool into copper, brass or aluminum tubing and strike with hammer
- 3/16, 1/4, 5/16, 3/8, 1/2 & 5/8 in. (4.76, 6.35, 7.93, 9.52, 12.7, 15.87 mm) capacity



Item No.	Size	EAN 69426292+	Inner	Outer
340626	6-in-1	3095 3	12	48

HINGED PIPE VICE


- Foldable, with automatic closing hook, milled and hardened upper and lower support jaw.



Item No.	Size	EAN 69426292+	Inner	Outer
342002	60 mm (2 in.)	2977 3	2	4
342003	90 mm (3 in.)	2978 0	1	2
342004	110 mm (4 in.)	2979 7	1	2

GARBAGE DISPOSAL WRENCH


- Safely dislodges garbage disposal shredder plate jams
- Swivel head design provides easy position on the shredder plate



Item No.	Size	EAN 69426292+	Inner	Outer
340603		2823 3	6	24

FAUCET SEAT SPANNER

- Removes replaceable faucet seats
- 150 x 150 mm (6 x 6 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
340617	6-step head	2830 1	12	48

DRAIN UNBLOCKER

- Remove blockages fast
- Ideal for kitchen and bathroom sinks and shower traps











Item No.	Size	EAN 69426292+	Inner	Outer
340632	5 m x 6 mm	0753 5	0	10

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144

GAS PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

1/4 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360001	5/32 in.	0979 9	12	72
360002	3/16 in.	0980 5	12	72
360003	7/32 in.	0981 2	12	72
360004	1/4 in.	0982 9	12	72
360005	9/32 in.	0983 6	12	72
360006	5/16 in.	0984 3	12	72
360007	11/32 in.	0985 0	12	72
360008	3/8 in.	0986 7	12	72
360009	7/16 in.	0987 4	12	72
360010	1/2 in.	0988 1	12	72
360021	4 mm	0989 8	12	72
360022	4.5 mm	0990 4	12	72
360023	5 mm	0991 1	12	72
360024	5.5 mm	0992 8	12	72
360025	6 mm	0993 5	12	72
360026	7 mm	0994 2	12	72
360027	8 mm	0995 9	12	72
360028	9 mm	0996 6	12	72
360029	10 mm	0997 3	12	72
360030	11 mm	0998 0	12	72
360031	12 mm	0999 7	12	72
360032	13 mm	1000 9	12	72
360033	14 mm	1001 6	12	72

1/4 in. DR. SOCKET 12PT-SAE

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360041	3/16 in.	1002 3	12	72
360042	7/32 in.	1003 0	12	72
360043	1/4 in.	1004 7	12	72
360044	9/32 in.	1005 4	12	72
360045	5/16 in.	1006 1	12	72
360046	11/32 in.	1007 8	12	72
360047	3/8 in.	1008 5	12	72
360048	7/16 in.	1009 2	12	72
360049	1/2 in.	1010 8	12	72

1/4 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360051	3/16 in.	1011 5	12	72
360052	7/32 in.	1012 2	12	72
360053	1/4 in.	1013 9	12	72
360054	9/32 in.	1014 6	12	72
360055	5/16 in.	1015 3	12	72
360056	11/32 in.	1016 0	12	72
360057	3/8 in.	1017 7	12	72
360058	7/16 in.	1018 4	12	72
360059	1/2 in.	1019 1	12	72
360070	4 mm	2673 4	12	72
360071	4.5 mm	2674 1	12	72
360061	5 mm	1020 7	12	72
360072	5.5 mm	2675 8	12	72
360062	6 mm	1021 4	12	72
360063	7 mm	1022 1	12	72
360064	8 mm	1023 8	12	72
360065	9 mm	1024 5	12	72
360066	10 mm	1025 2	12	72
360067	11 mm	1026 9	12	72
360068	12 mm	1027 6	12	72
360069	13 mm	1028 3	12	72

1/4 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360101	Slotted 3 mm	1281 2	12	72
360102	Slotted 4 mm	1282 9	12	72
360103	Slotted 5.5 mm	1283 6	12	72
360104	Slotted 7 mm	1284 3	12	72
360105	Slotted 8 mm	1285 0	12	72

1/4 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360120	PH #0	1286 7	12	72
360121	PH #1	1287 4	12	72
360122	PH #2	1288 1	12	72
360123	PH #3	1289 8	12	72
360124	PH #4	1290 4	12	72

1/4 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360140	Hex 3 mm	1294 2	12	72
360141	Hex 4 mm	1295 9	12	72
360142	Hex 5 mm	1296 6	12	72
360143	Hex 6 mm	1297 3	12	72
360144	Hex 8 mm	1298 0	12	72
360150	Hex 1/8 in.	1299 7	12	72
360151	Hex 9/64 in.	1300 0	12	72
360152	Hex 5/32 in.	1301 7	12	72
360153	Hex 3/16 in.	1302 4	12	72

1/4 in. DR. BIT SOCKET-TORX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360160	Torx 8	1303 1	12	72
360161	Torx 10	1304 8	12	72
360162	Torx 15	1305 5	12	72
360163	Torx 20	1306 2	12	72
360164	Torx 25	1307 9	12	72
360165	Torx 27	1308 6	12	72
360166	Torx 30	1309 3	12	72
360167	Torx 40	1310 9	12	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/4 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360131	Pozi #1	1291 1	12	72
360132	Pozi #2	1292 8	12	72
360133	Pozi #3	1293 5	12	72

3/8 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360501	1/4 in.	1029 0	6	72
360502	5/16 in.	1030 6	6	72
360503	3/8 in.	1031 3	6	72
360504	7/16 in.	1032 0	6	72
360505	1/2 in.	1033 7	6	72
360506	9/16 in.	1034 4	6	72
360507	5/8 in.	1035 1	6	72
360508	11/16 in.	1036 8	6	72
360509	3/4 in.	1037 5	6	72
360510	13/16 in.	1038 2	6	72
360511	7/8 in.	1039 9	6	72
360521	6 mm	1040 5	6	72
360522	7 mm	1041 2	6	72
360523	8 mm	1042 9	6	72
360524	9 mm	1043 6	6	72
360525	10 mm	1044 3	6	72
360526	11 mm	1045 0	6	72
360527	12 mm	1046 7	6	72
360528	13 mm	1047 4	6	72
360529	14 mm	1048 1	6	72
360530	15 mm	1049 8	6	72
360531	16 mm	1050 4	6	72
360532	17 mm	1051 1	6	72
360533	18 mm	1052 8	6	72
360534	19 mm	1053 5	6	72
360535	20 mm	1054 2	6	72
360536	21 mm	1055 9	6	72
360537	22 mm	1056 6	6	72
360538	23 mm	1057 3	6	72
360539	24 mm	1058 0	6	72

3/8 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360540	1/4 in.	4167 6	6	72
360541	5/16 in.	1059 7	6	72
360542	3/8 in.	1060 3	6	72
360543	7/16 in.	1061 0	6	72
360544	1/2 in.	1062 7	6	72
360545	9/16 in.	1063 4	6	72
360546	5/8 in.	1064 1	6	72
360547	11/16 in.	1065 8	6	72
360548	3/4 in.	1066 5	6	72
360549	13/16 in.	1067 2	6	72
360550	7/8 in.	1068 9	6	72
360561	8 mm	1069 6	6	72
360562	9 mm	1070 2	6	72
360563	10 mm	1071 9	6	72
360564	11 mm	1072 6	6	72
360565	12 mm	1073 3	6	72
360566	13 mm	1074 0	6	72
360567	14 mm	1075 7	6	72
360568	15 mm	1076 4	6	72
360569	16 mm	1077 1	6	72
360570	17 mm	1078 8	6	72
360571	18 mm	1079 5	6	72
360572	19 mm	1080 1	6	72

3/8 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360580	5/16 in.	4165 2	6	72
360581	3/8 in.	1081 8	6	72
360582	7/16 in.	1082 5	6	72
360583	1/2 in.	1083 2	6	72
360584	9/16 in.	1084 9	6	72
360585	5/8 in.	1085 6	6	96
360586	11/16 in.	1086 3	6	96
360587	3/4 in.	1087 0	6	96
360588	13/16 in.	1088 7	6	72
360589	7/8 in.	4166 9	6	72
360605	8 mm	4626 8	6	72
360606	9 mm	4628 2	6	72
360591	10 mm	1089 4	6	72
360592	11 mm	1090 0	6	72
360593	12 mm	1091 7	6	72
360594	13 mm	1092 4	6	72
360595	14 mm	1093 1	6	72
360596	15 mm	1094 8	6	72
360597	16 mm	1095 5	6	96
360598	17 mm	1096 2	6	96
360599	18 mm	1097 9	6	72
360600	19 mm	1098 6	6	72
360601	20 mm	1099 3	6	72
360602	21 mm	1100 6	6	72
360603	22 mm	1101 3	6	48
360604	23 mm	1102 0	6	48

3/8 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360611	5/16 in.	1103 7	6	72
360612	3/8 in.	1104 4	6	72
360613	7/16 in.	1105 1	6	72
360614	1/2 in.	1106 8	6	72
360615	9/16 in.	1107 5	6	72
360616	5/8 in.	1108 2	6	96
360617	11/16 in.	1109 9	6	96
360618	3/4 in.	1110 5	6	96
360619	13/16 in.	1111 2	6	72
360620	7/8 in.	1112 9	6	72

3/8 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
360631	5/8 in.	1113 6	6	72
360632	13/16 in.	1114 3	6	72
360633	16 mm	1115 0	6	72
360634	21 mm	1116 7	6	72

3/8 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws



Item No.	Size	Screw Size	EAN 69426292+	Inner	Outer
360641	E6	M5	2445 7	6	72
360642	E7	M6	2446 4	6	72
360643	E8	M6-7	2447 1	6	72
360645	E10	M8	2448 8	6	72
360646	E11	-	2449 5	6	72
360647	E12	M10	2450 1	6	72
360649	E14	M12	2451 8	6	72
360651	E16	M12	2452 5	6	72
360653	E18	M14	2453 2	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

3/8 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360741	Hex 4 mm	1321 5	6	72
360742	Hex 5 mm	1322 2	6	72
360743	Hex 6 mm	1323 9	6	72
360744	Hex 7 mm	1324 6	6	72
360745	Hex 8 mm	1325 3	6	72
360746	Hex 10 mm	1326 0	6	72
360751	Hex 1/8 in.	1327 7	6	72
360753	Hex 5/32 in.	1328 4	6	72
360754	Hex 3/16 in.	1329 1	6	72
360755	Hex 7/32 in.	1330 7	6	72
360756	Hex 1/4 in.	1331 4	6	72
360757	Hex 5/16 in.	4168 3	6	72
360758	Hex 3/8 in.	1332 1	6	72

3/8 in. DR. BIT SOCKET-TORX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360803	Torx 20	1333 8	6	72
360804	Torx 25	1334 5	6	72
360805	Torx 27	1335 2	6	72
360806	Torx 30	1336 9	6	72
360807	Torx 40	1337 6	6	72
360808	Torx 45	1338 3	6	72
360809	Torx 50	1339 0	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

3/8 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360703	Slotted 5.5 mm	1311 6	6	72
360705	Slotted 8 mm	1312 3	6	72
360707	Slotted 10 mm	1313 0	6	72

3/8 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360721	PH #1	1314 7	6	72
360722	PH #2	1315 4	6	72
360723	PH #3	1316 1	6	72
360724	PH #4	1317 8	6	72

3/8 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360731	Pozi #1	1318 5	6	72
360732	Pozi #2	1319 2	6	72
360733	Pozi #3	1320 8	6	72

3/8 in. DR. BIT SOCKET-TORX TAMPER

- Chrome-Vanadium steel socket with satin finish
- S2 bit



Item No.	Size	EAN 69426292+	Inner	Outer
360823	Torx Tamper 10	2454 9	6	72
360824	Torx Tamper 15	2455 6	6	72
360825	Torx Tamper 20	2456 3	6	72
360826	Torx Tamper 25	2457 0	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/2 in. DR. SOCKET 6PT

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361002	5/16 in.	1118 1	6	96
361003	3/8 in.	1119 8	6	96
361004	7/16 in.	1120 4	6	96
361005	1/2 in.	1121 1	6	96
361006	9/16 in.	1122 8	6	96
361007	19/32 in.	1123 5	6	96
361008	5/8 in.	1124 2	6	96
361009	11/16 in.	1125 9	6	96
361010	3/4 in.	1126 6	4	72
361011	25/32 in.	1127 3	4	72
361012	13/16 in.	1128 0	4	72
361013	7/8 in.	1129 7	4	72
361014	15/16 in.	1130 3	4	72
361015	31/32 in.	1131 0	4	72
361016	1 in.	1132 7	4	72
361017	1-1/16 in.	1133 4	4	72
361018	1-1/8 in.	1134 1	4	72
361019	1-3/16 in.	1135 8	4	48
361020	1-1/4 in.	1136 5	4	48
361031	8 mm	1137 2	6	96
361032	9 mm	1138 9	6	96
361033	10 mm	1139 6	6	96
361034	11 mm	1140 2	6	96
361035	12 mm	1141 9	6	96
361036	13 mm	1142 6	6	96
361037	14 mm	1143 3	6	96
361038	15 mm	1144 0	6	96
361039	16 mm	1145 7	6	96
361040	17 mm	1146 4	6	96
361041	18 mm	1147 1	6	96
361042	19 mm	1148 8	6	96
361043	20 mm	1149 5	4	72
361044	21 mm	1150 1	4	72
361045	22 mm	1151 8	4	72
361046	23 mm	1152 5	4	72
361047	24 mm	1153 2	4	72
361048	25 mm	1154 9	4	72
361049	26 mm	1155 6	4	72
361050	27 mm	1156 3	4	72
361051	28 mm	1157 0	4	72
361052	29 mm	1158 7	4	48
361053	30 mm	1159 4	4	48
361054	32 mm	1160 0	4	48

1/2 in. DR. SOCKET 12PT

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361072	5/16 in.	1164 8	6	96
361073	3/8 in.	1165 5	6	96
361074	7/16 in.	1166 2	6	96
361075	1/2 in.	1167 9	6	96
361076	9/16 in.	1168 6	6	96
361077	19/32 in.	1169 3	6	96
361078	5/8 in.	1170 9	6	96
361079	11/16 in.	1171 6	6	96
361080	3/4 in.	1172 3	6	96
361081	25/32 in.	1173 0	4	72
361082	13/16 in.	1174 7	4	72
361083	7/8 in.	1175 4	4	72
361084	15/16 in.	1176 1	4	72
361085	31/32 in.	1177 8	4	72
361086	1 in.	1178 5	4	72
361087	1-1/16 in.	1179 2	4	72
361088	1-1/8 in.	1180 8	4	72
361089	1-3/16 in.	1181 5	4	48
361090	1-1/4 in.	1182 2	4	48
361101	8 mm	1183 9	6	96
361102	9 mm	1184 6	6	96
361103	10 mm	1185 3	6	96
361104	11 mm	1186 0	6	96
361105	12 mm	1187 7	6	96
361106	13 mm	1188 4	6	96
361107	14 mm	1189 1	6	96
361108	15 mm	1190 7	6	96
361109	16 mm	1191 4	6	96
361110	17 mm	1192 1	6	96
361111	18 mm	1193 8	6	96
361112	19 mm	1194 5	6	96
361113	20 mm	1195 2	4	72
361114	21 mm	1196 9	4	72
361115	22 mm	1197 6	4	72
361116	23 mm	1198 3	4	72
361117	24 mm	1199 0	4	72
361118	25 mm	1200 3	4	72
361119	26 mm	1201 0	4	72
361120	27 mm	1202 7	4	72
361121	28 mm	1203 4	4	48
361122	29 mm	1204 1	4	48
361123	30 mm	1205 8	4	48
361124	32 mm	1206 5	4	48

1/2 in. DR. SPARK PLUG SOCKET

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361191	5/8 in.	1241 6	4	72
361192	13/16 in.	1242 3	4	72
361193	16 mm	1243 0	4	72
361194	21 mm	1244 7	4	72

1/2 in. DR. E-SOCKET

- Chrome-Vanadium steel with satin finish
- For Torx head screws



CR-V

Item No.	Size	Screw Size	EAN 69426292+	Inner	Outer
361251	E10	M8	4690 9	6	96
361252	E11	-	4691 6	6	96
361253	E12	M10	4692 3	6	96
361255	E14	M12	4693 0	6	96
361257	E16	M12	4694 7	6	96
361259	E18	M14	4695 4	6	96
361261	E20	M16	4696 1	4	72
361263	E22	-	4697 8	4	72
361265	E24	M18-20	4698 5	4	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

1/2 in. DR. SOCKET 12PT-DEEP

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361141	1/2 in.	1209 6	6	96
361142	9/16 in.	1210 2	6	96
361143	5/8 in.	1211 9	6	96
361144	11/16 in.	1212 6	6	96
361145	3/4 in.	1213 3	6	72
361146	13/16 in.	1214 0	4	72
361147	7/8 in.	1215 7	4	48
361148	15/16 in.	1216 4	4	48
361149	1 in.	1217 1	4	48
361150	1-1/16 in.	1218 8	6	36
361151	1-1/8 in.	1219 5	6	36
361161	10 mm	1220 1	6	96
361162	11 mm	1221 8	6	96
361163	12 mm	1222 5	6	96
361164	13 mm	1223 2	6	96
361165	14 mm	1224 9	6	96
361166	15 mm	1225 6	6	96
361167	16 mm	1226 3	6	96
361168	17 mm	1227 0	6	96
361169	18 mm	1228 7	6	96
361170	19 mm	1229 4	4	72
361171	20 mm	1230 0	4	72
361172	21 mm	1231 7	4	72
361173	22 mm	1232 4	4	48
361174	23 mm	1233 1	4	48
361175	24 mm	1234 8	4	48
361176	25 mm	1235 5	4	48
361177	26 mm	1236 2	6	36
361178	27 mm	1237 9	6	36
361179	28 mm	1238 6	6	36
361180	30 mm	1239 3	6	24
361181	32 mm	1240 9	6	24

1/2 in. DR. SOCKET 6PT-DEEP

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361203	3/8 in.	4658 9	6	96
361204	7/16 in.	4659 6	6	96
361205	1/2 in.	4660 2	6	96
361206	9/16 in.	4661 9	6	96
361207	5/8 in.	4662 6	6	96
361208	11/16 in.	4663 3	6	96
361209	3/4 in.	4664 0	4	72
361210	13/16 in.	4665 7	4	72
361211	7/8 in.	4666 4	4	48
361212	15/16 in.	4667 1	4	48
361213	1 in.	4668 8	4	48
361214	1-1/16 in.	4669 5	6	36
361215	1-1/8 in.	4670 1	6	36
361221	8 mm	0251 6	6	96
361223	10 mm	4671 8	6	96
361224	11 mm	4672 5	6	96
361225	12 mm	4673 2	6	96
361226	13 mm	4674 9	6	96
361227	14 mm	4675 6	6	96
361228	15 mm	4676 3	6	96
361229	16 mm	4677 0	6	96
361230	17 mm	4678 7	6	96
361231	18 mm	4679 4	6	96
361232	19 mm	4680 0	4	72
361233	20 mm	4681 7	4	72
361234	21 mm	4682 4	4	72
361235	22 mm	4683 1	4	48
361236	23 mm	4684 8	4	48
361237	24 mm	4685 5	4	48
361242	26 mm	6077 6	6	36
361238	27 mm	4686 2	6	36
361239	28 mm	4687 9	6	36
361240	30 mm	4688 6	6	24
361241	32 mm	4689 3	6	24

1/2 in. DR. BIT SOCKET-SLOTTED

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361301	Slotted 6.5 mm	1340 6	6	72
361302	Slotted 8 mm	1341 3	6	72
361303	Slotted 10 mm	1342 0	6	72
361304	Slotted 12 mm	1343 7	6	72

1/2 in. DR. BIT SOCKET-PHILLIPS

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361322	PH #2	1344 4	6	72
361323	PH #3	1345 1	6	72
361324	PH #4	1346 8	6	72

1/2 in. DR. BIT SOCKET-POZI

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361332	Pozi #2	1347 5	6	72
361333	Pozi #3	1348 2	6	72
361334	Pozi #4	1349 9	6	72

1/2 in. DR. BIT SOCKET-HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361341	Hex 6 mm	1350 5	6	72
361342	Hex 8 mm	1351 2	6	72
361343	Hex 10 mm	1352 9	6	72
361344	Hex 12 mm	1353 6	6	96
361345	Hex 14 mm	1354 3	6	96
361346	Hex 17 mm	1355 0	6	72
361347	Hex 19 mm	1356 7	6	72
361351	Hex 5/16 in.	1357 4	6	72
361352	Hex 3/8 in.	1358 1	6	72
361353	Hex 7/16 in.	1359 8	6	72
361354	Hex 1/2 in.	1360 4	6	72
361355	Hex 9/16 in.	1361 1	6	96
361356	Hex 5/8 in.	1362 8	6	96

3/4 in. DR. SOCKET 6PT-METRIC

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361501	17 mm	3387 9	6	72
361503	19 mm	3388 6	6	72
361505	21 mm	3389 3	6	72
361506	22 mm	3391 6	6	72
361507	23 mm	3392 3	6	72
361508	24 mm	3393 0	6	72
361509	25 mm	3394 7	6	48
361511	27 mm	3395 4	6	48
361512	28 mm	3396 1	6	48
361513	29 mm	3397 8	6	36
361514	30 mm	3398 5	6	36
361515	31 mm	3399 2	6	36
361516	32 mm	3400 5	6	36
361517	33 mm	3401 2	6	36
361518	34 mm	3402 9	6	36
361519	35 mm	3403 6	6	36
361520	36 mm	3404 3	6	36
361522	38 mm	3406 7	6	36
361524	40 mm	3408 1	6	24
361525	41 mm	3409 8	6	24
361527	43 mm	3410 4	6	24
361528	44 mm	3411 1	6	24
361530	46 mm	3413 5	6	24
361532	48 mm	3415 9	6	12
361534	50 mm	3416 6	6	12

1/2 in. DR. BIT SOCKET-DEEP HEX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361361	5 mm	4699 2	6	96
361362	6 mm	4700 5	6	96
361363	7 mm	4701 2	6	96
361364	8 mm	4702 9	6	96
361366	10 mm	4703 6	6	96
361368	12 mm	4704 3	6	96

1/2 in. DR. BIT SOCKET-TORX

- Chrome-Vanadium steel socket with satin finish
- S2 bit



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361401	Torx 20	1363 5	6	72
361402	Torx 25	1364 2	6	72
361403	Torx 27	1365 9	6	72
361404	Torx 30	1366 6	6	72
361405	Torx 40	1367 3	6	72
361406	Torx 45	1368 0	6	72
361407	Torx 50	1369 7	6	72
361408	Torx 55	1370 3	6	72
361409	Torx 60	1371 0	6	72

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

3/4 in. DR. SOCKET 6PT-SAE

- Chrome-Vanadium steel with satin finish



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
361603	3/4 in.	3417 3	6	72
361605	13/16 in.	3418 0	6	72
361607	7/8 in.	3419 7	6	72
361609	15/16 in.	3420 3	6	72
361611	1 in.	3421 0	6	48
361613	1-1/16 in.	3422 7	6	48
361615	1-1/8 in.	3423 4	6	36
361617	1-3/16 in.	3424 1	6	36
361619	1-1/4 in.	4249 9	6	36
361621	1-5/16 in.	4250 5	6	36
361623	1-3/8 in.	4251 2	6	36
361625	1-7/16 in.	4252 9	6	36
361627	1-1/2 in.	4253 6	6	36
361629	1-9/16 in.	4254 3	6	24
361631	1-5/8 in.	4255 0	6	24
361633	1-11/16 in.	4256 7	6	24
361635	1-3/4 in.	4224 6	6	24
361637	1-13/16 in.	4257 4	6	12
361639	1-7/8 in.	2227 9	6	12
361641	2 in.	2228 6	6	12
361643	2-1/8 in.	2229 3	3	12
361645	2-3/16 in.	2230 9	3	12
361647	2-1/4 in.	2231 6	3	12
361649	2-3/8 in.	2232 3	3	12
361651	2-1/2 in.	2233 0	3	12
361653	2-3/4 in.	2234 7	2	6

1/4 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362031	138 mm (5-1/2 in.)	4870 5	6	48

1/4 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



CR-MO 72T

Item No.	Size	EAN 69426292+	Inner	Outer
362001	152 mm (6 in.)	1245 4	6	48

1/4 in. DR. RATCHET HANDLE

- 43 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362021	135 mm (5-1/4 in.)	0823 5	6	48

1/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362003	116 mm (4-1/2 in.)	1247 8	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362131	195 mm (7-1/2 in.)	4871 2	6	36

1/4 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362032	130 mm (5-1/8 in.)	1390 1	6	48

1/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362004	50 mm (2 in.)	1248 5	6	72
362005	100 mm (4 in.)	1249 2	6	72
362006	150 mm (6 in.)	1250 8	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362101	202 mm (8 in.)	1254 6	6	36

1/4 in. DR. SPINNER HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
362002	152 mm (6 in.)	1246 1	6	48

1/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362007	1/4 in. Dr.	1251 5	6	72

1/4 in. DR. ADAPTER

- Chrome-Vanadium steel

1/4 in. ➡ 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
362009	1/4 in. Dr.	1253 9	6	72

1/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362022	150 mm (6 in.)	0824 2	6	48

1/4 in. DR. ADAPTER

- Chrome-Vanadium steel

1/4 in. (F) ➡ 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362008	1/4 in. Dr.	1252 2	6	72

3/8 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362123	180 mm (7 in.)	4179 9	6	36

3/8 in. DR. RATCHET HANDLE

- 41 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362132	190 mm (7-1/2 in.)	1391 8	6	36

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362112	200 mm (8 in.)	4169 0	6	48

3/8 in. DR. ADAPTER

- Chrome-Vanadium steel

3/8 in. (F) ➡ 1/2 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362109	3/8 in. Dr.	1262 1	6	72

3/8 in. DR. FLEX HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
362102	226 mm (9 in.)	1255 3	6	48

3/8 in. DR. L HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362113	200 mm (8 in.)	4973 3	6	36

3/8 in. DR. BIT ADAPTER

- Chrome-Vanadium steel

3/8 in. ➡ 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
362111	3/8 in. Dr.	1264 5	6	72

3/8 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362103	165 mm (6-1/2 in.)	1256 0	6	48

3/8 in. DR. UNIVERSAL JOINT


- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362107	3/8 in. Dr.	1260 7	6	72

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362331	250 mm (10 in.)	4872 9	6	24

3/8 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362104	75 mm (3 in.)	1257 7	6	96
362105	150 mm (6 in.)	1258 4	6	96
362106	250 mm (10 in.)	1259 1	6	72

3/8 in. DR. ADAPTER

- Chrome-Vanadium steel

3/8 in. (F) ➡ 1/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362108	3/8 in. Dr.	1261 4	6	72

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362301	254 mm (10 in.)	1265 2	6	24

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362321	250 mm (10 in.)	4182 9	6	24

1/2 in. DR. FLEX HANDLE

- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
362302	294 mm (11-1/2 in.)	1266 9	6	24
362316	460 mm (18 in.)	5831 5	4	16

1/2 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362309	75 mm (3 in.)	3425 8	6	48
362304	125 mm (5 in.)	1268 3	6	48
362305	250 mm (10 in.)	1269 0	6	36

1/2 in. DR. RATCHET HANDLE -QUICK RELEASE

- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362323	250 mm (10 in.)	4183 6	6	24

1/2 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362311	384 mm (15 in.)	4130 0	4	16
362312	250 mm (10 in.)	9044 5	6	24
362313	460 mm (18 in.)	4131 7	4	16
362315	600 mm (24 in.)	6088 2	4	16

1/2 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362306	1/2 in. Dr.	1270 6	6	72

1/2 in. DR. RATCHET HANDLE

- 45 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362332	240 mm (9-1/2 in.)	1392 5	6	24

1/2 in. DR. L HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362314	250 mm (10 in.)	4974 0	6	24

1/2 in. DR. ADAPTER

- Chrome-Vanadium steel

1/2 in. (F) ➡ 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362307	1/2 in. Dr.	1271 3	6	72

1/2 in. DR. EXTENDING RATCHET HANDLE

- Extend from 290 mm to 430 mm
- Non-slip bi-material handle
- Chrome-Molybdenum steel
- High quality 72 tooth ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
362335	290 - 430 mm	3097 7	6	18

1/2 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362303	252 mm (10 in.)	1267 6	6	36

1/2 in. DR. ADAPTER

- Chrome-Vanadium steel

1/2 in. (F) ➡ 3/4 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362308	1/2 in. Dr.	2248 4	6	36

1/2 in. DR. BIT ADAPTER

- Chrome-Vanadium steel

1/2 in. ➡ 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
362317	1/2 in. Dr. x 1/4 in. hex	9066 7	6	72

3/4 in. DR. SLIDING T-BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362405	51 cm (20 in.)	3459 3	2	8

1/2 in. DR. INSULATED RATCHET HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. BIT ADAPTER

- Chrome-Vanadium steel

1/2 in. ➡ 3/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
362318	1/2 in. Dr. x 3/8 in. hex	9067 4	6	72

3/4 in. DR. EXTENSION BAR

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362407	100 mm (4 in.)	3460 9	6	36
362409	200 mm (8 in.)	3461 6	6	24
362411	400 mm (16 in.)	3462 3	3	12

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

3/4 in. DR. RATCHET HANDLE

- Chrome-Vanadium steel
- 43 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362401	500 mm (19-3/4 in.)	3457 9	2	8

3/4 in. DR. UNIVERSAL JOINT

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362413	3/4 in. DR.	2246 0	6	36

1/2 in. DR. INSULATED EXTENSION BAR

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

3/4 in. DR. FLEX HANDLE

- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362403	51 cm (20 in.)	3458 6	2	8

3/4 in. DR. ADAPTER

- Chrome-Vanadium steel

3/4 in. (F) ➡ 1/2 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
362415	3/4 in. DR.	2247 7	6	36

1/2 in. DR. INSULATED SOCKET 6PT

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

3/4 in. DR. IMPACT SOCKET 6PT

- Chrome-Molybdenum steel with black phosphate finish
- Dual hole design can be used with retaining ring and pin for security

CR-MO



Item No.	Size	EAN 69426292+	Inner	Outer
363001	17 mm	6849 9	8	48
363003	19 mm	6850 5	8	48
363005	21 mm	6851 2	8	48
363006	22 mm	6852 9	8	48
363007	23 mm	6853 6	8	48
363008	24 mm	6854 3	8	48
363009	25 mm	6855 0	8	48
363010	26 mm	6856 7	8	48
363011	27 mm	6857 4	8	48
363012	28 mm	6858 1	4	32
363013	29 mm	6859 8	4	32
363014	30 mm	6860 4	4	32
363016	32 mm	6862 8	4	32
363017	33 mm	6863 5	4	32
363018	34 mm	6864 2	4	32
363019	35 mm	6865 9	4	32
363020	36 mm	6866 6	4	32
363022	38 mm	6867 3	4	32
363024	40 mm	6868 0	2	16
363025	41 mm	6869 7	2	16
363026	42 mm	6870 3	2	16
363028	44 mm	6871 0	2	16
363029	45 mm	6872 7	2	16
363030	46 mm	6873 4	2	16
363032	48 mm	6874 1	2	16
363034	50 mm	6875 8	2	16

3/4 in. DR. IMPACT SOCKET 12PT

- Chrome-Molybdenum steel with black phosphate finish

CR-MO



Item No.	Size	EAN 69426292+	Inner	Outer
363051	3/4 in.	6876 5	8	48
363052	13/16 in.	6877 2	8	48
363053	7/8 in.	6878 9	8	48
363054	15/16 in.	6879 6	8	48
363055	1 in.	6880 2	8	48
363056	1-1/16 in.	6881 9	8	48
363057	1-1/8 in.	6882 6	4	32
363058	1-3/16 in.	6883 3	4	32
363059	1-1/4 in.	6884 0	4	32
363060	1-5/16 in.	6885 7	4	32
363061	1-3/8 in.	6886 4	4	32
363062	1-7/16 in.	6887 1	4	32
363063	1-1/2 in.	6888 8	4	32
363065	1-5/8 in.	6889 5	2	16
363066	1-11/16 in.	6890 1	2	16
363067	1-3/4 in.	6891 8	2	16
363068	1-13/16 in.	6892 5	2	16
363069	1-7/8 in.	6893 2	2	16
363071	2 in.	6894 9	2	16
363073	2-1/8 in.	6895 6	2	16
363074	2-3/16 in.	6896 3	2	16
363075	2-3/8 in.	6897 0	2	16
363077	2-3/4 in.	6898 7	2	16

1/2 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Vanadium steel with black phosphate finish

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363603	8 mm	4323 6	6	72
363604	9 mm	4551 3	6	72
363605	10 mm	4324 3	6	72
363607	11 mm	4325 0	6	72
363609	12 mm	4326 7	6	72
363611	13 mm	4327 4	6	72
363613	14 mm	4328 1	6	72
363615	15 mm	4329 8	6	72
363617	16 mm	4330 4	6	72
363619	17 mm	4331 1	6	72
363621	18 mm	4332 8	6	72
363623	19 mm	4333 5	4	72
363624	20 mm	4552 0	6	48
363625	21 mm	4334 2	6	48

3/4 in. DR. IMPACT SOCKET 6PT-DEEP

- Chrome-Molybdenum steel with black phosphate finish

CR-MO



Item No.	Size	EAN 69426292+	Inner	Outer
363080	17 mm	6922 9	6	24
363081	18 mm	6923 6	6	24
363082	19 mm	6924 3	6	24
363083	20 mm	6925 0	6	24
363084	21 mm	6926 7	6	24
363085	22 mm	6927 4	6	24
363086	23 mm	6928 1	6	24
363087	24 mm	6929 8	6	24
363088	25 mm	6930 4	6	24
363089	26 mm	6931 1	6	24
363090	27 mm	6932 8	6	24
363091	28 mm	6933 5	6	24
363092	29 mm	6934 2	6	24
363093	30 mm	6935 9	6	24
363095	32 mm	6936 6	6	24
363096	33 mm	6937 3	6	24
363097	34 mm	6938 0	6	24
363098	35 mm	6939 7	6	24
363099	36 mm	6940 3	6	24
363101	38 mm	6941 0	6	24
363103	40 mm	6942 7	6	24
363104	41 mm	6943 4	6	24
363105	42 mm	6944 1	4	16
363107	44 mm	6945 8	4	16
363108	45 mm	6946 5	4	16
363109	46 mm	6947 2	4	16
363111	48 mm	6948 9	4	16
363113	50 mm	6949 6	4	16
363133	1-1/16 in.	6950 2	6	24
363134	1-1/8 in.	6951 9	6	24
363135	1-3/16 in.	6952 6	6	24
363136	1-1/4 in.	6953 3	6	24
363137	1-5/16 in.	6954 0	6	24
363138	1-3/8 in.	6955 7	6	24
363139	1-7/16 in.	6956 4	6	24
363140	1-1/2 in.	6957 1	6	24
363141	1-9/16 in.	6958 8	6	24
363142	1-5/8 in.	6959 5	6	24
363143	1-11/16 in.	6960 1	6	24
363144	1-3/4 in.	6961 8	4	16
363145	1-13/16 in.	6962 5	4	16
363146	1-7/8 in.	6963 2	4	16
363147	1-15/16 in.	6964 9	4	16

1/2 in. DR. IMPACT SOCKET 6PT

- Chrome-Vanadium steel with black phosphate finish

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363627	22 mm	4335 9	6	48
363629	23 mm	4336 6	6	48
363631	24 mm	4337 3	6	48
363632	25 mm	4553 7	6	36
363633	26 mm	4338 0	6	36
363635	27 mm	4339 7	6	36
363636	28 mm	4554 4	6	24
363637	29 mm	4340 3	6	24
363639	30 mm	4341 0	6	24
363641	32 mm	4342 7	6	24
363663	5/16 in.	4748 7	6	72
363664	3/8 in.	4749 4	6	72
363665	7/16 in.	4750 0	6	72
363666	1/2 in.	4751 7	6	72
363667	9/16 in.	4752 4	6	72
363668	5/8 in.	4753 1	6	72
363669	11/16 in.	4754 8	6	72
363670	3/4 in.	4755 5	6	72
363671	13/16 in.	4756 2	6	48
363672	7/8 in.	4757 9	6	48
363673	15/16 in.	4758 6	6	48
363674	1 in.	4759 3	6	36
363675	1-1/16 in.	4760 9	6	36
363676	1-1/8 in.	4761 6	6	24
363677	1-3/16 in.	4762 3	6	24
363678	1-1/4 in.	4763 0	6	24

1/2 in. DR. IMPACT SOCKET 6PT

- Chrome-Vanadium steel with black phosphate finish

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
363627	22 mm	4335 9	6	48
363629	23 mm	4336 6	6	48
363631	24 mm	4337 3	6	48
363632	25 mm	4553 7	6	36
363633	26 mm	4338 0	6	36
363635	27 mm	4339 7	6	36
363636	28 mm	4554 4	6	24
363637	29 mm	4340 3	6	24
363639	30 mm	4341 0	6	24
363641	32 mm	4342 7	6	24
363663	5/16 in.	4748 7	6	72
363664	3/8 in.	4749 4	6	72
363665	7/16 in.	4750 0	6	72
363666	1/2 in.	4751 7	6	72
363667	9/16 in.	4752 4	6	72
363668	5/8 in.	4753 1	6	72
363669	11/16 in.	4754 8	6	72
363670	3/4 in.	4755 5	6	72
363671	13/16 in.	4756 2	6	48
363672	7/8 in.	4757 9	6	48
363673	15/16 in.	4758 6	6	48
363674	1 in.	4759 3	6	36
363675	1-1/16 in.	4760 9	6	36
363676	1-1/8 in.	4761 6	6	24
363677	1-3/16 in.	4762 3	6	24
363678	1-1/4 in.	4763 0	6	24

1/2 in. DR. IMPACT EXTENSION BAR

- Chrome-Vanadium steel with black phosphate finish

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363703	75 mm (3 in.)	4343 4	12	36
363705	125 mm (5 in.)	4344 1	12	36
363707	250 mm (10 in.)	4345 8	12	24

1/2 in. DR. IMPACT UNIVERSAL JOINT

- Chrome-Vanadium steel with black phosphate finish

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363709	1/2 in. Dr.	4346 5	12	48

1/2 in. DR. IMPACT ADAPTER

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) ➡ 3/8 in. (M)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363711	1/2 in. Dr.	4347 2	12	72

1/2 in. DR. IMPACT ADAPTER

- Chrome-Vanadium steel with black phosphate finish

1/2 in. (F) ➡ 3/4 in. (M)

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363715	1/2 in. Dr.	4348 9	12	72

3 PC 1/2 in. DR. IMPACT WHEEL NUT SOCKET

- Inner/outer nylon sleeve to prevent damage to shells and nuts
- Chrome-Molybdenum steel
- 17, 19, 21 mm

CR-MO



Item No.	Size	EAN 69426292+	Inner	Outer
363803	3 pc	7073 7	0	12

7 PC 3/8 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363787	7 pc	7125 3	6	12

7 PC 1/2 in. DR. DEEP IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363807	7 pc	5354 9	6	12

10 PC 1/2 in. DR. IMPACT SOCKET SET

- Chrome-Vanadium steel with black phosphate finish
- 10, 12, 13, 14, 15, 16, 17, 18, 19, 22 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363820	10 pc	9045 2	0	6

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET METRIC

- Chrome-Vanadium steel with black phosphate finish
- 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27 mm

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363901	12 pc Metric	0123 6	0	6

12 PC 1/2 in. DR. DEEP IMPACT SOCKET SET SAE

- Chrome-Vanadium steel with black phosphate finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16 in.

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
363902	12 pc SAE	0237 0	0	6

10 PC 1/4 in. DR. SOCKET SET

- Chrome-Vanadium steel socket

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
365101	SAE: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 & 9/16 in.	0530 2	6	24
365103	Metric: 5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm	0531 9	6	24

10 PC 3/8 in. DR. SOCKET SET

- Chrome-Vanadium steel socket

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
365105	SAE: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0532 6	6	24
365107	Metric: 10, 11, 12, 13, 14, 15, 16, 17, 19 & 22 mm	0533 3	6	24

10 PC 1/2 in. DR. SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365109	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 & 15/16 in.	0534 0	6	24
365111	Metric: 10, 11, 12, 13, 14, 15, 17, 19, 22 & 24 mm	0535 7	6	24

7 PC 3/8 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365113	SAE: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.	0536 4	6	24
365115	Metric: 10, 12, 13, 14, 15, 17 & 19 mm	0537 1	6	24

7 PC 1/2 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365117	SAE: 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 & 7/8 in.	0538 8	6	12
365119	Metric: 13, 14, 15, 17, 18, 19 & 22 mm	0539 5	6	12

9 PC 1/4 in. DR. DEEP SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365123	Metric: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm	3454 8	6	24

9 PC 1/4 in. & 3/8 in. DR. TORX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365151	1/4 in. DR. T-10, 15, 20, 25, 27; 3/8 in. DR. T-30, 40, 45, 50	4160 7	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

7 PC 3/8 in. DR. HEX BIT SOCKET SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365153	3, 4, 5, 6, 7, 8, 10 mm	4161 4	6	24

3 PC EXTENSION BAR SET

- Chrome-Vanadium steel socket



Item No.	Size	EAN 69426292+	Inner	Outer
365171	1/4 in. Dr. 50, 100, 150 mm (2, 4, 6 in.)	4170 6	6	60
365173	3/8 in. Dr. 75, 150, 250 mm (3, 6, 10 in.)	4171 3	6	36
365175	1/2 in. Dr. 75, 125, 250 mm (3, 5, 10 in.)	4172 0	6	24

3 PC UNIVERSAL JOINT SET

- 1/4, 3/8 & 1/2 in. DR.



Item No.	Size	EAN 69426292+	Inner	Outer
365177	3 pc	4173 7	6	36

4 PC ADAPTER SET

- 1/4 in. (F) x 3/8 in. (M), 3/8 in. (F) x 1/4 in. (M), 3/8 in. (F) x 1/2 in. (M), 1/2 in. (F) x 3/8 in. (M)



Item No.	Size	EAN 69426292+	Inner	Outer
365179	4 pc	4174 4	6	36

SOCKET RAIL



Item No.	Size	EAN 69426292+	Inner	Outer
365181	1/4 in. DR. 14 clips-red	4175 1	6	60
365183	3/8 in. DR. 14 clips-yellow	4176 8	6	60
365185	1/2 in. DR. 12 clips-blue	4177 5	6	60

2PC UNIVERSAL SOCKET SET

- Chrome-Vanadium steel
- 1 pc 3/8 in. Dr. ratchet handle;
- 1 pc 3/8 in. Dr. universal socket 9 - 21 mm (11/32 - 13/16 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
365194	2 pc	9066 7	6	72



10 PC 3/8 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 8 pc sockets: 10, 11, 12, 13, 14, 16, 17, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365223	10 pc	8199 3	6	24

9 PC 3/8 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 7 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365224	9 pc	8200 6	6	24

12 PC 1/2 in. DR. SOCKET METRIC

- Chrome-Vanadium steel
- 10 pc sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365225	12 pc	8201 3	6	12

12 PC 1/2 in. DR. SOCKET SAE

- Chrome-Vanadium steel
- 10 pc sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in.
- 1 pc 75 mm (3 in.) extension bar
- 1 pc ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365226	12 pc	8202 0	6	12

33 PC 3/8 in. DR. SOCKET SET

- 18 pc 3/8 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 & 24 mm
- 9 pc 3/8 in. Dr. deep well sockets: 6, 8, 10, 11, 13, 14, 15, 17 & 19 mm
- 1 pc 3/8 in. Dr. x 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 6 in. (150 mm) extension bar
- 1 pc 3/8 in. Dr. x 16 mm spark plug socket
- 1 pc 3/8 in. Dr. x 21 mm spark plug socket
- 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365011	Metric	0519 7	0	5

18 PC 1/2 in. DR. SOCKET SET

- 14 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. x 125 mm extension bar
- 1 pc 1/2 in. Dr. flexible handle
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365015	Metric	0521 0	0	5

34 PC 1/4 in. DR. SOCKET SET

- 10 pc 1 in. bits: #1, #2 & #3; 4 mm & 5.5 mm; 3, 4 & 5 mm; #1 & #2
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 9 pc 1/4 in. Dr. deep well sockets: 4, 5, 6, 7, 8, 10, 11, 12 & 13 mm
- 2 pc 1/4 in. Dr. x 50 mm & 150 mm extension bar
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. Dr. bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365019	Metric	0523 4	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

39 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 7 pc 1/4 in. Dr. sockets: 3/16, 1/4, 9/32, 5/16, 3/8, 7/16 & 1/2 in.
- 9 pc 3/8 in. Dr. sockets: 9, 10, 11, 12, 13, 14, 15, 17 & 19 mm
- 7 pc 3/8 in. Dr. sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.
- 1 pc 3/8 in. Dr. 3 in. (75 mm) extension bar
- 1 pc 3/8 in. Dr. x 5/8 in. (16 mm) spark plug socket
- 1 pc 3/8 in.(F) x 1/4 in.(M) adapter
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365025	Metric & SAE	0526 5	0	5

41 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 12 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20 & 22 mm
- 20 pc 1 in. S2 bits: #1, #2 & #3; 4, 5.5 & 6.5 mm; #1, #2 & #3; #1, #2 & #3; 3 & 6 mm; T-10, T-15, T-20, T-25 & T-30; bit/socket adapter
- 2 pc 3/8 in. Dr. x 3 in. (75 mm) & 6 in. (150 mm) extension bar • 1 pc 1/4 in. Dr. spinner handle
- 2 pc 3/8 in. Dr. x 16 & 21 mm spark plug socket
- 1 pc 3/8 in.(M) x 1/4 in.(F) bit holder • 1 pc 1/4 in.(M) x 1/4 in.(F) bit holder • 1 pc 3/8 in. Dr. universal joint
- 1 pc 3/8 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365029	Metric	0528 9	0	5

77 PC TOOL SET

- 30 pc bit set: #1 x 2, #2 x 3 & #3; 4, 4.5, 5.5, 6, 6.5 & 8 mm; #1 x 2, #2 x 3, #3; 3 mm x 2, 4 mm x 2, 5 & 6 mm; T-10, T-15, T-20, T-25, T-30 & T-40
- 12 pc 1/2 in. Dr. sockets: 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22 & 24 mm
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 125 mm extension
- 9 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 1 pc 1/4 in. Dr. 100 mm extension
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/4 in. Dr. spinner handle
- 9 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17 & 19 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8 & 10 mm
- 1 pc 250 mm water pump pliers
- 1 pc 200 mm adjustable wrench



Item No.	Size	EAN 69426292+	Inner	Outer
365046	Metric	0761 0	0	3

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

23 PC 1/2 in. DR. SOCKET SET

- 19 pc 1/2 in. Dr. socket set: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30 & 32 mm
- 1 pc 1/2 in. Dr. universal joint
- 1 pc 1/2 in. Dr. 125 mm extension
- 1 pc 1/2 in. Dr. 250 mm extension
- 1 pc 1/2 in. Dr. ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
365042	Metric	0757 3	0	5

73 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 & 13 mm
- 5 pc 1/4 in. Dr. deep sockets: 6, 7, 8, 9 & 10 mm
- 16 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 & 32 mm
- 4 pc 1/2 in. Dr. deep sockets: 10, 11, 14 & 17 mm
- 20 pc bits: #1, #2, #3, #1, #2, #3, 3, 6 mm, 4, 5.5, 6.5 mm, #1, #2, #3, T-10, T-15, T-20, T-25, T-30, Bit/socket ADAPTER
- 4 pc hex key set: 1.3, 1.5, 2 & 2.5 mm
- 2 pc 1/4 & 1/2 in. Dr. ratchet handle
- 2 pc 1/4 in. & 1/2 in. Dr. universal joint
- 2 pc 1/4 in. & 1/2 in. Dr. sliding T-bar
- 1 pc 1/4 in. Dr. spinner handle
- 1 pc 1/4 in. Dr. 50 mm extension bar
- 1 pc 1/4 in. Dr. socket bit holder
- 1 pc 1/2 in. Dr. 125 mm extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm



Item No.	Size	EAN 69426292+	Inner	Outer
365055	Metric	0770 2	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

37 PC 1/4 in. DR. SOCKET SET

- 21 pc 1 in. S2 bits: #1, #2 & #3; 3, 4, 5 & 6 mm; #1, #2 & #3; 3, 4, 5 & 6 mm; T-10, T-15, T-20, T-25, T-27, T-30 & T-40
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 2 pc 1/4 in. Dr. 50 mm & 100 mm extension
- 1 pc 1/4 in. Dr. spinner handle • 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. universal joint • 1 pc 1/4 in. socket bit holder



Item No.	Size	EAN 69426292+	Inner	Outer
365052	Metric	0767 2	0	10

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

59 PC 1/4 & 3/8 in. DR. SOCKET SET

- 20 pc 1 in. bits: #1, #2, #3; 4, 5.5, 6.5 mm; #1, #2, #3; 3, 6 mm; #1, #2, #3; T-10, T-15, T-20, T-25, T-30; bit/socket adapter
- 18 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 12, 13, 14, 15, 16, 17, 18, 19 mm; 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 3/8 in. Dr. x 5/8 in. spark plug socket
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc magnetic bit driver



Item No.	Size	EAN 69426292+	Inner	Outer
365065	Metric & SAE	4218 5	0	5

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

43 PC 1/4 in. DR. SOCKET SET

- 28 pc bits: #1 x 2, #2 x 2 & #3 x 2; 3, 4, 5 & 6 mm; #1, #2 & #3; 3, 4, 5 & 6 mm; #0, #1 & #2; T-8, T-10, T-15, T-20, T-25, T-27 & T-30
- 10 pc 1/4 in. Dr. sockets: 5.5, 6, 7, 8, 9, 10, 11, 12, 13 & 14 mm
- 1/4 in. Dr. spinner handle
- 1/4 in. Dr. ratchet handle
- 2 pc 1/4 in. Dr. extension bar 50 & 100 mm
- Bit/socket ADAPTER



Item No.	Size	EAN 69426292+	Inner	Outer
365060	Metric	5185 9	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

85 PC 1/4 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 10 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm
- 13 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19, 22, 24, 27, 30, 32 mm
- 2 pc 1/4 in. Dr. extension bars 50 & 100 mm
- 1/4 in. Dr. sliding T-bar • 1/4 in. Dr. universal joint
- 1/4 in. Dr. bit holder • 1/4 in. Dr. spinner handle
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 20 pc bits: #1, #2, #3, #1, #2, #3, 3, 6 mm, 4, 5.5, 6.5 mm, #1, #2, #3, T-10, T-15, T-20, T-25, T-30, Bit/socket ADAPTER
- 3 pc 5/16 in. bits T-45, T-50, T-55
- 2 pc 1/2 in. Dr. extension bars 125 & 250 mm
- 1/2 in. Dr. universal joint • 1/2 in. Dr. x 5/16 in. bit holder
- 1/2 in. Dr. spark plug socket 21 mm
- 3 pc hex keys 1.5, 2, 2.5 mm
- 2 pc ratchet handles 1/4 & 1/2 in. Dr.
- 4 pc double flexible socket wrenches: 8 x 9, 10 x 11, 12 x 13, 14 x 15 mm
- 6 pc combination wrenches: 8, 10, 12, 13, 14, 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
365072	Metric	8460 4	0	4

40 PC 1/4 in. DR. SOCKET SET

- 10 pc sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm;
- 2 pc extension bar 50 & 100mm;
- 1 pc spinner handle;
- 1 pc ratchet handle;
- 1 pc universal joint
- 1 pc socket bit holder;
- 24 pc S2 bits

NEW



Item No.	Size	EAN 69426292+	Inner	Outer
365064	Metric	9304 0	6	12

110 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc bits: #1, #2, #3, #1, #2, #3, 3, 6 mm, 4, 5.5, 6.5 mm, #1, #2, #3, T-10, T-15, T-20, T-25, T-30, Bit/socket ADAPTER
- 16 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm; 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- 4 pc double open wrenches: 10 x 11 mm; 12 x 14 mm; 3/8 x 7/16 in.; 1/2 x 9/16 in.
- 17 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 3/16, 7/32, 1/4, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 10 pc 1/4 in. Dr. 6PT deep sockets: 6, 7, 8, 9, 10 mm; 3/16, 7/32, 1/4, 5/16, 3/8 in.
- 19 pc 3/8 in. Dr. 12PT sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm; 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 12PT deep sockets: 11, 12, 13, 14, 15 mm; 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 8 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19 mm; 9/16, 5/8, 11/16, 3/4 in.
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 2 in. extension bar
- 1 pc 3/8 in. Dr. ratchet handle
- 1 pc 3/8 in. Dr. x 3 in. extension bar
- 1 pc 3/8 in. (F) x 1/2 in. (M) adapter
- 1 pc magnetic bit driver



Item No.	Size	EAN 69426292+	Inner	Outer
365067	Metric & SAE	4219 2	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

154 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 11 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 12 pc 3/8 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm
- 11 pc 1/2 in. Dr. sockets: 14, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm
- 9 pc 1/4 in. Dr. deep sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 10 pc 3/8 in. Dr. deep sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 19 mm
- 9 pc 1/2 in. Dr. deep sockets: 12, 13, 14, 15, 17, 18, 19, 21, 22 mm
- 4 pc 1/2 in. Dr. impact sockets: 17, 19, 21, 23 mm
- 3 pc ratchet handles 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 1/4 in. Dr. spinner handle
- 8 pc 3/8 in. Dr. E-sockets: E8, E10, E11, E12, E14, E16, E18, E20
- 20 pc bits: #1, #2, #3, #1, #2, #3, 3, 6 mm, 4, 5.5, 6.5 mm, #1, #2, #3, T-10, T-15, T-20, T-25, T-30, bit/socket adapter
- 7 pc 3/8in. Dr. TORX Tamper socket bits: T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 6 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.) & 100 mm (4 in.), 3/8 in. Dr. x 75 mm (3 in.) & 250 mm (10 in.), 1/2 in. Dr. x 125 mm (5 in.) & 250 mm (10 in.)
- 1 pc 1/4 in. Dr. bit holder
- 3 pc universal joints 1/4 in. & 3/8 in. & 1/2 in. Dr.
- 2 pc 3/8 in. Dr. spark plug sockets16 & 21 mm
- 1 pc 3/8 in. (F) X 1/4 in. (M) 3-way adapter
- 1 pc 3/8 in. (F) x 1/2 in. (M) 3-way adapter
- 1 pc 1/2 in. (F) x 3/8 in. (M) 3-way adapter
- 10 pc combination wrenches: 8, 9, 10, 11, 12, 13, 14, 17, 18, 19 mm
- 3 pc ratchet wrenches: 12, 13, 14 mm
- 9 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc screwdrivers: 6.5 x 38 mm, 6.5 x 100 mm, #2 x 38 mm, #2 x 100 mm
- 6 pc 3/8 in. Dr. socket bits: 5.5, 6.5 mm, #1, #2, #1, #2
- 1 pc 200 mm (8 in.) slip joint pliers
- 1 pc 160 mm (6 in.) long nose pliers



Item No.	Size	EAN 69426292+	Inner	Outer
365075	Metric	8463 5	0	2

24 PC 1/2 in. DR. SOCKET SET

- 12 pc 1/2 in. Dr. sockets: 10, 11, 12, 13, 14 mm, 3/8, 5/8, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 8 pc combination wrenches: 10, 11, 12, 13, 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. spark plug socket 16 mm
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365241	Metric & SAE	8465 9	0	6

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. sockets: 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. ratchet handle • 1/2 in. Dr. universal joint
- 1/2 in. Dr. sliding T-bar



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365242	Metric	8466 6	0	6

28 PC 1/2 in. DR. SOCKET SET

- 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm
- 1/2 in. Dr. sliding T-bar • 1/2 in. Dr. universal joint
- 1/2 in. Dr. speeded • 1/2 in. Dr. flex handle
- 1/2 in. Dr. ratchet handle



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365243	Metric	8467 3	0	4

70 PC SOCKET & TOOL SET

- 16 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10, 11, 12 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 16 pc 3/8 in. Dr. sockets: 10, 11, 12, 13, 14, 15, 17, 19 mm, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 12 pc combination wrenches: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in., 10, 12, 13, 14, 15, 17 mm
- 2 pc ratchet handle 1/4 in. & 3/8 in. Dr.
- 2 pc extension bar 3/8 in. Dr. x 75 mm, 1/4 in. Dr. x 50 mm
- 1 pc 3/8in (F) to 1/4in (M) adapter
- 1 pc magnetic bit driver
- 12 pc bits

CR-V

365261WB



Item No.	Package	EAN 69426292+	Inner	Outer
365261	color sleeve	1629 2	0	4
365261WB	window color box	7053 9	0	4

94 PC 1/4 & 1/2 in. DR. SOCKET SET

- 18 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32 mm
- 4 pc 1/2 in. Dr. deep socket: 14, 15, 17, 19 mm
- 2 pc 1/2 in. Dr. extension bar 125 mm & 250 mm
- 2 pc 1/2 in. Dr. spark plug socket 16, 21 mm
- 1 pc 1/2 in. Dr. universal joint • 1 pc 5/16 in. bits holder
- 1 pc 1/2 in. Dr. ratchet handle
- 1 pc 1/2 in. Dr. 3-way ADAPTER
- 15 pc 5/16 in. bits: #3, #4; 8, 10, 12 mm; #3, #4; 8, 10, 12, 14 mm; T-40, T-45, T-50, T-55
- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 8 pc 1/4 in. Dr. deep socket: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 1 pc 1/4 in. Dr. universal joint
- 2 pc 1/4 in. Dr. extension bar: 50, 100 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. sliding T-bar 115 mm
- 1 pc 1/4 in. Dr. flexible extension bar 150 mm
- 1 pc 1/4 in. Dr. spinner handle
- 3 pc hex key 1.5, 2, 2.5 mm
- 1 pc 1/4 in. hex bit/socket ADAPTER
- 17 pc bits socket: #1, #2; 4, 5.5, 7 mm; #1, #2; 3, 4, 5, 6 mm; T-8, T-10, T-15, T-20, T-25, T-30



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365413	Metric	8684 4	0	4

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

46 PC 1/4 in. DR. SOCKET SET

- 13 pc socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 21 pc bit socket: #1, #2, #3; 4, 5.5, 7 mm; #1, #2, #3; 3, 4, 5, 6, 7, 8 mm; T-10, T-15, T-20, T-25, T-30, T-40
- 4 pc hex key wrenches: 1.27, 1.5, 2, 2.5
- 2 pc extension bar 50 mm & 100 mm
- 1 pc flexible extension bar 150 mm
- 1 pc spinner handle 150 mm
- 1 pc universal joint
- 1 pc sliding T-bar 115 mm
- 1 pc ratchet handle
- 1 pc bit/socket ADAPTER



CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365405	Metric	8683 7	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

143 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 20 pc 1/4 in. Dr. 6PT sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 16 pc 3/8 in. Dr. 12PT sockets: 9, 10, 12, 13, 14, 15, 17, 19 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 10 pc 3/8 in. Dr. 6PT deep socketst:12, 13, 14, 15, 17 mm, 7/16, 1/2, 9/16, 11/16, 3/4 in.
- 2 pc 3/8 in. Dr. spark plug sockets 5/8 in. & 13/16 in.
- 10 pc 1/2 in. Dr. 12PT sockets: 15, 17, 18, 19, 21 mm, 1/2, 9/16, 5/8, 3/4, 7/8 in.
- 1 pc 3/8 in. (F) x 1/4 in. (M) adapter
- 18 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.
- 40 pc bits: #0 x 2, #1 x 2, #2 x 2, #3 x 2; 3, 4, 5.5 x 2, 6.5 x 2, 8 mm; T-10, T-15, T-20, T-25, T-27, T-30, T-40; #1, #2, #3; #1, #2, #3; 3, 4, 5, 6, 7 mm, 3/32, 1/8, 5/32, 3/16, 1/4 in., bit/socket adapter (2)
- 12 pc combination wrenches: 8, 10, 12, 13, 14, 15 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 3 pc ratchet handle 1/4 in. & 3/8 in. &1/2 in. Dr.
- 4 pc extension bars: 1/4 in. Dr. x 50 mm (2 in.); 3/8 in. Dr. x 75 mm (3 in.) & 150 mm (6 in.)
- 1/2 in. Dr. x 75 mm (3 in.) • 1 pc magnetic bit driver
- 4 pc screwdrivers: 5.5 x 100 mm, 6.5 x 100 mm, #1 x 75 mm, #2 x 100 mm
- 1 pc 200 mm (8 in.) long nose pliers
- 1 pc 160 mm (6 in.) diagonal piers

CR-V

365321WB



Item No.	Package	EAN 69426292+	Inner	Outer
365321	color sleeve	8471 0	0	2
365321WB	window color box	7054 6	0	2





254 PC 1/4 in., 3/8 in. & 1/2 in. SOCKET SET

- 23 pc 1/4 in. Dr. socket set: 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 10 pc 1/4 in. Dr. socket set: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 21 pc 1/4 in. Dr. deep socket set: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in.
- 28 pc 3/8 in. Dr. socket set: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8 in.
- 15 pc 3/8 in. Dr. socket set: 8, 9, 10, 11, 12, 13, 14mm 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 in.
- 14 pc 3/8 in. Dr. deep socket set: 12, 13, 14, 15, 16, 17, 18mm 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 5 pc 3/8 in. Dr. socket set: 1/4, 5/16, 3/8, 7/16, 1/2 in.
- 10 pc 1/2 in. Dr. socket set: 15, 16, 17, 18, 19 mm; 3/4, 13/16, 7/8, 15/16, 1 in.
- 4 pc extension bar: 1/4 in. Dr. x 75 mm (3 in.) ; 3/8 in. Dr. x 75 mm (3 in.) 3/8 in. Dr. x 150 mm (6 in.) ; 1/2 in. Dr. x 75 mm (3 in.)
- 1 pc 3/8 in. Dr. spark plug socket: 5/8 in.
- 12 pc nut sets: 5, 6, 8, 10, 11 mm 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 3 pc 1/4 in. Dr. torx socket bits: T-15, T-20, T-25
- 4 pc 3/8 in. Dr. torx socket bits: T-30, T-40, T-45, T-50
- 1 pc magnetic tip handle
- 36 pc S2 bit set: #0, #1 x 3, #2 x 3, #3 x 2; 3, 4, 5.5 x 2, 6.5 x 2, 8 mm; 3, 4, 5, 6, 7 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.; T-10, T-15, T-20, T-25, T-27, T-30, T-40; #1, #2, #3
- 2 pc ADAPTER
- 3 pc ratchet handle: 1/4, 3/8, 1/2 in. drive
- 40 pc hex key set: SAE (S)-0.05, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in. (L)-5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in. METRIC (S)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6, 7, 8 mm (L)-1.5, 2, 2.5, 3, 4, 4.5, 5, 5.5, 6 mm
- 12 pc ratchet wrench set: 10,12, 13, 14, 15, 17 mm 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 10 pc mini combination wrench: 5/32, 3/16, 13/64, 7/32, 15/64, 1/4, 9/32, 5/16, 3/8, 7/16 in.

CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
365354	Metric & SAE	9017 9	0	1

66 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 12 pc 1/4 in. Dr. 6 PT sockets: 5/32, 3/16, 1/4, 5/16, 11/32 in., 4, 5, 6, 7, 8, 9, 10 mm;
- 17 pc 3/8 in. Dr. 6 PT sockets: 3/8, 7/16, 1/2. 9/16, 5/8, 11/16, 3/4, 13/16 in.. 10, 11, 12, 13, 14, 15, 16, 17, 18 mm;
- 6 pc 3/8 in. Dr. 6 PT deep sockets: 3/8, 7/16, 1/2 in., 10, 12, 14 mm;
- 12 pc 1/2 in. Dr. 12 PT sockets 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in., 17, 18, 19, 21, 22, 24 mm;
- 14 pc combination wrenches 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 3/4 in., 10, 11, 12, 13, 14, 15, 17 mm;
- 1 pc 3/8 in. Dr. x 150 mm extension bar;
- 1 pc 3/8 in. Dr. ratchet handle;
- 1 pc 3/8 in. Dr. x 250 mm breaker bar;
- 2 pc adapter 3/8in. (F) x 1/4 in. (M) & 3/8in. (F) x 1/2 in. (M)

NEW

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
365593	Metric & SAE	9125 1	0	3

192 PC 1/4 in., 3/8 in. & 1/2 in. DR. SOCKET SET

- 22 pc 1/4 in Dr. 6PT sockets: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16 in., 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm;
- 19 pc 1/4 in Dr. 6 PT deep sockets: 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in., 4, 5, 6, 7, 8, 9, 10, 11, 12,13,14 mm;
- 26 pc 3/8 in Dr. 6 PT sockets: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in., 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21 mm;
- 20 pc 3/8 in Dr. 6 PT deep sockets: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in., 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm;
- 20 pc 1/2 in. Dr. 12 PT sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1 in., 14, 15, 16, 17, 18, 19, 21, 22, 24 mm;
- 14 pc combination wrenches: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8 in., 8, 10, 11, 12, 13, 14, 15 mm;
- 1pc 1/4 in. Dr. extension bar 75 mm;
- 2 pc 3/8 in. Dr. extension bar 75 & 150 mm;
- 1 pc 1/2 in. Dr. extension bar 150 mm; • 1 pc bit driver;
- 4 pc 3/8 in. Dr. spark plug sockets 5/8 & 13/16 in., 16 & 21mm;
- 1 pc 3/8 in. (F) x 1/4 in. (M). adapter;
- 2 pc universal joints 3/8 & 1/2 in. Dr.;
- 3 pc ratchet handles 1/4, 3/8 & 1/2 in. Dr.;
- 16 pc hex key
- 40 pc bits & adapter

NEW

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
365592	Metric & SAE	1670 4	0	2

81 PC 1/4 in. & 3/8 in. DR. SOCKET SET

- 15 pc 1/4 in. Dr. 6 PT sockets: 4, 5, 6, 7, 8, 9, 10 mm, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8, 7/16, 1/2 in.;
- 20 pc 3/8 in. Dr. 6 PT sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 mm, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 in.; • 1 pc 1/4 in. Dr. bit adapter;
- 14 pc 3/8 in. Dr. 6 PT deep sockets: 10, 11, 12, 13, 14, 15, 17 mm, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.;
- 1 pc 3/8 in. Dr. spark plug sockets 5/8 in.;
- 2 pc extension bars 1/4 in. Dr. x 75 mm & 3/8 in. Dr. x 150 mm;
- 2 pc ratchet handle 1/4 & 3/8 in. Dr.;
- 1 pc 3/8 in. Dr. universal joint;
- 17 pc bits;
- 8 pc nut driver: 4, 5, 6, 7, 8, 9, 10, 11 mm

NEW

CR-V



Item No.	Size	EAN 69426292+	Inner	Outer
365594	Metric & SAE	9126 8	0	5

STACKABLE SOCKET SETS
FOR PACKPRO MODULAR STORAGE SYSTEM

- PACKPRO connection
- Can fix with TACTIX PACKPRO MODULAR STORAGE SYSTEM
- Clear top for easy identification



TACTIX PACKPRO




Socket Set with TACTIX PACKRPO Organizer



172 (W) x 113 (D) x 51 (H) mm



255 (W) x 218 (D) x 47 (H) mm



PACKPRO connection



30 PC 1/4 in. DR. SOCKET SET

- 1 pc 1/4 in. Dr. ratchet handle. 1 pc 1/4 in. Dr. x 100 mm extension bar. 1 pc 1/4 in. Dr. socket bits holder. 11 pc 1/4 in. Dr. socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm. 16 pc S2 bits Slot 3, 4, 5.5, 6.5 mm; PH #1, #2, #2, #3; Hex 3, 4, 5, 6 mm; T-10, T-20, T-25,



Item No.	Size	EAN 69426292+	Inner	Outer
368001	Metric	9179 4	6	12

24 PC 1/4 in. DR. SOCKET SET


- 1 pc 1/4 in. Dr. ratchet handle. 1 pc 1/4 in. Dr. x 100 mm extension bar. 22 pc 1/4 in. Dr. socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.



Item No.	Size	EAN 69426292+	Inner	Outer
368002	Metric & SAE	9180 0	6	12

39 PC 1/4 in. DR. SOCKET SET


- 1 pc 1/4 in. Dr. ratchet handle. 2 pc 1/4 in. Dr. extension bar 50 & 100 mm. 1 pc 1/4 in. Dr. sliding T-bar. 1 pc 1/4 in. Dr. x 150 mm flex socket extension. 1 pc 1/4 in. Dr. universal joint. 1 pc 1/4 in. Dr. spinner handle. 13 pc 1/4 in. Dr. socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm. 15 pc 1/4 in. Dr. socket bits S2: Slot 4, 5.5, 6.5 mm, PH #1, #2, PZ #1, #2, Hex 3, 4, 5, 6 mm, T-10, 20, 25, 30. 4 pc hex key 1.3, 1.5, 2, 2.5 mm



Item No.	Size	EAN 69426292+	Inner	Outer
368051	Metric	9181 7	0	6

44 PC 1/4 in. DR. SOCKET SET

- 1 pc 1/4 in. Dr. ratchet handle. 2 pc 1/4 in. Dr. extension bar 50 & 100 mm. 1 pc 1/4 in. Dr. socket bits holder. 1 pc 1/4 in. Dr. universal joint. 1 pc 1/4 in. Dr. spinner handle. 12 pc 1/4 in. Dr. sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm. 10 pc 1/4 in. Dr. deep sockets 4, 5, 6, 7, 8, 9, 10, 11, 12, 13 mm. 16pc S2 bits Slot 3, 4, 5.5, 6.5 mm; PH #1, #2, #2, #3; Hex 3, 4, 5, 6 mm; T-10, T-20, T-25, T-30



Item No.	Size	EAN 69426292+	Inner	Outer
368052	Metric	9183 1	0	6

23 PC 3/8 in. DR. SOCKET SET


- 1 pc 3/8 in. Dr. ratchet handle. 2 pc 3/8 in. Dr. extension bar 75 & 150 mm. 1 pc 3/8 in. Dr. universal joint. 1 pc 3-way adaptor 1/2 in. (F) x 3/8 in. (M). 16 pc 3/8 in. Dr. sockets 6, 7, 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm. 2 pc 3/8 in. Dr. spark plug sockets 16 & 21 mm



Item No.	Size	EAN 69426292+	Inner	Outer
368061	Metric	9184 8	0	6

30 PC 1/4 & 3/8 in. DR. SOCKET SET

- 1 pc 3/8 in. Dr. ratchet handle. 1 pc 3/8 in. Dr. extension bar 75 mm. 1 pc 3/8 in. (F) x 1/4 in. (M) adapter. 13 pc 3/8 in. Dr. sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm. 1 pc 3/8 in. Dr. x 16 mm spark plug socket. 1 pc 1/4 in. Dr. spinner handle. 12 pc 1/4 in. Dr. socket 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm



Item No.	Size	EAN 69426292+	Inner	Outer
368062	Metric	9185 5	0	6

24 PC 1/2 in. DR. IMPACT SOCKET SET

- 14 pc Metric 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; 10 pc SAE 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16 in.



Item No.	Size	EAN 69426292+	Inner	Outer
368151	Metric & SAE	9186 2	0	6

17 PC 1/2 in. DR. IMPACT SOCKET SET

- 16 pc 1/2 in. Dr. impact sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24 mm; 1 pc impact bit socket adaptor 1/4 in. hex x 1/2 in. Dr.



Item No.	Size	EAN 69426292+	Inner	Outer
368152	Metric	9160 2	0	6

14 PC 1/2 in. DR. IMPACT DEEP SOCKET SET

- 13 pc 1/2 in. Dr. impact deep sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19,21, 22, 24 mm; 1 pc 1/2 in. Dr. impact extension bar 75 mm




Item No.	Size	EAN 69426292+	Inner	Outer
368153	Metric	9161 9	0	6

EVA TOOL SETS & INSERT TRAYS SYSTEM




- Protect & organize your tools
- Dual-color EVA foam
- Compatible with TACTIX chests and cabinets





Suitable for 326023, 326024







Suitable for 326432, 326434, 326436, 326438



4 PC PLIERS SET

- 200 mm (8 in.) long nose pliers;
- 160 mm (6 in.) diagonal pliers;
- 190 mm (7-1/2 in.) linesman pliers;
- 250 mm (10 in.) box joint pliers



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369201	#1-397 x 178 mm	0346 9	0	4

4 PC CIRCLIP PLIERS SET

- Straight exterior
- Straight interior
- Bent exterior
- Bent interior
- Tip Dia 1.8mm





#1

Item No.	Size	EAN 69426292+	Inner	Outer
369202	#1-397 x 178 mm	6531 3	0	4

10 PC SCREWDRIVER SET

- 3 x 75, 5.5 x 100, 6.5 x 38, 6.5 x 100, 8 x 150 mm;
- #0 x 75, #1 x 100, #2 x 38, #2 x 100, #3 x 150 mm



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369203	#1-397 x 178 mm	6532 0	0	4

20 PC 1/4 in. DR. SOCKET SET

- 13 pc 1/4 in. Dr. socket: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm;
- 2 pc 1/4 in. Dr. extension bar 75 & 150mm;
- 1/4 in. Dr. socket bit holder; • 1/4 in. Dr. universal joint;
- 1/4 in. Dr. sliding T-bar; • 1/4 in. Dr. ratchet handle;
- 1/4 in. Dr. spinner handle



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369204	#1-397 x 178 mm	6533 7	0	4

22 PC 1/2 in. DR. SOCKET SET

- 17 pc 1/2 in. Dr. socket: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 23, 24, 27, 30, 32mm;
- 2 pc 1/2 in. Dr. extension bar 125 & 250 mm;
- 1/2 in. Dr. ratchet handle; • 1/2 in. Dr. universal joint;
- 3/8 in. (F) x 1/2 in. (M) 3-way adapter



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369205	#1-397 x 178 mm	6534 4	0	4

16 PC COMBINATION WRENCH SET

- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 mm



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369206	#1-397 x 178 mm	2770	0	4

2 PC HAMMER SET

- 300 g machinist hammer;
- 35 mm 2-way soft face mallet



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369207	#1-397 x 178 mm	2771 7	0	4

8 PC DOUBLE RING WRENCH SET


- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22 mm



#1

Item No.	Size	EAN 69426292+	Inner	Outer
369208	#1-397 x 178 mm	1633 9	0	4

EMPTY FOAM INSERTS




#1

#2

Item No.	Size	EAN 69426292+	Inner	Outer
369380	#1-397 x 178 mm	1635 3	0	16
369381	#2-397 x 123 mm	1636 0	0	16

COMBINATION WRENCH SAE & METRIC

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
370003	6 mm	0540 1	6	72
370005	7 mm	0541 8	6	72
370007	8 mm	0542 5	6	72
370009	9 mm	0543 2	6	72
370011	10 mm	0544 9	6	72
370013	11 mm	0545 6	6	72
370015	12 mm	0546 3	6	72
370017	13 mm	0547 0	6	72
370019	14 mm	0548 7	6	72
370021	15 mm	0549 4	6	72
370023	16 mm	0550 0	6	72
370025	17 mm	0551 7	6	72
370027	18 mm	0552 4	6	72
370029	19 mm	0553 1	6	48
370031	20 mm	0554 8	6	48
370033	21 mm	0555 5	6	48
370035	22 mm	0556 2	6	48
370037	23 mm	0557 9	6	48
370039	24 mm	0558 6	6	36
370041	25 mm	0559 3	6	36
370043	26 mm	0560 9	6	36
370045	27 mm	0561 6	6	24
370047	28 mm	0562 3	6	24
370049	29 mm	0563 0	6	12
370051	30 mm	0564 7	6	12
370053	32 mm	0565 4	6	12
370103	1/4 in.	0566 1	6	72
370105	5/16 in.	0567 8	6	72
370107	3/8 in.	0568 5	6	72
370109	7/16 in.	0569 2	6	72
370111	1/2 in.	0570 8	6	72
370113	9/16 in.	0571 5	6	72
370115	5/8 in.	0572 2	6	72
370117	11/16 in.	0573 9	6	48
370119	3/4 in.	0574 6	6	48
370121	13/16 in.	0575 3	6	48
370123	7/8 in.	0576 0	6	48
370125	15/16 in.	0577 7	6	36
370127	1 in.	0578 4	6	36
370129	1-1/16 in.	0579 1	6	24
370131	1-1/8 in.	0580 7	6	24
370133	1-1/4 in.	0581 4	6	12

JUMBO COMBINATION WRENCH SAE & METRIC

- Carbon steel



Item No.	Size	EAN 69426292+	Inner	Outer
370054	33 mm	5391 4	6	12
370055	34 mm	5392 1	6	12
370056	35 mm	5393 8	6	12
370057	36 mm	5394 5	6	12
370058	37 mm	5395 2	6	12
370059	38 mm	5396 9	6	12
370062	41 mm	5397 6	3	6
370063	42 mm	5398 3	3	6
370064	43 mm	5399 0	3	6
370065	44 mm	5400 3	3	6
370066	45 mm	5401 0	3	6
370067	46 mm	5402 7	3	6
370068	48 mm	5403 4	3	6
370070	50 mm	5404 1	3	6
370075	55 mm	5405 8	2	4
370080	60 mm	5406 5	2	4
370085	65 mm	5407 2	2	4
370134	1-5/16 in.	5174 3	6	12
370135	1-3/8 in.	5175 0	6	12
370136	1-7/16 in.	5176 7	6	12
370137	1-1/2 in.	4357 1	6	12
370139	1-5/8 in.	5177 4	3	6
370143	1-3/4 in.	5178 1	3	6
370145	1-7/8 in.	5179 8	3	6
370147	2 in.	5180 4	3	6
370151	2-1/8 in.	5181 1	2	4
370155	2-1/4 in.	5182 8	2	4
370159	2-3/8 in.	5183 5	2	4
370163	2-1/2 in.	5184 2	2	4



9 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6, 8, 9, 10, 12, 13, 14, 17 & 19 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370501	9 pc	1279 9	6	18

9 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 & 3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370503	9 pc	1280 5	6	18

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 6, 8, 10, 12 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370511	5 pc	1502 8	6	24

5 PC COMBINATION WRENCH SET-METRIC

- Chrome-Vanadium steel with satin finish
- 8, 10, 13, 15 & 17 mm



Item No.	Size	EAN 69426292+	Inner	Outer
370512	5 pc	6126 1	6	24

5 PC COMBINATION WRENCH SET-SAE

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16 & 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
370513	5 pc	1503 5	6	24

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370534	14 pc	4351 9	0	6

14 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4 in.
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370535	14 pc	5063 0	0	6

23 PC COMBINATION WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30, 32 mm
- Nylon tool roll included



Item No.	Size	EAN 69426292+	Inner	Outer
370536	23 pc	4352 6	0	4

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371003	8 mm	0582 1	6	48
371005	9 mm	0583 8	6	48
371007	10 mm	0584 5	6	48
371009	11 mm	0585 2	6	48
371011	12 mm	0586 9	6	48
371013	13 mm	0587 6	6	48
371015	14 mm	0588 3	6	48
371017	15 mm	0589 0	6	48
371019	16 mm	0590 6	6	48
371021	17 mm	0591 3	6	48
371023	18 mm	0592 0	6	48
371025	19 mm	0593 7	6	48
371026	20 mm	9108 4	6	48
371027	21 mm	9109 1	6	48
371028	22 mm	9110 7	6	48
371030	24 mm	9111 4	6	36
371033	27 mm	9112 1	6	24
371036	30 mm	9113 8	6	12
371103	5/16 in.	0594 4	6	48
371105	3/8 in.	0595 1	6	48
371107	7/16 in.	0596 8	6	48
371109	1/2 in.	0597 5	6	48
371111	9/16 in.	0598 2	6	48
371113	5/8 in.	0599 9	6	48
371115	11/16 in.	0600 2	6	48
371117	3/4 in.	0601 9	6	48

5 PC RATCHET WRENCH SET METRIC

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 13, 15 & 17 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371064	5 pc	9352 1	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- Metric: 8, 10, 11, 12 & 14 mm
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371065	5 pc	2696 3	6	24

5 PC RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- SAE: 5/16, 3/8, 7/16, 1/2 & 9/16 in.
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371165	5 pc	2698 7	6	24

7 PC FLEX RATCHET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 8, 9, 10, 11, 13, 17, 19 mm
- Flex head
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371267	7 pc	4288 8	6	12



FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
371208	8 mm	4707 4	6	48
371209	9 mm	4708 1	6	48
371210	10 mm	4709 8	6	48
371211	11 mm	4710 4	6	48
371212	12 mm	4711 1	6	48
371213	13 mm	4712 8	6	48
371214	14 mm	4713 5	6	48
371215	15 mm	4714 2	6	48
371216	16 mm	4715 9	6	48
371217	17 mm	4716 6	6	48
371218	18 mm	4717 3	6	48
371219	19 mm	4718 0	6	48
371222	22 mm	4719 7	6	48
371224	24 mm	4720 3	6	24

2 PC 4-IN-1 DUAL HEAD FLEX RATCHET WRENCH

- Chrome-Vanadium steel with satin finish
- Flex head
- 72 tooth
- Small: 8, 10, 12, 13 mm ; Big: 16, 17, 18, 19 mm





Go through design



Head support



Pivot


Item No.	Size	EAN 69426292+	Inner	Outer
371301	2 pc	5282 5	6	24

DOUBLE FLEX SOCKET WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
371903	8 x 9 mm	3981 9	6	72
371905	10 x 11 mm	3982 6	6	72
371907	12 x 13 mm	3983 3	6	72
371909	14 x 15 mm	3984 0	6	72
371911	16 x 17 mm	3985 7	6	72
371913	18 x 19 mm	3986 4	6	48




L-TYPE SOCKET WRENCH

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head



Item No.	Size	EAN 69426292+	Inner	Outer
373101	6 mm	2904 9	10	60
373103	7 mm	2905 6	10	60
373105	8 mm	2906 3	10	60
373107	9 mm	2907 0	10	60
373109	10 mm	2908 7	10	60
373111	11 mm	2909 4	10	60
373113	12 mm	2910 0	10	60
373115	13 mm	2911 7	10	60
373117	14 mm	2912 4	10	60
373119	15 mm	2913 1	10	60
373121	16 mm	2914 8	10	60
373123	17 mm	2915 5	6	36
373125	18 mm	2916 2	6	36
373127	19 mm	2917 9	6	36
373129	20 mm	2918 6	6	24
373131	21 mm	2919 3	6	24
373133	22 mm	2920 9	6	24
373135	23 mm	2921 6	6	12
373137	24 mm	2922 3	6	12
373139	25 mm	2923 0	6	12
373141	26 mm	2924 7	6	12
373143	27 mm	2925 4	6	12
373145	28 mm	2926 1	6	12
373147	30 mm	2927 8	6	12
373149	32 mm	2928 5	0	6



DOUBLE OPEN WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
372003	6 x 7 mm	1504 2	6	72
372005	8 x 9 mm	1505 9	6	72
372007	10 x 11 mm	1506 6	6	72
372009	12 x 13 mm	1507 3	6	72
372011	14 x 15 mm	1508 0	6	72
372013	16 x 17 mm	1509 7	6	72
372015	18 x 19 mm	1510 3	6	48
372017	20 x 22 mm	1511 0	6	48
372018	21 x 23 mm	5042 5	6	48
372019	24 x 26 mm	1512 7	6	36
372020	25 x 28 mm	5043 2	6	24
372024	30 x 32 mm	5045 6	6	12

5 PC DOUBLE OPEN WRENCH SET-METRIC


- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13 & 14 x 15 mm



Item No.	Size	EAN 69426292+	Inner	Outer
372405	5 pc	2867 7	6	24

8 PC DOUBLE OPEN WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
372408	8 pc	1552 3	0	10

5 PC L-TYPE SOCKET WRENCH SET

- Chrome-Vanadium steel with satin finish
- 12-point short head and 6-point long head
- 8, 10, 12, 13 & 17 mm




Item No.	Size	EAN 69426292+	Inner	Outer
373165	5 pc	3027 4	4	16

DOUBLE RING WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
372503	6 x 7 mm	1514 1	6	72
372505	8 x 9 mm	1515 8	6	72
372507	10 x 11 mm	1516 5	6	72
372509	12 x 13 mm	1517 2	6	72
372511	14 x 15 mm	1518 9	6	72
372513	16 x 17 mm	1519 6	6	72
372515	18 x 19 mm	1520 2	6	48
372517	20 x 22 mm	1521 9	6	48
372519	21 x 23 mm	1522 6	6	48
372521	24 x 27 mm	1523 3	6	36
372522	24 x 26 mm	5046 3	6	36
372524	25 x 28 mm	5047 0	6	24
372526	27 x 29 mm	5048 7	6	12
372528	30 x 32 mm	5049 4	6	12



8 PC DOUBLE RING WRENCH SET

- Chrome-Vanadium steel with satin finish
- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 & 20 x 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
372908	8 pc	1553 0	0	10

FLARE NUT WRENCH

- Chrome-Vanadium steel with satin finish



Item No.	Size	EAN 69426292+	Inner	Outer
373005	9 x 11 mm	5807 0	6	72
373006	10 x 12 mm	7771 2	6	72
373007	13 x 14 mm	7773 6	6	72


6 PC TUBE WRENCH SET

- 8 x 9, 10 x 11, 12 x 13, 14 x 15, 17 x 19 mm



Item No.	Size	EAN 69426292+	Inner	Outer
373246	6 pc	8392 8	6	24


T-TYPE SOCKET WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373258	8 mm	8269 3	6	24
373259	9 mm	8270 9	6	24
373260	10 mm	8271 6	6	24
373261	11 mm	8272 3	6	24
373262	12 mm	8273 0	6	24
373263	13 mm	8274 7	6	24
373264	14 mm	8275 4	6	24
373265	15 mm	8276 1	6	24
373266	16 mm	8277 8	6	24
373267	17 mm	8278 5	6	24
373268	18 mm	8279 2	6	24
373269	19 mm	8280 8	6	24

LUG NUT WRENCH

- 17 x 19 x 21 x 22 mm (11/16 x 3/4 x 13/16 x 7/8 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
373307	500 mm (20 in.)	3426 5	0	10


8 PC 3/8 in. DR. CROWFOOT WRENCH SET

- Chrome-Vanadium steel with satin finish
- 10, 11, 13, 14, 15, 18, 19, 22 mm



Item No.	Size	EAN 69426292+	Inner	Outer
373318	8 pc	6086 8	6	24

SPARK PLUG WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373341	14 mm	8391 1	6	24

FILTER PLIERS

- Max open capacity: 60 to 120 mm (2-3/8 to 4-3/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
373482	300 mm (12 in.)	5136 1	6	24

OIL FILTER WRENCH



Item No.	Size	EAN 69426292+	Inner	Outer
373486	57 to 70 mm (2-1/4 to 2-3/4 in.)	7775 0	6	36
373488	73 - 83 mm (2-7/8 to 3-1/4 in.)	9082 7	6	36
373487	89 to 98 mm (3-1/2 to 3-7/8 in.)	7779 8	6	36

STRAP FILTER WRENCH

- Use with 1/2 in. DR. ratchet



Item No.	Size	EAN 69426292+	Inner	Outer
373503		3427 2	6	24



11 PC BRAKE PISTON WIND BACK TOOL SET


- Allow easy return of the brake piston into the caliper providing clearance for replacement brake pads
- Fits most vehicles



Item No.	Size	EAN 69426292+	Inner	Outer
373601	11 pc	5806 3	0	6

RUBBER STRAP WRENCH

- Capacity 150 mm (6 in.) dia.



Item No.	Size	EAN 69426292+	Inner	Outer
373507	150 mm (6 in.)	7058 4	6	24

1/2 in. DR. TORQUE WRENCH METRIC & SAE

- 42 - 210 N.m (31 - 154.9 ft. lb)
- Rapid adjustment to required torque setting



1/2 in. Dr. | 72T





Item No.	Size	EAN 69426292+	Inner	Outer
375007	42 - 210 N.m	3429 6	0	8

1/2 in. DR. POWERSET TORQUE WRENCH



0-300 N.m

NEW

1/2 in. Dr.



Item No.	Size	EAN 69426292+	Inner	Outer
375013	0 - 300 N.m	9070 4	0	8



1/4 in. DR. HIGH ACCURACY TORQUE WRENCH

- High accuracy • 72T • With BMC





1/4 in. Dr. | 72T | NEW



Item No.	Size	EAN 69426292+	Inner	Outer
375021	5 - 25 N.m (3.7 - 18.4 ft.lb)	4007 5	5	20

3/8 in. DR. HIGH ACCURACY TORQUE WRENCH

- High accuracy
- 72T • With BMC



3/8 in. Dr. | 72T | NEW

Item No.	Size	EAN 69426292+	Inner	Outer
375022	10 - 60 N.m (7.4 - 44.3 ft. lb)	4008 2	5	20

1/2 in. DR. HIGH ACCURACY TORQUE WRENCH

- High accuracy
- 72T • With BMC



1/2 in. Dr. | 72T | NEW

Item No.	Size	EAN 69426292+	Inner	Outer
375023	20 - 210 N.m (14.8 - 154.9 ft. lb)	4009 9	4	8

TIE DOWN CAMBUCKLE

- Rubber covered cambuckle
- Working load limit 125 kg (275 lbs.)
- Breaking strength 250 kg (550 lbs.)
- S-hook



Item No.	Size	EAN 69426292+	Inner	Outer
376001	3 m x 25 mm (10 ft. x 1 in.)	2395 5	10	20
376002	2 pc 3 m x 25 mm (10 ft. x 1 in.)	2396 2	3	6
376004	4 pc 3 m x 25 mm (10 ft. x 1 in.)	2397 9	3	6

RATCHET TIE DOWN

- Rubber covered cambuckle
- Working load limit 250 kg (550 lbs.)
- Breaking strength 500 kg (1100 lbs.)
- S-hook



Item No.	Size	EAN 69426292+	Inner	Outer
376021	3 m x 25 mm (10 ft. x 1 in.)	2398 6	10	20
376022	2 pc 3 m x 25 mm (10 ft. x 1 in.)	2399 3	3	6
376024	4 pc 3 m x 25 mm (10 ft. x 1 in.)	2400 6	3	6

RATCHET TIE DOWN


- Rubber covered handle for comfort
- Working load limit 300 kg (660 lbs.)
- Breaking strength 600 kg (1320 lbs.)
- S-hook



Item No.	Size	EAN 69426292+	Inner	Outer
376031	5 m x 25 mm (16 ft. x 1 in.)	2401 3	6	12
376032	2 pc 5 m x 25 mm (16 ft. x 1 in.)	2402 0	3	6
376034	4 pc 5 m x 25 mm (16 ft. x 1 in.)	2403 7	3	6

RATCHET TIE DOWN

- Heavy duty handle for comfort
- Working load limit 1000 kg (2200 lbs.)
- Breaking strength 2000 kg (4400 lbs.)
- Double J-hook



Item No.	Size	EAN 69426292+	Inner	Outer
376041	5 m x 38 mm (16 ft. x 1-1/2 in.)	2404 4	6	12
376042	2 pc 5 m x 38 mm (16 ft. x 1-1/2 in.)	2405 1	3	6

RATCHET TIE DOWN HEAVY DUTY

- Heavy duty handle for comfort
- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- Double J-hook



Item No.	Size	EAN 69426292+	Inner	Outer
376061	10 m x 50 mm (33 ft. x 2 in.)	2406 8	3	6

TOW STRAP

- Working load limit 2000 kg (4400 lbs.)
- Breaking strength 4000 kg (8800 lbs.)
- EYE hook



Item No.	Size	EAN 69426292+	Inner	Outer
376206	6 m x 50 mm (20 ft. x 2 in.)	1631 5	4	8

2 PC BUNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
376401	60 cm x 8 mm (2 ft. x 5/16 in.)	2218 7	12	72
376402	80 cm x 8 mm (2-5/8 ft. x 5/16 in.)	2355 9	12	72
376403	100 cm x 8 mm (3-9/32 ft. x 5/16 in.)	7212 0	12	72

20 PC BUNNGEE CORD

- 4 pc 25 cm x 4 mm
- 4 pc 50 cm x 8 mm
- 4 pc 75 cm x 8 mm
- 4 pc 45 cm x 8 mm
- 4 pc 60 cm x 8 mm






Item No.	Size	EAN 69426292+	Inner	Outer
376420	20 pc	8389 8	0	6

BOOSTER CABLE

- Heavy-duty copper coated aluminum (CCA) cables
- With fully insulated clamps



Item No.	Size	Max capacity	EAN 69426292+	Inner	Outer
380016	3 m x 16 mm²	220 A	5022 7	0	8
380025	3.5 m x 25 mm²	350 A	5023 4	0	6
380035	4.5 m x 35 mm²	480 A	5024 1	0	4

8 ARM BUNNGEE CORD

- Working load limit 7 kg (15 lbs.)
- Breaking strength 14 kg (30 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
376418	60 cm x 8 mm (2 ft. x 5/16 in.)	8303 4	12	72

LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN 69426292+	Inner	Outer
381002	500 cc (14 oz.)	2799 1	0	12

HIGH-GRADE LEVER GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN 69426292+	Inner	Outer
381006	500 cc (14 oz.)	1524 0	0	12

ALUMINIUM GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 9000 PSI
- Lightweight



Item No.	Size	EAN 69426292+	Inner	Outer
381010	500 cc (14 oz.)	6185 8	0	12

PISTOL-TYPE GREASE GUN


- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 1 pc straight pipe included
- Working pressure 4500 PSI
- Max pressure 8500 PSI



Item No.	Size	EAN 69426292+	Inner	Outer
381014	500 cc (14 oz.)	6280 0	0	12

MINI GREASE GUN

- Use standard grease cartridge or can be used for bulk fill
- 1 pc flex hose and 2 pc straight pipe included
- Working pressure 2000 PSI
- Max pressure 4000 PSI



Item No.	Size	EAN 69426292+	Inner	Outer
381018	120 cc (3 oz.)	6360 9	4	12

OIL CAN RIGID HOSE



Item No.	Size	EAN 69426292+	Inner	Outer
382503	250 ml	2791 5	10	60
382505	400 ml	2796 0	10	60

OIL CAN FLEX HOSE



Item No.	Size	EAN 69426292+	Inner	Outer
382513	250 ml	2797 7	10	60
382515	400 ml	2798 4	10	60

FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382601	14 cm	1566 0	0	24

FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382602	22 cm	7048 5	0	13

4 PC FUNNEL SET

- 50, 75, 95, 115 mm



Item No.	Size	EAN 69426292+	Inner	Outer
382604	4 pc	6974 8	0	25

2-IN-1 FUNNEL



Item No.	Size	EAN 69426292+	Inner	Outer
382605	2-in-1	7051 5	0	18

PULLER 2-ARM

- Chrome-Vanadium steel
- For external and internal pulling



Item No.	A	B	EAN 69426292+	Outer
383001	75 mm (3 in.)	60 mm (2-3/8 in.)	7011 9	10
383002	100 mm (4 in.)	100 mm (4 in.)	7012 6	10
383003	150 mm (6 in.)	160 mm (6-5/16 in.)	7013 3	6
383004	200 mm (8 in.)	260 mm (10-1/4 in.)	7014 0	4

PULLER 3-ARM

- Chrome-Vanadium steel
- For external and internal pulling



Item No.	A	B	EAN 69426292+	Outer
383011	75 mm (3 in.)	60 mm (2-3/8 in.)	7015 7	10
383012	100 mm (4 in.)	100 mm (4 in.)	7016 4	10
383013	150 mm (6 in.)	160 mm (6-5/16 in.)	7017 1	6
383014	200 mm (8 in.)	260 mm (10-1/4 in.)	7018 8	3

4 CASTER CREEPER

- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385004	910 x 425 x 120 mm (36 x 16-3/4 x 4-3/4 in.)	5355 6	0	1

6 CASTER CREEPER

- Lever action headrest adjusts to 3 positions
- Heavy duty powder coated steel frame
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385006	1010 x 425 x 125 mm (40 x 16-3/4 x 5 in.)	5356 3	0	1

5 CASTER WORK SEAT

- Pneumatic adjust height
- Loading capacity max 115 kg (250 lbs.)
- Shielded 63 mm (2-1/2 in.) swivel casters allow easy 360-degree movement



Item No.	Size	EAN 69426292+	Inner	Outer
385030		7774 3	0	4

CHAIN BLOCK

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385301	0.5T x 3 M	5357 0	0	1
385302	1T x 3 M	5358 7	0	1
385304	2T x 3 M	5359 4	0	1
385306	3T x 3 M	5360 0	0	1
385308	5T x 3 M	5361 7	0	1

BLOCK LEVER

- Heavy duty construction



Item No.	Size	EAN 69426292+	Inner	Outer
385351	0.75T x 1.5 M	5362 4	0	1
385353	1.5T x 1.5 M	5363 1	0	1
385355	3T x 1.5 M	5364 8	0	1
385358	6T x 1.5 M	5365 5	0	1

WIRE ROPE WINCH

- 1 pc handle
- 1 pc winch
- 1 pc wire



Item No.	Size	EAN 69426292+	Inner	Outer
385384	1.6T x 20 M	5366 2	0	5
385386	3.2T x 20 M	5367 9	0	5

FEELER GAUGE 15 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.
- 75 mm (3 in.) ruler.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.05	0.002	0.33	0.013
0.08	0.003	0.35	0.014
0.10	0.004	0.40	0.016
0.13	0.005	0.45	0.018
0.15	0.006	0.50	0.020
0.20	0.008	0.55	0.022
0.28	0.011	0.63	0.025
0.30	0.012		



Item No.	Size	EAN 69426292+	Inner	Outer
386115	15 blade	2788 5	10	60

FEELER GAUGE 26 BLADE

- 90 mm (3.5 in.) leaf is 12 mm (1/2 in.) wide.

Metric (mm)	SAE (inch)	Metric (mm)	SAE (inch)
0.04	0.0015	0.33	0.013
0.05	0.002	0.35	0.014
0.06	0.0025	0.38	0.015
0.08	0.003	0.40	0.016
0.10	0.004	0.43	0.017
0.13	0.005	0.45	0.018
0.15	0.006	0.48	0.019
0.18	0.007	0.50	0.020
0.20	0.008	0.53	0.021
0.23	0.009	0.55	0.022
0.25	0.010	0.58	0.023
0.28	0.011	0.60	0.024
0.30	0.012	0.63	0.025



Item No.	Size	EAN 69426292+	Inner	Outer
386126	26 blade	3028 1	10	60

HIGH PRESSURE TIRE GAUGE

- Angled chuck for easy use
- With pocket clip



Item No.	Size	EAN 69426292+	Inner	Outer
386135	10-120 PSI (1.0-8.0 kg/cm²)	3430 2	12	120

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386201	240 mm (9-3/8 in.) x140 mm (5-1/2 in.)	2789 2	6	24

MAGNETIC TRAY

- Stainless steel



Item No.	Size	EAN 69426292+	Inner	Outer
386203	150 mm (6 in.)	2838 7	6	24

MAGNETIC BAR



Item No.	Size	EAN 69426292+	Inner	Outer
386223	30 cm (12 in.)	9088 9	0	24
386225	50 cm (20 in.)	5168 2	0	24

5 PC SCREW EXTRACTOR

- #1 (3.1-6.3 mm),
  #2 (6.3-7.9 mm),
  #3 (7.9-11.1 mm),
  #4 (11.1-14.2 mm),
  #5 (14.2-19.0 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
386405	5 pc	7145 1	10	60

NUT SPLITTER

- For splitting worn or jammed nuts





Item No.	Size	EAN 69426292+	Inner	Outer
386501	11 - 22 mm (7/16 - 7/8 in.)	0873 0	6	24

19 PC CAR TRIM REMOVAL TOOL SET

- For removal & manipulation of interior trims, door panels, and other aplications





Item No.	Size	EAN 69426292+	Inner	Outer
389019	19 pc	1626 1	0	12

WIRE STRIPPER

- Single stranded cable: strips 0.5-2.0 mm diameter (#12-#24 AWG), cuts 0.32-1.6 mm diameter (#14-#28 AWG)
- Also strips and cuts wide cable and ribbon cable






	(DIA.) ø mm	0.5~2.0	0.32~1.6
	(SECTION) mm²	0.2~3.3	0.08~2.0
	AWG NO.	#12~#24	#14~#28
	(SECTION) mm²	0.2~5.5	0.08~3.5
	AWG NO.	#10~#24	#12~#28
	(SECTION) mm²	0.2~0.5	0.08~8
	AWG NO.	#20~#24	#8~#28

Item No.	Size	EAN 69426292+	Inner	Outer
400001		1525 7	6	24

WIRE STRIPPER AUTOMATIC

- Strips 1.0, 1.6, 2.0, 2.6, 3.2 mm diameter cable
- Automatic clamping action and length gauge ensures stripped ends are uniform.







Item No.	Size	EAN 69426292+	Inner	Outer
400011		1526 4	6	24

AUTOMATIC WIRE STRIPPER

- Wire stripping: 0.2-6.0 mm² (#10-#24 AWG)
- Wire crimping: insulated & non-insulated terminals 0.5-6.0 mm² (#10-#22 AWG)
- Wire cutter



Cutting



Crimping

Item No.	Size	EAN 69426292+	Inner	Outer
400015		4199 7	6	24

CABLE STRIPPER

- Self locking adjustable cutting depth
- Suitable for 8-28 mm dia cables





Item No.	Size	EAN 69426292+	Inner	Outer
400030	8-28 mm	9037 7	6	24

WIRE STRIPPER

- Stripping cable range: 0.8-2.6 mm (#10-#20 AWG)
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
401001	165 mm (6-1/2 in.)	1527 1	6	24

CRIMPING PLIERS

- Crimping insulated terminals 26-14, 12-10, 22-10
- Cut bolts size: 6-32, 8-32, 10-32, 10-24, 4-40
- Wire stripping AWG #8-#26
- Wire cutting function



Item No.	Size	EAN 69426292+	Inner	Outer
401009	215 mm (8-1/2 in.)	1530 1	6	24

3-IN-1 CRIMPING TOOL

- Ratchet function
- Crimps modular connectors in 8P-RJ45 and 6P-RJ11/12 formats
- Cuts and strips formal network and telephone cable.



Item No.	Size	EAN 69426292+	Inner	Outer
401013	3-in-1	9353 8	6	24

TERMINAL CRIMPING TOOL

- Ratchet function
- Crimping insulated terminals: red 0.5-1 mm² (#18-#20 AWG), blue 1.5-2.5 mm² (#14-#16 AWG), yellow 4-6 mm² (#10-#12 AWG).



Item No.	Size	EAN 69426292+	Inner	Outer
401035		9354 5	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

DIGITAL MULTIMETER

- AC Voltage: 200 V/600 V ± (1.2% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V ± (0.5% + 2), 600 V ± (0.8% + 2)
- DC Current: 20 uA/200 µA/2 mA/20 mA ± (1.0% + 2), 200 mA ± (1.5% + 2), 10 A ± (3% + 2)
- Resistance: 200 Ω ± (0.8% + 3), 2 kΩ/20 kΩ/200 kΩ ± (0.8% + 2), 2 MΩ ± (1.0% + 2)
- Diode test
- Data hold





Item No.	Size	EAN 69426292+	Inner	Outer
403001		2857 8	6	24

DIGITAL MULTIMETER

- AC Voltage: 2 V/20 V/200 V ± (0.8% + 4), 600 V ± (1.2% + 3)
- AC Current: 2 mA/20 mA ± (1.2% + 3), 200 mA ± (2.0% + 3), 10 A ± (3.0% + 7)
- DC Voltage: 200 mV ± (0.5% + 2), 2 V/20 V/200 V ± (0.5% + 3), 600 V ± (0.8% + 2)
- DC Current: 200 µA/2 mA/20 mA ± (0.8% + 2), 200 mA ± (1.2% + 2), 10 A ± (2.0% + 5)
- Resistance: 200 Ω ± (0.8% + 3), 2 kΩ/20 kΩ/200 kΩ/2 MΩ ± (0.8% + 2), 20 MΩ ± (1.0% + 2)
- Continuity test with buzzer • Polarity indication
- Low battery Indication • Diode test • Data hold



Item No.	Size	EAN 69426292+	Inner	Outer
403005		2858 5	6	24

2-IN-1 DIGITAL MULTIMETER

- AC Voltage: 200 mV/2 V/20 V/200 V ± (0.8% + 3), 600 V ± (1.0% + 3)
- AC Current: 200 µA/2 mA/20 mA/200 mA ± (1.5% + 5), 2 A/10 A ± (3.0% + 10)
- DC Voltage: 200 mV/2 V/20 V/200 V /600 V ± (0.7% + 2)
- DC Current: 200 µA/2 mA/20 mA /200 mA ± (1.2% + 3), 2 A/10 A ± (2.0% + 10)
- Resistance: 200 Ω ± (1.0% + 3), 2 KΩ/20 KΩ/200 KΩ/2 MΩ ± (1.0% + 1), 20 MΩ ± (1.0% + 5)
- No Contact AC Voltage Detector
- Continuity test with buzzer • Low Power Indication
- Auto Range • Auto Power Off • Diode Test
- Data Hold • Battery test



Item No.	Size	EAN 69426292+	Inner	Outer
403021		2859 2	6	24

DIGITAL MULTIMETER

- AC Voltage: 0.1 mV~600 V ± (1.0% + 3)
- AC Current: 0.1 µA~10 A ± (1.8% + 5)
- DC Voltage: 0.1 mV~600 V ± (0.5% + 3)
- DC Current: 0.1 µA~10 A ± (1.5% + 3)
- Resistance: 0.1 Ω~40 MΩ ± (0.5% + 2)
- Capacitance: 0.01 nF~100 µF ± (3.0% + 5)
- Frequency: 0.01 Hz~100 KHz ± (0.1% + 3)
- Temperature: -55 °C~1000 °C ± (2.0% + 3)
- Data hold • Manual ranging and auto range mode
- Battery saver • Relative measurement mode
- Diode test • Continuity check with buzzer
- Frequency and duty cycle measurement



Item No.	Size	EAN 69426292+	Inner	Outer
403035		2860 8	6	24

AC CLAMP METER


- AC Voltage: 1000 V ± (1.2% + 5)
- AC Current: 20 A/200 A ± (2.0% + 5), 1000 A ± (2.5% + 7)
- DC Voltage: 1000 V ± (1.0% + 2)
- Resistance :200 Ω/2 KΩ ± (1.0% + 3)
- Continuity test with buzzer
- Diode test
- Date hold
- Back light



Item No.	Size	EAN 69426292+	Inner	Outer
403057		2862 2	6	24

INFRARED THERMOMETER

- Temperature range: -40 - 550°C (-40 - 1022 °F)
- Accuracy + /-2%
- Resolution 0.1 °C (0.1 °F)
- Response time: 800 ms
- Distance to spot ratio 10:1
- Backlit LCD display









Item No.	Size	EAN 69426292+	Inner	Outer
405503		8322 5	0	10

INSPECTION CAMERA

- 2.4 in. color LCD monitor
- 1 m cable
- 4 position image rotation
- IP67 (camera probe only)
- Camera resolution 640 x 480









Item No.	Size	EAN 69426292+	Inner	Outer
405552		8323 2	0	10

3-IN-1 STUD DECTECTOR

- Backlit LCD display
- Three detection modes: AC wire 50 mm (2 in.), metal 38 mm (1-1/2 in.), wood joists 19 mm (3/4 in.)





Item No.	Size	EAN 69426292+	Inner	Outer
405603	3-in-1	8324 9	5	20

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405005	190 mm (7-1/2 in.)	1532 5	10	60

VOLTAGE DETECTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405001	140 mm (5-1/2 in.)	1531 8	10	60

VOLTAGE DETECTOR

- CE certified
- 6-12-24 V




Item No.	Size	EAN 69426292+	Inner	Outer
405021	140 mm (5-1/2 in.)	1535 6	10	60

HEAT GUN 2000 W EU PLUG

- EU plug, 220-240 V, 50 Hz
- Power 2000 W
- 2 temperature set: 440 & 600 °C
- 2 air flow ranges: 250 & 550 l/min.

220~ 240 V
50/60 Hz













Item No.	Size	EAN 69426292+	Inner	Outer
406301EU	2000 W EU plug	8073 6	0	10

GLUE GUN 10 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406001EU	10 W EU PLUG	7080 5	12	48

GLUE GUN 10 W US PLUG

- 110 - 240 V US plug
- Cord length 1.5 m
- 2 pc 7.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406001US	10 W US PLUG	7077 5	12	48

GLUE GUN 40 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406004EU	40 W EU PLUG	7081 2	12	48

GLUE GUN 40 W US PLUG

- 110 - 240 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406004US	40 W US PLUG	7078 2	12	48

GLUE GUN 80 W EU PLUG

- 230 V EU plug
- Cord length 1 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406008EU	80 W EU PLUG	7082 9	12	48

GLUE GUN 60 W US PLUG

- 110 - 240 V US plug
- Cord length 1.5 m
- 2 pc 11.2 x 100 mm glue included



Item No.	Size	EAN 69426292+	Inner	Outer
406008US	60 W US PLUG	7079 9	12	48

GLUE STICK



Item No.	Size	EAN 69426292+	Inner	Outer
406101	12 pc 11.2 x 100 mm	7083 6	12	72
406113	12 pc 7.2 x 100 mm	7084 3	12	72

NYLON CABLE TIE-BLACK

- UV resistant
- PA 66
- Indoor or outdoor use

UV
+80°C -25°C
PA66



Item No.	Size	EAN 69426292+	Inner	Outer
408011	100 pc 100 mm (4 in.) x 2.5 mm	1536 3	10	100
408015	100 pc 150 mm (6 in.) x 3.6 mm	1538 7	10	100
408019	100 pc 200 mm (8 in.) x 3.6 mm	1540 0	10	100
408023	100 pc 250 mm (10 in.) x 3.6 mm	1542 4	10	100
408027	100 pc 300 mm (12 in.) x 4.7 mm	1544 8	10	60
408031	100 pc 350 mm (14 in.) x 4.7 mm	1546 2	10	60

NYLON CABLE TIE-WHITE

- PA 66
- Indoor or outdoor use

+80°C -25°C
PA66

Item No.	Size	EAN 69426292+	Inner	Outer
408013	100 pc 100 mm (4 in.) x 2.5 mm	1537 0	10	100
408017	100 pc 150 mm (6 in.) x 3.6 mm	1539 4	10	100
408021	100 pc 200 mm (8 in.) x 3.6 mm	1541 7	10	100
408025	100 pc 250 mm (10 in.) x 3.6 mm	1543 1	10	100
408029	100 pc 300 mm (12 in.) x 4.7 mm	1545 5	10	60
408033	100 pc 350 mm (14 in.) x 4.7 mm	1547 9	10	60

SOLDERING IRON BS PLUG

• 230~240 V BS PLUG • Cord length 1.2 m



Item No.	Size	EAN 69426292+	Inner	Outer
406502BS	25 W	8417 8	10	60

SOLDERING IRON EU PLUG

• 230~240 V EU plug • Cord length 1.2 m



Item No.	Size	EAN 69426292+	Inner	Outer
406502EU	25 W	7092 8	10	60
406503EU	30 W	7093 5	10	60
406504EU	40 W	7094 2	10	60
406506EU	60 W	7095 9	10	60
406508EU	80 W	7096 6	10	60
406510EU	100 W	7097 3	10	60

SOLDERING IRON US PLUG

• 120 V US plug • Cord length 1.2 m



Item No.	Size	EAN 69426292+	Inner	Outer
406502US	25 W	7085 0	10	60
406503US	30 W	7086 7	10	60
406504US	40 W	7087 4	10	60
406506US	60 W	7088 1	10	60
406508US	80 W	7089 8	10	60
406510US	100 W	7090 4	10	60

SOLDERING GUN 100 W EU PLUG

• 230 V EU plug • Cord length 1.5 m



Item No.	Size	EAN 69426292+	Inner	Outer
406710EU	100 W EU PLUG	7098 0	6	36

SOLDERING GUN 100 W US PLUG

• 120 V US plug • Cord length 1.5 m



Item No.	Size	EAN 69426292+	Inner	Outer
406710US	100 W US PLUG	7091 1	6	36

SOLDER IRON STAND



Item No.	Size	EAN 69426292+	Inner	Outer
406905		7101 7	6	36

SOLDER WICK 20 g (0.7 oz.)

• Lead-Free



Item No.	Size	EAN 69426292+	Inner	Outer
406901	20 g (0.7 oz.)	7099 7	10	60

SOLDER WICK 100 g (3.5 oz.)

• Lead-Free



Item No.	Size	EAN 69426292+	Inner	Outer
406903	100 g (3.5 oz.)	7100 0	10	60

SOLDER SUCKER

• Removes surplus molten solder



Item No.	Size	EAN 69426292+	Inner	Outer
406907		7102 4	10	60

SOLDER PASTE 20 g (0.7 oz.)



Item No.	Size	EAN 69426292+	Inner	Outer
406909	20 g (0.7 oz.)	7103 1	10	60

INSULATED TOOLS





Only tools bearing this test mark can be called insulated tools approved by the German VDE Center.

VDE insulation:
insulated up to 1000 V acc. to EN /IEC 60900

1000 V

INSULATED LONG NOSE PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201001	160 mm (6 in.)	8089 7	6	24
201003	200 mm (8 in.)	1435 9	6	24

INSULATED BENT NOSE PLIERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
201017	160 mm (6 in.)	8091 0	6	24

INSULATED BOX JOINT PLIERS

NEW

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
201071	250 mm (10 in.)	2614 7	6	24

INSULATED DIAGONAL PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201005	160 mm (6 in.)	1436 6	6	24

INSULATED WIRE STRIPPER

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
201025	160 mm (6 in.)	1438 0	6	24

3 PC INSULATED PLIERS SET

- 160 mm (6 in.) diagonal pliers • VDE/GS certified
- 160 mm (6 in.) long nose pliers • 1000 V insulated
- 200 mm (8 in.) combination pliers • High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201083	3 pc	8642 4	3	12

INSULATED COMBINATION PLIERS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- High leverage



Item No.	Size	EAN 69426292+	Inner	Outer
201011	200 mm (8 in.)	1437 3	6	24

INSULATED COMBINATION PLIERS

- VDE/GS certified • 1000 V insulated
- Chrome-Vanadium steel
- Non-slip bi-material handle
- Wire crimping • Wire stripping



Item No.	Size	EAN 69426292+	Inner	Outer
201063	200 mm (8 in.)	1439 7	6	24



INSULATED SCREWDRIVER SLOTTED

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205500	2.5 x 75 mm	4736 4	6	60
205501	3 x 75 mm	1450 2	6	60
205503	4 x 100 mm	1451 9	6	60
205505	5.5 x 125 mm	1452 6	6	60
205509	8.0 x 175 mm	3001 4	6	60

INSULATED SCREWDRIVER POZI

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205523	#1 x 80 mm	1457 1	6	60

6 PC INSULATED SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- 3 x 75 mm, 4 x 100 mm & 5.5 x 125 mm
- #0 x 60 mm, #1 x 80 mm & #2 x 100 mm



Item No.	Size	EAN 69426292+	Inner	Outer
205601	6 pc	1459 5	6	24

INSULATED SCREWDRIVER PHILLIPS

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel blade
- Non-slip, 3-color, bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
205511	#0 x 60 mm	1453 3	6	60
205513	#1 x 80 mm	1454 0	6	60
205515	#2 x 100 mm	1455 7	6	60

12 PC INSULATED INTERCHANGEABLE SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- Interchangeable shank
- Include 1 pc VDE handle,
  10 pc S2 steel interchangeable VDE shank
  2.0, 2.5, 3.0, 3.5, 4.0, 5.5, 6.5 mm
  #0, #1, #2
  1 pc VDE tester 125-250 V
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
205605VD	12 pc	9322 4	6	24

7 PC INSULATED PRECISION SCREWDRIVER SET

- VDE/GS certified
- 1000 V insulated
- S2 steel
- Include 1.5, 1.8, 2.0, 2.5, 3.0 mm
  #00, #0
- Plastic storage case included



Item No.	Size	EAN 69426292+	Inner	Outer
205793VD	7 pc	9323 1	6	24

INSULATED ADJUSTABLE WRENCH

- VDE/GS certified
- 1000 V insulated
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
210142VD	200 mm (8 in.)	9330 9	6	24
210143VD	250 mm (10 in.)	9331 6	6	24

INSULATED JUNIOR HACKSAW

- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
267117VD	150 mm (6 in.)	9356 9	6	24

INSULATED OPEN END WRENCH

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
370708VD	8 mm	9368 2	6	12
370710VD	10 mm	9369 9	6	12
370712VD	12 mm	9370 5	6	12
370713VD	13 mm	9371 2	6	12
370714VD	14 mm	9372 9	6	12
370715VD	15 mm	9373 6	6	12
370717VD	17 mm	9374 3	6	12
370719VD	19 mm	9375 0	6	12

1/2 in. DR. INSULATED SOCKET 6PT

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
361273VD	10 mm	9357 6	6	12
361275VD	12 mm	9358 3	6	12
361276VD	13 mm	9359 0	6	12
361277VD	14 mm	9360 6	6	12
361280VD	17 mm	9361 3	6	12
361282VD	19 mm	9362 0	6	12
361285VD	22 mm	9363 7	6	12
361287VD	24 mm	9364 4	6	12

1/2 in. DR. INSULATED RATCHET HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Molybdenum steel
- 72 tooth



Item No.	Size	EAN 69426292+	Inner	Outer
362351VD	240 mm	9365 1	0	6

1/2 in. DR. INSULATED T-HANDLE

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362353VD		9366 8	6	12

1/2 in. DR. INSULATED EXTENSION BAR

- VDE/GS certified
- 1000 V insulated
- Chrome-Vanadium steel



Item No.	Size	EAN 69426292+	Inner	Outer
362355VD	125 mm (5 in.)	9367 5	6	12

INSULATED ELECTRICIAN SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

INSULATED CABLE KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401802	180 mm (7 in.)	5381 5	6	48

INSULATED DISMANTLING KNIFE

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
401803VD	180 mm (7 in.)	9346 0	6	48

VOLTAGE DETOCTOR

- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405001	140 mm (5-1/2 in.)	1531 8	10	60

VOLTAGE DETOCTOR


- VDE/GS & CE certified
- 125-250 V



Item No.	Size	EAN 69426292+	Inner	Outer
405005	190 mm (7-1/2 in.)	1532 5	10	60

MULTI-TOOL 15-IN-1

- Long nose pliers, regular pliers, wire cutter, knife, small slot screwdriver, reamer, can opener, bottle opener, mini slot screwdriver, wire stripper, wood saw, medium slot screwdriver, PH screwdriver, nail file, big slot screwdriver
- Nylon pouch included






Item No.	Size	EAN 69426292+	Inner	Outer
471005	15-in-1	2615 4	6	24

MINI MULTI-TOOL 17-IN-1

- Long nose pliers, regular pliers, wire cutter, knife, saw knife, key ring, PH screwdriver, bottle opener, medium slot screwdriver, wire stripper, can opener, mini slot screwdriver, reamer, metal file, nail file, nail cleaner, small slot screwdriver
- Nylon pouch included





Item No.	Size	EAN 69426292+	Inner	Outer
471015	17-in-1	2616 1	6	36

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473001	175 mm (7 in.)	1567 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473005	275 mm (10-3/4 in.)	1568 4	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473021	145 mm (5-11/16 in.)	1569 1	6	24

INSULATED ELECTRICIAN SCISSORS

- VDE/GS certified
- 1000 V insulated



Item No.	Size	EAN 69426292+	Inner	Outer
473022VD	160 mm (6-1/4 in.)	9347 7	6	24

SCISSORS

- Stainless steel
- Non-slip bi-material handle



Item No.	Size	EAN 69426292+	Inner	Outer
473031	180 mm (7 in.)	1570 7	6	24

2 PC SCISSORS SET

- Stainless steel
- Non-slip bi-material handle
- 140 mm (5-1/2 in.) & 275 mm (10-3/4 in.)




Item No.	Size	EAN 69426292+	Inner	Outer
473039	2 pc	1571 4	6	24

MULTI FUNCTION SCISSORS

- Scissors, small knife, nut cracker, cable cutter, wire cutter, fish scale remover, bottle opener, jar opener, peeler, slotted screwdriver
- 3.5 mm thickness stainless steel blade
- Ergonomic large non-slip handle





Item No.	Size	EAN 69426292+	Inner	Outer
473055	220 mm (8-3/4 in.)	4940 5	6	24

HUNTING KNIFE

- Stainless steel blade
- Nylon pouch included
- Blade length 127 mm (5 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475051	240 mm (9-1/2 in.)	1574 5	6	24

FOLDING KNIFE


- Stainless steel blade
- One hand operation
- Safety locking function
- Aluminum handle with belt clip
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475119	203 mm (8 in.)	1580 6	6	24

DUAL FUNCTION FOLDING KNIFE

- Regular knife and utility knife
- Stainless steel blade
- 5 pc utility knife blades included
- One hand operation
- Safety locking function



Item No.	Size	EAN 69426292+	Inner	Outer
475226	240 mm (9-1/2 in.)	4880 4	6	48

FOLDING KNIFE

- Stainless steel blade
- Safety locking function
- One hand operation with ball bearing system
- Aluminum handle with belt clip
- Blade length 85 mm (3-1/2 in.)
- Seat belt cutter & glass breaker



FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Color wood handle with belt clip
- Blade length 76 mm (3 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475201	178 mm (7 in.)	1581 3	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Nylon pouch included
- Blade length 83 mm (3-1/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475227	200 mm (8 in.)	4881 1	6	48



Item No.	Size	EAN 69426292+	Inner	Outer
475113	208 mm (8-1/4 in.)	1576 9	6	24

FOLDING KNIFE

- Stainless steel • Blade length 50 mm (2 in.)
- Safety locking function • Color wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
475210	115 mm (4-1/2 in.)	9038 4	6	24

FOLDING KNIFE

- Stainless steel • Blade length 80 mm (3-1/8 in.)
- Safety locking function • Color wood handle



Item No.	Size	EAN 69426292+	Inner	Outer
475211	185 mm (7-1/4 in.)	9041 4	6	24

FOLDING KNIFE

- Stainless steel blade
- One hand operation
- Safety locking function
- Nylon pouch included
- Blade length 95 mm (3-3/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
475115	230 mm (9 in.)	1577 6	6	24


DOUBLE EDGE SERRATED KNIFE

- Mirror polishing stainless steel blade
- Non-slip bi-material handle
- Nylon pouch included
- Blade length 285 mm (11-1/4 in.)
- For cutting mineral wool insulation












Item No.	Size	EAN 69426292+	Inner	Outer
475501	415 mm (16-3/8 in.)	4918 4	6	36



PADLOCK

- Solid brass body
- Hardened shackle





Size	A	B	C	D	Pin
25mm	24	13.9	12.7	4.3	4
30mm	27	16.1	15	5	4
40mm	33	21.8	20.7	6.3	5
50mm	39	25	26	8	6
60mm	45	32	31	10	6
70mm	51	37.1	39	11	6
40mm Long	33	51.8	40	6.3	5
50mm Long	39	56	50	8	6

Item No.	Size	QTY	EAN 69426292+	Inner	Outer
500003	25 mm (1 in.)	1 pc	1705 3	10	60
500005	30 mm (1-3/16 in.)	1 pc	1706 0	10	60
500005.2	30 mm (1-3/16 in.)	2 pc key alike	7024 9	10	60
500007	40 mm (1-5/8 in.)	1 pc	1707 7	10	60
500007.2	40 mm (1-5/8 in.)	2 pc key alike	7025 6	6	36
500007.3	40 mm (1-5/8 in.)	3 pc key alike	7026 3	6	36
500009	50 mm (2 in.)	1 pc	1708 4	6	36
500009.2	50 mm (2 in.)	2 pc key alike	7027 0	6	24
500009.3	50 mm (2 in.)	3 pc key alike	7028 7	6	12
500011	60 mm (2-3/8 in.)	1 pc	7029 4	6	36
500011.2	60 mm (2-3/8 in.)	2 pc key alike	7030 0	6	12
500013	70 mm (2-3/4 in.)	1 pc	7031 7	6	24
500021	40 mm (1-5/8 in.) long shackle	1 pc	1709 1	6	36
500023	50 mm (2 in.) long shackle	1 pc	1710 7	6	36

SQUARE PADLOCK


- Brass body with stainless steel shell
- Hardened shackle
- With 3 keys



Item No.	Size	EAN 69426292+	Inner	Outer
500307	70 mm (2-3/4 in.)	1714 5	6	24

LUGGAGE COMBINATION PADLOCK

- Solid brass body
- 3 number combination



Item No.	Size	EAN 69426292+	Inner	Outer
506104	21 mm (13/16 in.)	3937 6	12	144
506105	40 mm (1-5/8 in.)	1717 6	6	36

CABLE LOCK

- With 2 keys



Item No.	Size	EAN 69426292+	Inner	Outer
508008	800 mm (32 in.) x 15 mm	1720 6	6	24

WIRE LOCK

- With 2 keys



Item No.	Size	EAN 69426292+	Inner	Outer
508108	800 mm (32 in.) x 6 mm	1721 3	10	60

SPIRAL LOCK

- With 2 keys



Item No.	Size	EAN 69426292+	Inner	Outer
508123	1200 mm (48 in.) x 8 mm	1722 0	10	60

ALUMINIUM LED TORCH 6 X AA

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included



Item No.	Size	EAN 69426292+	Inner	Outer
510041	6 X AA	5947 3	6	24

ALUMINIUM LED TORCH 2 X AA

- Anodized aluminum body
- Three mode: High-Low-Strobe-OFF
- Batteries not included



Item No.	Size	EAN 69426292+	Inner	Outer
510047	2 x AA	5948 0	6	24

ALUMINIUM LED TORCH RECHARGEABLE



- 250 lumens • 3W LED + 2W COB
- 4 modes high - low - COB - strobe
- 1200 mAh Li-Battery
- Beam distance:120 m
- Run time 2 hours



Item No.	Size	EAN 69426292+	Inner	Outer
510051	250 lumens	9093 3	12	48

ALUMINIUM 9 LED TORCH 3XAAA

- 40 lumens • 9 LED
- 3 x AAA batteries included
- Display pack



Item No.	Size	EAN 69426292+	Inner	Outer
510063	9 LED 40 lumens	9094 0	24	48

LED BEANIE HAT

- 50 lumens; 4 x SMD
- 3 modes: high - medium - low
- 300 mAh rechargeable polymer battery



Item No.	Size	EAN 69426292+	Inner	Outer
510121	50 lumens	9099 5	10	30

24LED WORKING LIGHT

- 100 lumens • 24 LED
- 3 x AA batteries included
- Display pack



Item No.	Size	EAN 69426292+	Inner	Outer
510243	100 lumens	9104 6	12	48

400LM HEAD LIGHT RECHARGEABLE

- 400 lumens • 5W LED
- 4 modes high - low - strobe - SOS
- 2400 mAh Li-Battery
- Beam distance 120 m
- Run time 4 hours



Item No.	Size	EAN 69426292+	Inner	Outer
510101	400 lumens	9096 4	6	24

500LM TORCH RECHARGEABLE

- 500 lumens • 10W LED + COB
- Main lamp 3 modes high - low - strobe
- Side light 2 modes high - low
- 2 x 2000 mAh rechargeable battery



Item No.	Size	EAN 69426292+	Inner	Outer
510221	500 lumens	9132 9	6	24

MAGNETIC COB WORKING LIGHT

- 100 lumens • 3W COB + LED
- 3 modes high - low - LED
- Beam distance 35 m
- 3 x AA batteries included
- Display pack



Item No.	Size	EAN 69426292+	Inner	Outer
510247	300 lumens	9105 3	6	24

200LM HEAD LIGHT RECHARGEABLE

- 200 lumens • 3W LED + COB + red LED
- 5 modes high - low - COB - LED+COB - LED
- 1200 mAh Li-Battery
- Run time 3 hours



Item No.	Size	EAN 69426292+	Inner	Outer
510102	200 lumens	9097 1	6	24

300LM TORCH RECHARGEABLE

- 300 lumens • 5W LED + COB
- Main lamp 3 modes high - low - strobe
- Side light 2 modes high - low
- 2 x 1200 mAh rechargeable battery



Item No.	Size	EAN 69426292+	Inner	Outer
510222	300 lumens	9102 2	6	24

2 PC MULTI-COLORED WIRELESS PUSH LIGHTS WITH REMOTE

- 15 x 2 lumens
- Multi-coloured LED lights
- Infrared remote controller
- 6 x AAA batteries included



Item No.	Size	EAN 69426292+	Inner	Outer
510401	2 pc	9123 7	0	12

150LM COB HEADLAMP 3XAAA

- 150 lumens • COB
- 3 x AAA batteries included



Item No.	Size	EAN 69426292+	Inner	Outer
510103	150 lumens	9098 8	10	60

24LED WORKING LIGHT

- 80 lumens • 24 LED
- 3 x AAA batteries included
- Display pack



Item No.	Size	EAN 69426292+	Inner	Outer
510241	80 lumens	9103 9	24	48

MAGNETIC WIRLESS LIGHT BAR

- COB • Night motion sensor
- 3 x AA batteries included



Item No.	Size	EAN 69426292+	Inner	Outer
510412		9124 4	6	24

PACKING TAPE

- 48 mm x 50 m (1.88 in. x 54.6 yds)
- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530004	clear	2706 9	0	96
530005	super clear	4979 5	0	96

DUCT TAPE-BLACK

- Aggressive rubber-based adhesive
- Easily tear by hand
- Made of fabric laminated with polyethylene film



Item No.	Size	EAN 69426292+	Inner	Outer
530154	48 mm x 55 m (1.88 in. x 60.1 yds)	2725 0	0	24

MASKING TAPE

- Removes easily without leaving residue for short time
- Ideal for home use



Item No.	Size	EAN 69426292+	Inner	Outer
530098	18 mm x 55 m (0.70 in. x 60.1 yds)	4983 2	0	96
530100	24 mm x 55 m (0.94 in. x 60.1 yds)	2714 4	0	72
530102	36 mm x 55 m (1.42 in. x 60.1 yds)	2715 1	0	48
530104	48 mm x 55 m (1.88 in. x 60.1 yds)	2716 8	0	36

PACKING TAPE WITH DISPENSER


- Super strength
- Moisture resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530008	48 mm x 50 m (1.88 in. x 54.6 yds)	2708 3	0	24

DUCT TAPE-GREY

- Easily tear by hand
- Made of fabric laminated with polyethylene film
- Aggressive rubber-based adhesive



Item No.	Size	EAN 69426292+	Inner	Outer
530186	48 mm x 9 m (1.88 in. x 10 yds)	2726 7	0	96
530188	48 mm x 27.4 m (1.88 in. x 30 yds)	2727 4	0	36
530190	48 mm x 55 m (1.88 in. x 60.1 yds)	2728 1	0	24

MASKING TAPE 3 DAYS

- Removes easily without leaving residue up to 3 days
- Ideal for indoor paint jobs



Item No.	Size	EAN 69426292+	Inner	Outer
530106	24 mm x 55 m (0.94 in. x 60.1 yds)	2717 5	0	72
530108	36 mm x 55 m (1.42 in. x 60.1 yds)	2718 2	0	48
530110	48 mm x 55 m (1.88 in. x 60.1 yds)	2719 9	0	36

ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530050	19 mm x 18 m (3/4 in. x 60 ft.)	2710 6	20	120

MOUNTING TAPE

- High-density foam with permanent adhesive on both sides
- Holds up to 900 g (2 lbs.)



Item No.	Size	EAN 69426292+	Inner	Outer
530300	12 mm x 1.9 m (1/2 x 75 in.)	2730 4	24	96

MASKING TAPE 14 DAYS

- Removes easily without leaving residue up to 14 days
- Ideal for indoor and outdoor paint jobs
- UV-resistant



Item No.	Size	EAN 69426292+	Inner	Outer
530112	24 mm x 55 m (0.94 in. x 60.1 yds)	2720 5	0	72
530114	36 mm x 55 m (1.42 in. x 60.1 yds)	2721 2	0	48
530116	48 mm x 55 m (1.88 in. x 60.1 yds)	2722 9	0	36

5 PC ELECTRICAL TAPE

- Water resistant and flame retardant
- Working temperature 10-80 °C (50-176 °F)
- Max: 600 V



Item No.	Size	EAN 69426292+	Inner	Outer
530052	5 pc 19 mm x 18 m (3/4 in. x 60 ft.)	2711 3	6	24

DOUBLE SIDED TAPE

- Adhesive on both sides
- With dispenser



Item No.	Size	EAN 69426292+	Inner	Outer
530314	12 mm x 10.1 m (1/2 x 400 in)	2733 5	24	144

INDOOR MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530316	18 mm x 5 m (11/16 in. x 5.46 yds)	0122 9	12	48

INDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant

Waterproof & Oilproof · Anti-slip · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530332	12 pc 19 mm x 23 cm (3/4 in. x 9 in.)	5873 5	6	60

INDOOR ANTI-SLIP TAPE CLEAR

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant

Waterproof & Oilproof · Anti-slip · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530337	50.8 mm x 5 m (2 in. x 5.46 yds)	9014 8	12	48

OUTDOOR MOUNTING TAPE

- Grey mounting tape
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530318	21 mm x 1 m (13/16 in. x 39-3/8 in.)	4240 6	12	72

OUTDOOR ANTI-SLIP TAPE

- Durable construction for long lasting adhesive
- Prevents slips and falls
- Water and oil resistant

Waterproof & Oilproof · Anti-slip · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530334	6 pc 50 mm x 23 cm (2 in. x 9 in.)	5874 2	6	60

ALUMINUM TAPE

- Designed to protect, seal, cover and repair HVAC ducts
- Can be applied to many metallic and plastic surfaces



Item No.	Size	EAN 69426292+	Inner	Outer
530350	48 mm x 9.14 m (1.88 in. x 10 yds)	2735 9	0	36

CLEAR MOUNTING TAPE

- Clear mounting tape with performance of good bond
- Suitable for bonding glass, print board, switch and more



Item No.	Size	EAN 69426292+	Inner	Outer
530320	25.4 mm x 1.52 m (1 in. x 5 ft.)	4241 3	12	72

OUTDOOR ANTI-SLIP TAPE BLACK

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant

Waterproof & Oilproof · Anti-slip · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530335	50.8 mm x 5 m (2 in. x 5.46 yds)	9012 4	12	48

CARPET TAPE

- Quick bonding
- No iron needed
- For indoor or outdoor use





Item No.	Size	EAN 69426292+	Inner	Outer
530380	36 mm x 12.8 m (1.42 in. x 14 yds)	2737 3	6	36

EXTREME STRONG MOUNTING TAPE

- High quality foam material with added vibration dampening and moisture resistance
- Works great on irregular surfaces, metal, wood and more



Item No.	Size	EAN 69426292+	Inner	Outer
530322	25.4 mm x 1.52 m (1 in. x 5 ft.)	8268 6	12	72

INDOOR ANTI-SLIP TAPE GREY

- Prevents slips and falls
- Durable construction for long lasting adhesive
- Water and oil resistant

Waterproof & Oilproof · Anti-slip · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530336	50.8 mm x 5 m (2 in. x 5.46 yds)	9013 1	12	48

PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530422	12 mm x 10 m (1/2 in. x 33 ft.)	2739 7	48	144
530424	19 mm x 10 m (3/4 in. x 33 ft.)	5558 1	48	144



GAS PTFE TAPE

- Provides a strong tight seal for threaded joints
- Easy disassembly



Item No.	Size	EAN 69426292+	Inner	Outer
530430	12 mm x 12 m x 0.1 mm	5908 4	48	144
530431	19 mm x 12 m x 0.15 mm	5909 1	48	144
530432	25 mm x 10 m x 0.15 mm	6239 8	48	144

ANTI-SLIP TAPE

- Prevents slips and falls
- Durable construction for long lasting traction
- Water and oil resistant






Item No.	Size	EAN 69426292+	Inner	Outer
530456	48 mm x 5 m (1.88 in. x 5.47 yds)	2743 4	12	36

STRAPPING TAPE

- Fiberglass reinforced
- Moisture and tear resistant
- Backing resists splitting and cracking





Item No.	Size	EAN 69426292+	Inner	Outer
530471	48 mm x 27.4 m (1.88 in. x 30 yds)	2736 6	0	36

STRONG RUBBERIZED WATERPROOF TAPE CLEAR

- Super strong adhesive
- Seals and instantly stops leaks
- Works underwater

Waterproof & Oilproof · Cuttable



Item No.	Size	EAN 69426292+	Inner	Outer
530480	101.6 mm x 1.5 m (4 in. x 5 ft.)	9015 5	12	48

NANO TAPE

- Clear nano tape
- Water and oil resistant
- Washable and reusable

Waterproof & Oilproof · Washable · Cuttable · Reuseable



Item No.	Size	EAN 69426292+	Inner	Outer
530491	30 mm x 1 m (1-3/16 in. x 39-3/8 in.)	9016 2	12	48

TELESCOPIC WASHING BRUSH

- Extend from 118 to 200 cm
- On / off water control • Hose connector
- For cleaning vehicles, boats, paintwork, conservatories, and etc







NEW

Item No.	Size	EAN 69426292+	Inner	Outer
548113	118 to 200 cm	0006 2	0	12

UNIVERSAL MERCHANDISING BOARD



Item No.	Size	EAN 69426292+	Inner	Outer
549901	61 x 77 cm (24 x 30 in.)	3439 5	0	3
549902	20 pc 125mm hooks	1628 5	0	6

SINGLE STAND 2.2 m

- Overall size: 2.2 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549931	2.2 m	8215 0	0	1

SINGLE STAND 1.5 m

- Overall size: 1.5 m (H) x 1 m (W) x 0.45 m (D)



Item No.	Size	EAN 69426292+	Inner	Outer
549922	1.5 m	6613 6	0	1



60 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 250 mm (10 in.) locking pliers
- 160 mm (6 in.) long nose pliers
- 5 m x 19 mm MID tape measure
- heavy duty utility knife
- 250 mm (10 in.) adjustable wrench
- 17 pc combination wrenches: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22 mm
- 6 pc screwdrivers:
  ⊖ 3 x 75 mm (1/8 x 3 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.), 8 x 150 mm (5/16 x 6 in.);
  ⊕ #1 x 75 mm (3 in.) & #2 x 100 mm (4 in.)
- 14 pc 1/2 in. Dr. sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 & 24 mm
- 8 pc hex keys: 2, 2.5, 3, 4, 5, 6, 7 & 8 mm
- 1/2 in. Dr. x 16 mm & 21 mm spark plug socket
- 1/2 in. Dr. x 125 & 250 mm (5 & 10 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/2 in. Dr. sliding T-bar
- 1/2 in. Dr. universal joint
- Metal tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555001	60 pc	1786 2	0	1

64 PC TOOL SET

- 160 mm (6 in.) diagonal pliers
- 200 mm (8 in.) adjustable wrench
- 160 mm (6 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) wire stripper
- 6 pc combination wrenches: 10, 11, 12, 13, 17, 19 mm
- 4 pc screwdrivers:
  ⊖ 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 100 mm (1/4 x 4 in.);
  ⊕ PH #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer
- 3 m x 16 mm MID tape measure
- 225 mm (9 in.) torpedo level
- 18 mm snap off knife
- 12 pc 1/2 in. Dr. sockets: 14, 15, 16, 17, 18, 19, 21, 23, 24, 27, 30, 32 mm
- 20 pc 1 in. bits: ⊖ 4, 5, 6 mm; ⊕ #1, #2, #3; ✪ #1, #2, #3; ◯ 3, 4, 5, 6 mm; ✪ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 1/2 in. Dr. ratchet handle
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. spinner handle



Item No.	Size	EAN 69426292+	Inner	Outer
555065	64 pc	4222 2	0	2

26 PC TOOL BOX SET

- 6 pc screwdrivers:
  ⊖ 5 x 75 mm (3/16 x 3 in.), 5 x 150 mm (3/16 x 6 in.), 6 x 100 mm (1/4 x 4 in.), 6 x 150 mm (1/4 x 6 in.);
  ⊕ #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 pc combination wrenches: 8, 10, 12, 14, 17 mm
- 20 mm joiner hammer • 18 mm snap off knife
- 160 mm diagonal pliers • 190 mm linesman pliers
- 250 mm box joint pliers • 50 cm plastic tool box



Item No.	Size	EAN 69426292+	Inner	Outer
555026	26 pc	4894 1	0	4

137 PC TOOL CASE SET

- 160 mm (6 in.) diagonal pliers
- 190 mm (7-1/2 in.) linesman pliers
- 250 mm (10 in.) box joint pliers
- 160 mm (6 in.) long nose pliers
- 215 mm (8-1/2 in.) crimping pliers
- 4 pc circlip pliers • 200 mm (8 in.) carpenter pincer
- 250 mm (10 in.) adjustable wrench
- 9 pc combination wrenches: 6, 8, 9, 10, 12, 13, 14, 17, 19 mm
- 6 pc screwdrivers: ⊖ 6.5 x 38 mm (1/4 x 1-1/2 in.), 5.5 x 100 mm (7/32 x 4 in.), 6.5 x 125 mm (1/4 x 5 in.); ⊕ #2 x 38 mm (1-1/2 in.), #1 x 75 mm (3 in.), #2 x 100 mm (4 in.)
- 6 pc precision screwdrivers: ⊖ 1.4, 2.0, 2.4, 3.0 mm; ⊕ #00, #0
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 5 m MID tape measure • 300 g machinist hammer
- 200 mm (8 in.) half round file • 18 mm snap off knife
- 300 mm (12 in.) box level • LED aluminum torch 2 x AA
- 10 pc 18 mm snap off knife blades
- 180 mm (7 in.) scissors • Terminal set
- Digital multimeter • 250 mm (10 in.) hacksaw frame
- 140 mm (5-1/2 in.) VDE voltage detector
- 6 pc chisel & punch: cold chisel 15 x 150 mm, 11 x 130 mm; center punch 3 x 120 mm; taper punch 3 x 120 mm, 4 x 150 mm; cape chisel 4 x 130 mm
- Vernier caliper 150 mm (6 in.) x 0.02 mm (1/1000 in.)
- 12 pc 1/2 in. Dr. sockets: 10, 11, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm
- 13 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 31 pc bits set: ⊖ 4, 4.5, 5.5, 6, 6, 5, 8 mm ⊕ #1 x 2, #2 x 3, #3 ✪ #1 x 2, #2 x 3, #3 ◯ 3 x 2, 4 x 2, 5, 6 mm ✪ T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 1/4 in. Dr. extension bars: 50 mm (2 in.) & 100 mm (4 in.)
- 1/2 in. Dr. x 125 mm (5 in.) extension bar
- 2 pc 1/2 in. Dr. spark plug sockets: 16 & 21 mm
- 2 pc ratchet handle: 1/2 in. Dr. & 1/4 in. Dr.
- 1/2 in. Dr. universal joint • Quick change chuck
- 1/4 in. Dr. socket bit holder • 1/4 in. Dr. sliding T-bar
- 1/4 in. Dr. spinner handle • 1/4 in. Dr. universal joint
- Aluminum case



Item No.	Size	EAN 69426292+	Inner	Outer
556137	137 pc	5138 5	0	1

8 PC TOOL SET

- 1 pc 18 mm snap off knife
- 1 pc 140 mm VDE voltage detector
- 2 pc 100 mm screwdrivers: ⊖ 6.5 mm & ⊕ #2
- 1 pc 160 mm linesman pliers
- 1 pc 225 g (8 oz) claw hammer
- 1 pc 3 m MID tape measure
- 1 pc 9 m x 19mm insulated tape



Item No.	Size	EAN 69426292+	Inner	Outer
557008	8 pc	9137 4	0	8

53 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 160 mm (6 in.) diagonal pliers
- 250 mm (10 in.) box joint pliers
- 200 mm (8 in.) adjustable wrench
- 4 pc combination wrenches: 10, 11, 12, 13 mm
- 9 pc ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 300 g machinist hammer • 18 mm snap off knife
- 8 pc 1/4 in. Dr. sockets: 6, 7, 8, 9, 10, 11, 12, 13 mm
- 20 pc 1 in. bits: ⊖ 4, 5, 6 mm; ⊕ #1, #2, #3; ◯ #1, #2, #3; ✪ 3, 4, 5, 6 mm; ✪ T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. Dr. x 150 mm (6 in.) extension bar
- 1/4 in. Dr. ratchet handle • 1/4 in. Dr. Sliding T-bar
- 1/4 in. Dr. spinner handle • 1/4 in. Dr. universal joint
- 1/4 in. Dr. Socket bit holder



Item No.	Size	EAN 69426292+	Inner	Outer
555053	53 pc	4221 5	0	4

40 PC TOOL SET

- Magnetic bit driver
- 2 pc screwdrivers: ⊖ 6 x 100 mm, ⊕ #2 x 100 mm
- 18 mm snap off knife
- 200 mm adjustable wrench
- 210 mm scissors
- 225 mm torpedo level
- 300 g machinist hammer
- 5 m x 19 mm MID tape measure
- 160 mm CR-V linesman pliers
- 160 mm CR-V diagonal pliers
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 20 pc bits: ⊕ #1, #2, #3, ⊖ 4, 5, 6 mm, ◯ 3, 6 mm ■ #1, #2, #3, ✪ #1, #2, #3 ✪ T-10, T-15, T-20, T-25, T-30 bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557024	40 pc	0106 9	0	6

26 PC TOOL SET

- 2 pc 100 mm screwdrivers: ⊖ 5 mm, ⊕ #2
- 2 pc precision screwdrivers: ⊖ 2.4 mm, ⊕ #0
- 1 pc 175 mm scissors
- 1 pc 140 mm VDE voltage detector
- 5 pc combination wrenches: 8, 10, 12, 14, 17 mm
- 1 pc 9 m x 19mm insulated tape
- 1 pc 18 mm snap off knife
- 1 pc 175 mm locking pliers
- 1 pc 3.5 m (12 ft.) tape measure
- 1 pc 340 g (12 oz) claw hammer
- 1 pc 160 mm linesman pliers
- 1 pc 150 mm adjustable wrench
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm



Item No.	Size	EAN 69426292+	Inner	Outer
557028	26 pc	9422 1	0	5

60 PC TOOL SET

- 9 pc 1/4 in. Dr. CR-V sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14 mm
- 1/4 in. Dr. socket bit holder
- 1/4 in. Dr. 72 tooth ratchet handle
- 150 mm junior hacksaw
- 18 mm snap off knife • Magnetic bit driver
- 8 pc CR-V combination wrenches: 8, 10, 11, 12, 13, 15, 17, 19 mm
- 2 pc screwdrivers: ⊖ 6 x 100 mm, ✚ #2 x 100 mm;
- 140 mm VDE voltage detector • 300 g machinist hammer
- 160 mm CR-V diagonal pliers
- 175 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers
- 5 m x 19 mm MID tape measure
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 200 mm adjustable wrench
- 20 pc bits: ✚ #1, #2, #3, ⊖ 4, 5, 6 mm, ◯ 3, 6 mm, ▢ #1, #2, #3, ✪ #1, #2, #3, ✪ T-10, T-15, T-20, T-25, T-30, bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557046	60 pc	0107 6	0	4

65 PC TOOL SET

- 7 pc Cr-V combination wrenches 8, 10, 12, 14, 15, 17, 19 mm.
- 9 pc Cr-V ball end hex keys 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm.
- 1 pc 200 mm Cr-V adjustable wrench.
- 1 pc 175mm Cr-V linesman pliers.
- 1 pc 160 mm Cr-V diagonal pliers.
- 1 pc 175 mm locking pliers.
- 1 pc 5 m (16 ft.) tape measure.
- 1 pc 340 g (12 oz) claw hammer.
- 20 pc bits. • 1 pc Magnetic bit driver.
- 4 pc screwdrivers: ⊖ 5 x 38, 6 x100 mm, ✚ #2 x 38, #2 x 100 mm.
- 2 pc precision screwdrivers: ⊖ 2.4 mm, ✚ #0
- 1 pc 1/2 in. Dr. ratchet handle.
- 10 pc 1/2 in. Dr. Cr-V Sockets: 8, 10, 12, 13, 14, 15, 17, 19, 21, 24 mm.
- 1 pc 1/2 in. Dr. x 75mm extension bar.
- 1 pc 18 mm snap-off knife.
- 1 pc 180 mm electrician scissors.
- 1 pc 140 mm VDE voltage detector.
- 1 pc 9 m x 19mm insulated tape



Item No.	Size	EAN 69426292+	Inner	Outer
557065	65 pc	9792 5	0	3

115 PC TOOL SET

- 11 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12 mm
- 9 pc 3/8 in. Dr. CR-V sockets: 10, 11, 12, 13, 14, 15, 16, 17, 18 mm
- 3/8 in. Dr. 72 tooth ratchet handle
- 3/8 in. Dr. x 75 mm extension bar
- 3/8 in. Dr. x 21 mm spark plug socket
- 1/4 in. (M) x 3/8 in. (F) adapter
- 6 pc CR-V combination wrenches: 8, 9, 10, 11, 12, 13 mm
- 4 pc screwdrivers: ⊖ 6.5 x 38 mm, 5 x 75 mm, ✚ #2 x 38 mm, #1 x 75 mm;
- Ratchet screwdriver • 60 mm extension bar
- 5 pc precision screwdrivers: ✚ #0, #1 ⊖ 1.0, 1.5, 2.0 mm
- 215 mm crimping pliers • 160 mm CR-V diagonal pliers
- 5 m x 19 mm MID tape measure • 300 mm I style level
- 9 pc CR-V ball end hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm
- 4 pc nylon clamps • 160 mm CR-V linesman pliers
- 250 mm CR-V box joint pliers • 300 g machinist hammer
- 150 mm junior hacksaw • 200 mm adjustable wrench
- 140 mm VDE voltage detector • 18 mm snap off knife
- 10 pc 18mm SK2 snap off knife blades
- 40 pc bits



Item No.	Size	EAN 69426292+	Inner	Outer
557075	115 pc	0108 3	0	2

29 PC TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V diagonal pliers
- Magnetic bit driver
- 2 pc screwdrivers: ⊖ 6 x 100 mm (1/4 x 4 in.), ✚ #2 x 100 mm (4 in.)
- 3.5 m (12 ft.) tape measure • 18 mm snap off knife
- 200 mm (8 in.) adjustable wrench
- 20 pc bits: ✚ #1, #2, #3, ⊖ 4, 5, 6 mm, ▢ S1, S2, S3, ◯ 3, 6 mm, 1/8, 5/32, 3/16 in. ✪ T-10, T-15, T-20, T-25, T-30 bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557501	29 pc	0109 0	0	8

67 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V diagonal pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Magnetic bits holder • Utility knife
- 5 m (16 ft.) tape measure
- 200 mm (8 in.) adjustable wrench
- 215 mm (8-1/2 in.) scissors
- 225 mm (9 in.) torpedo Level
- 1/4 in. Dr. 72 tooth ratchet handle
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 20 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 20 pc bits: ✚ #1, #2, #3, ⊖ 4, 5, 6 mm, ▢ S1, S2, S3, ◯ 3, 6 mm, 1/8, 5/32, 3/16 in. ✪ T-10, T-15, T-20, T-25, T-30, bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
557522	67 pc	0110 6	0	6

98 PC TOOL SET

- 450 g (16 oz.) claw hammer • 175 mm (7 in.) locking pliers
- 160 mm (6 in.) CR-V long nose pliers
- 160 mm (6 in.) CR-V linesman pliers
- 16 pc CR-V hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm, 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
- Ratchet screwdriver • 225 mm (9 in.) torpedo level
- 60 mm (2-1/4 in.) bits extension bar
- 5 pc screwdrivers: ⊖ 6 x 100 mm (1/4 x 4 in.) ✚ #1 x 75 mm (3 in.) 5 x 100 mm (3/16 x 4 in.) #2 x 100 mm (4 in.) 3 x 75 mm (1/8 x 3 in.)
- 200 mm (8 in.) adjustable wrench • 40 pc bits
- 3/8 in. Dr. 72 tooth ratchet handle
- 10 pc CR-V combination wrenches: 10, 11, 12, 14, 15 mm, 3/8, 7/16, 1/2, 9/16, 5/8 in.
- 16 pc 3/8 in. Dr. CR-V sockets: 8, 9, 10, 12, 13, 14, 17, 18 mm, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4 in.
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 180 mm (7 in.) scissors



Item No.	Size	EAN 69426292+	Inner	Outer
557553	98 pc	0111 3	0	4



125 PC TAP RESEATER WASHER ASSORTMENT

- Fiber, rubber, aluminum, nylon, and foam materials for specific applications
- 16 pc fiber washers • 16 pc faucet washers
- 12 pc rubber washers • 6 pc foam gaskets
- 12 pc rubber flat washers
- 4 pc aluminum washers
- 4 pc c-clips
- 12 pc nylon o-rings
- 55 pc rubber o-rings



Item No.	Size	EAN 69426292+	Inner	Outer
565001	125 pc	4589 6	6	24

200 PC FIBER AND NYLON WASHER ASSORTMENT

- Ideal for automotive and machine applications
- Fiber washers: 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)
- Nylon washers: 25 pc 1/8 in. (3.2 mm), 20 pc 3/16 in. (4.8 mm), 20 pc 1/4 in. (6.4 mm), 15 pc 5/16 in. (7.9 mm), 10 pc 3/8 in. (9.5 mm), 10 pc 1/2 in. (12.7 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565003	200 pc	4590 2	6	24

125 PC RUBBER GROMMET ASSORTMENT

- Ideal for mechanical and electrical applications
- Rubber grommets: 15 pc 1/8 x 1/4 in., 10 pc 7/32 x 5/16 in., 7 pc 9/32 x 1/2 in., 3 pc 5/16 x 9/16 in., 6 pc 3/8 x 15/32 in., 5 pc 3/8 x 1/2 in., 3 pc 3/8 x 13/16 in., 4 pc 7/16 x 3/4 in., 3 pc 1/2 x 19/32 in., 3 pc 5/8 x 31/32 in., 2 pc 3/4 x 15/16 in.
- Rubber plugs: 20 pc 9/32 in., 20 pc 3/8 in., 10 pc 1/2 in., 5 pc 5/8 in., 4 pc 3/4 in., 3 pc 7/8 in., 2 pc 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565051	125 pc	4591 9	6	24

270 PC HNBR O-RING ASSORTMENT

- HNBR O-rings resists various temperature changes and resists more chemicals than standard o-rings
- 20 pc 7/32 x 1/16 in., 20 pc 1/4 x 1/16 in., 20 pc 6.8 x 1.9 mm, 20 pc 5/16 x 1/16 in., 20 pc 7.8 x 1.9 mm, 20 pc 8 x 2 mm, 20 pc 8.8 x 1.9 mm, 15 pc 7/16 x 1/16 in., 15 pc 7/16 x 3/32 in., 15 pc 11 x 2 mm, 15 pc 12 x 2 mm, 10 pc 13.9 x 1.8 mm, 10 pc 9/16 x 3/32 in., 10 pc 14 x 2 mm, 10 pc 15 x 2 mm, 10 pc 17 x 2 mm, 10 pc 11/16 x 1/16 in., 10 pc 11/16 x 1/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565065	270 pc	4594 0	6	24

300 PC SAE O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 140 pc 1/16 in. body: 20 pc 3/32 x 7/32 in., 20 pc 1/8 x 1/4 in., 20 pc 5/32 x 9/32 in., 20 pc 3/16 x 5/16 in., 15 pc 7/32 x 11/32 in., 15 pc 1/4 x 3/8 in., 15 pc 5/16 x 7/16 in., 15 pc 3/8 x 1/2 in.
- 80 pc 3/32 in. body: 15 pc 3/8 x 9/16 in., 15 pc 7/16 x 5/8 in., 15 pc 1/2 x 11/16 in., 15 pc 9/16 x 3/4 in., 10 pc 5/8 x 13/16 in., 10 pc 11/16 x 7/8 in.
- 80 pc 1/8 in. body: 10 pc 3/4 x 1 in., 10 pc 13/16 x 1-1/16 in., 10 pc 7/8 x 1-1/8 in., 10 pc 15/16 x 1-3/16 in., 10 pc 1 x 1-1/4 in., 10 pc 1-1/16 x 1-5/16 in., 5 pc 1-1/8 x 1-3/8 in., 5 pc 1-1/4 x 1-1/2 in., 5 pc 1-3/8 x 1-5/8 in., 5 pc 1-1/2 x 1-3/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565061	300 pc	4592 6	4	12

350 PC METRIC O-RING ASSORTMENT

- Creates a tight seal for fluid or gas connections
- 2 mm Body: 15 pc 3 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 15 pc 8 mm, 15 pc 10 mm, 15 pc 12 mm, 10 pc 14 mm, 10 pc 20 mm
- 2.5 mm Body: 15 pc 10 mm, 15 pc 12 mm, 15 pc 14 mm, 15 pc 15 mm, 15 pc 16 mm, 10 pc 17 mm, 10 pc 19 mm
- 3 mm Body: 15 pc 19 mm, 15 pc 20 mm, 15 pc 22 mm, 15 pc 24 mm, 10 pc 25 mm, 10 pc 27 mm, 10 pc 28 mm, 10 pc 30 mm, 10 pc 32 mm, 5 pc 33 mm, 5 pc 35 mm, 5 pc 36 mm, 5 pc 38 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565063	350 pc	4593 3	4	12

200 PC SELF-TAPPING HEX SCREW ASSORTMENT

- Super-sharp tips seat faster than standard screws-no need to drill pilot holes
- Self-drilling and self-tapping
- 30 pc #8 x 1/2 in., 30 pc #8 x 5/8 in., 30 pc #8 x 3/4 in., 30 pc #8 x 1 in., 20 pc #10 x 1/2 in., 20 pc #10 x 5/8 in., 20 pc #10 x 3/4 in., 20 pc #10 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565101	200 pc	4597 1	6	24

106 PC METRIC HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc M4 x 12 mm, 25 pc M5 x 12 mm, 20 pc M5 x 25 mm, 10 pc M6 x 12 mm, 10 pc M6 x 25 mm, 5 pc M8 x 25 mm, 5 pc M8 x 40 mm, 3 pc M10 x 25 mm, 3 pc M10 x 40 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565119	106 pc	4648 0	6	24

360 PC SAE BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc #6-40 x 3/4 in., 20 pc #8-32 x 3/4 in., 20 pc #8-32 x 1 in., 20 pc #10-24 x 3/4 in., 20 pc #10-24 x 1 in., 15 pc 1/4 in.-20 x 3/4 in.
- Nuts: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.
- Flat washers: 25 pc #6, 40 pc #8, 40 pc #10, 15 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565125	360 pc	4599 5	6	24

300 PC METAL AND WOOD SCREW ASSORTMENT

- For wood and light gauge metal
- Wood screws: 40 pc #4 x 1/2 in., 35 pc #6 x 1/2 in., 30 pc #6 x 5/8 in., 20 pc #6 x 3/4 in., 15 pc #8 x 5/8 in., 10 pc #8 x 1 in.
- Metal screws: 40 pc #6 x 1/2 in., 35 pc #6 x 3/4 in., 30 pc #8 x 1/2 in., 20 pc #8 x 5/8 in., 15 pc #8 x 3/4 in., 10 pc #8 x 1 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565113	300 pc	4598 8	6	24

175 PC SAE HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 20 pc #10-32 x 1/4 in., 10 pc #10-32 x 3/8 in., 20 pc 1/4 in.-20 x 1/4 in., 20 pc 1/4 in.-20 x 3/8 in., 15 pc 1/4 in.-20 x 1/2 in., 20 pc 5/16 in.-18 x 1/4 in., 10 pc 5/16 in.-18 x 3/8 in., 10 pc 5/16 in.-18 x 1/2 in., 20 pc 3/8 in.-16 x 3/8 in., 10 pc 3/8 in.-16 x 1/2 in., 10 pc 3/8 in.-16 x 3/4 in., 10 pc 1/2 in.-13 x 5/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565121	175 pc	4649 7	6	24

360 PC METRIC BOLT, NUT & WASHER ASSORTMENT

- Bolts: 25 pc M3 x 16 mm, 20 pc M4 x 20 mm, 20 pc M4 x 25 mm, 20 pc M5 x 20 mm, 20 pc M5 x 25 mm, 15 pc M6 x 20 mm
- Nuts: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6
- Flat washers: 25 pc M3, 40 pc M4, 40 pc M5, 15 pc M6



Item No.	Size	EAN 69426292+	Inner	Outer
565127	360 pc	4600 8	6	24

106 PC SAE HEX HEAD SCREW ASSORTMENT

- With hexagon recessed heads
- 25 pc #8 x 32 x 1/2 in., 25 pc #10 x 24 x 1/2 in., 20 pc #10 x 24 x 1 in., 10 pc 1/4 in. x 20 x 1/2 in., 10 pc 1/4 in. x 20 x 1 in., 5 pc 5/16 in. x 18 x 1 in., 5 pc 5/16 in. x 18 x 1-1/2 in., 3 pc 3/8 in. x 16 x 1 in., 3 pc 3/8 in. x 16 x 1-1/2 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565117	106 pc	4647 3	6	24

150 PC METRIC HEX HEAD SET SCREW ASSORTMENT

- For use in confined areas
- Ends have cup points for positive torque
- 10 pc M4 x 5 mm, 15 pc M5 x 5 mm, 15 pc M5 x 6 mm, 10 pc M5 x 8 mm, 15 pc M6 x 6 mm, 15 pc M6 x 8 mm, 10 pc M6 x 10 mm, 15 pc M8 x 6 mm, 20 pc M8 x 8 mm, 10 pc M8 x 10 mm, 5 pc M8 x 16 mm, 10 pc M10 x 10 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565123	150 pc	4650 3	6	24

40 PC MOLLY BOLT ASSORTMENT

- Secures drywall, sheetrock, and some types of paneling
- 10 pc 1/8 in. short, 10 pc 1/8 in. long, 6 pc 3/16 in. short, 6 pc 3/16 in. long, 4 pc 1/4 in. short, 4 pc 1/4 in. long



Item No.	Size	EAN 69426292+	Inner	Outer
565131	40 pc	4636 7	6	24

150 PC SAE NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc #10 x 24, 35 pc 1/4 in. x 20, 25 pc 1/4 in. x 28, 30 pc 5/16 in. x 18, 25 pc 3/8 in. x 16, 10 pc 1/2 in. x 13



Item No.	Size	EAN 69426292+	Inner	Outer
565141	150 pc	4601 5	6	24

720 PC WASHER ASSORTMENT

- #6: 50 pc C-type, 50 pc star type, 50 pc circle star type
- #8: 50 pc C-type, 50 pc star type, 50 pc #8 circle star type
- #10: 50 pc C-type, 50 pc star type, 50 pc #10 circle star type
- 6.4 mm: 40 pc C-type, 40 pc star type, 40 pc circle star type
- 8.0 mm: 30 pc C-type, 30 pc star type, 30 pc circle star type
- 9.5 mm: 20 pc C-Type, 20 pc star type, 20 pc circle star type



Item No.	Size	EAN 69426292+	Inner	Outer
565155	720 pc	4603 9	6	24

90 PC SAE GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 30 pc 1/4 in. 28 straight
- 10 pc 1/4 in. 28-45°
- 10 pc 1/4 in. 28-90°
- 30 pc 1/8 in. NPT straight
- 5 pc 1/8 in. NPT-45°
- 5 pc 1/8 in. NPT-90°



Item No.	Size	EAN 69426292+	Inner	Outer
565201	90 pc	4607 7	6	24

100 PC METRIC NYLON INSERT LOCK NUT ASSORTMENT

- Nylon insert grips bolt threads to prevent loosening
- 25 pc M4, 25 pc M5, 20 pc M6, 15 pc M8, 10 pc M10, 5 pc M12



Item No.	Size	EAN 69426292+	Inner	Outer
565143	100 pc	4602 2	6	24

350 PC FLAT & LOCK WASHER ASSORTMENT

- Lock washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.
- Flat washers: 50 pc #6, 40 pc #8, 30 pc #10, 25 pc 1/4 in., 15 pc 5/16 in., 15 pc 3/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565161	350 pc	4604 6	6	24

95 PC METRIC GREASE FITTING ASSORTMENT

- Push type, plated fittings permit lubricant to flow
- Built-in ball, under pressure spring prevents dirt from entering
- 20 pc 6 mm x 1 straight
- 10 pc 6 mm x 1 90°
- 10 pc 8 mm x 1 45°
- 5 pc 10 mm x 1 straight
- 10 pc 6 mm x 1 45°
- 20 pc 8 mm x 1 straight
- 10 pc 8 mm x 1 90°
- 5 pc 10 mm x 1 45°
- 5 pc 10 mm x 1 90°



Item No.	Size	EAN 69426292+	Inner	Outer
565203	95 pc	4608 4	6	24

150 PC WING NUT ASSORTMENT

- Suitable for applications where frequent adjustments are needed or for quick part removal
- 30 pc 3/16 in.-24, 30 pc 3/16 in.-32, 25 pc 1/4 in.-20, 25 pc 1/4 in.-28, 20 pc 5/16 in.-18, 20 pc 5/16 in.-24



Item No.	Size	EAN 69426292+	Inner	Outer
565145	150 pc	4637 8	6	24

110 PC COPPER WASHER ASSORTMENT

- Corrosion-resistant
- Provides maximum conductivity
- 30 pc 1/4 in. (6.4 mm), 25 pc 5/16 in. (7.9 mm), 20 pc 3/8 in. (9.5 mm), 15 pc 7/16 in. (11.1 mm), 10 pc 1/2 in. (12.7 mm), 10 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565167	110 pc	4606 0	6	24

600 PC COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 130 pc 1/16 x 1 in. (1.6 x 25 mm), 100 pc 1/8 x 1-1/4 in. (3.2 x 32 mm), 80 pc 1/8 x 2 in. (3.2 x 50 mm), 150 pc 3/32 x 1 in. (2.4 x 25 mm), 100 pc 3/32 x 1-3/4 in. (2.4 x 44 mm), 40 pc 5/32 x 2-1/2 in. (4 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565251	600 pc	4610 7	6	24

144 PC LARGE COTTER PIN ASSORTMENT

- Used to secure other fasteners, rods, discs and more
- 50 pc 1/8 x 2 in. (3.2 x 50 mm), 30 pc 5/32 x 2-1/2 in. (4 x 64 mm), 20 pc 3/16 x 3 in. (4.8 x 76 mm), 20 pc 1/4 x 2 in. (6.4 x 50 mm), 16 pc 1/4 x 3 in. (6.4 x 76 mm), 8 pc 5/16 x 2-1/2 in. (7.9 x 64 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565255	144 pc	4611 4	6	12

265 PC SAE E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 30 pc 1/8 in., 20 pc 5/32 in., 30 pc 3/16 in., 20 pc 7/32 in., 30 pc 1/4 in., 30 pc 5/16 in., 30 pc 3/8 in., 25 pc 7/16 in., 20 pc 1/2 in., 15 pc 5/8 in., 10 pc 3/4 in., 5 pc 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565301	265 pc	4613 8	6	24

295 PC METRIC SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 25 pc 6 mm, 20 pc 8 mm, 15 pc 9 mm, 20 pc 10 mm, 20 pc 11 mm, 20 pc 12 mm, 10 pc 13 mm, 20 pc 14 mm, 15 pc 15 mm, 20 pc 16 mm, 10 pc 17 mm, 15 pc 18 mm, 10 pc 19 mm, 15 pc 20 mm, 10 pc 21 mm, 10 pc 22 mm, 10 pc 24 mm, 10 pc 25 mm, 5 pc 28 mm, 5 pc 30 mm, 5 pc 32 mm, 5 pc 35 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565313	295 pc	4616 9	4	12

150 PC HITCH PIN ASSORTMENT

- For fast assembly and disassembly
- 42 pc 3/32 x 1-3/16 in. (2.4 x 30 mm), 30 pc 5/64 x 1-5/16 in. (2 x 33 mm), 25 pc 5/64 x 1-9/16 in. (2 x 39 mm), 25 pc 7/64 x 1-5/8 in. (2.8 x 41 mm), 20 pc 9/64 x 1-3/4 in. (3.6 x 44 mm), 8 pc 5/32 x 2-15/16 in. (4 x 75 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565261	150 pc	4612 1	6	24

255 PC METRIC E-CLIP ASSORTMENT

- External clips to retain positive retention of pulleys, sprockets, springs and bearings on shafts and rods
- 35 pc 1.2 mm, 30 pc 1.5 mm, 30 pc 2.0 mm, 25 pc 2.5 mm, 20 pc 3.5 mm, 15 pc 4 mm, 15 pc 5 mm, 15 pc 6 mm, 10 pc 7 mm, 10 pc 8 mm, 10 pc 9 mm, 5 pc 10 mm, 10 pc 12 mm, 15 pc 15 mm, 5 pc 19 mm, 5 pc 24 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565303	255 pc	4614 5	6	24

170 PC U-CLIP AND SCREW ASSORTMENT

- Use for securing wires and cables
- Screws: 40 pc #6 x 5/16 in., 20 pc #8 x 5/8 in., 15 pc #10 x 1/2 in., 10 pc 1/4 x 3/4 in.
- Panel Clips: 20 pc #6 small, 20 pc #6 large, 20 pc #8, 15 pc #10, 10 pc 1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565351	170 pc	4617 6	6	24

16 PC LYNCH PIN ASSORTMENT

- Spring steel rings snap into lock position
- 4 pc 3/16 x 1-7/16 in. (4.8 x 37 mm), 6 pc 1/4 x 1-3/4 in. (6.4 x 44 mm), 4 pc 5/16 x 1-3/4 in. (7.9 x 44 mm), 2 pc 7/16 x 1-3/4 in. (11.1 x 44 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565267	16 pc	4646 6	6	24

300 PC SAE SNAP RING ASSORTMENT

- External snap rings used to retain pulleys, gears or wheels on shafts
- 30 pc 1/4 in., 20 pc 5/16 in., 50 pc 3/8 in., 20 pc 7/16 in., 50 pc 1/2 in., 20 pc 9/16 in., 30 pc 5/8 in., 35 pc 3/4 in., 10 pc 13/16 in., 20 pc 7/8 in., 10 pc 1 in., 5 pc 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565311	300 pc	4615 2	6	24

34 PC HOSE CLAMP ASSORTMENT

- Ideal for repairs for washers, garbage disposals, dishwasher hoses and more
- 8 pc 5/8 in. (15.9 mm), 8 pc 3/4 in. (19 mm), 6 pc 7/8 in. (22.2 mm), 4 pc 1 in. (25.4 mm), 4 pc 1-1/16 in. (26.9 mm), 4 pc 1-1/4 in. (31.8 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565421	34 pc	4620 6	6	24

200 PC SPRING ASSORTMENT

- Extension springs: 8 pc 3/16 x 1-3/4 in. (4.8 x 44.5 mm), 12 pc 5/32 x 3-1/8 in. (4 x 79.5 mm), 10 pc 13/64 x 13/16 in. (5 x 20.5 mm), 10 pc 7/32 x 1 in. (5.5 x 25.5 mm), 10 pc 9/32 x 1-1/2 in. (7 x 38 mm), 12 pc 9/32 x 2-13/16 in. (7 x 71 mm), 12 pc 11/32 x 1-27/32 in. (8.5 x 47 mm), 10 pc 11/32 x 1-7/16 in. (8.5 x 36.5 mm), 10 pc 1/4 x 7/8 in. (6.5 x 22 mm), 8 pc 5/16 x 1-1/8 in. (8 x 28.5 mm), 10 pc 5/16 x 1-1/4 in. (8 x 31.5 mm), 12 pc 5/16 x 1-3/4 in. (8 x 44.5 mm)
- Compression springs: 10 pc 7/32 x 11/16 in. (5.5 x 17 mm), 10 pc 7/32 x 1-1/2 in. (5.5 x 38 mm), 10 pc 9/32 x 1/2 in. (7 x 12.5 mm), 10 pc 9/32 x 3/4 in. (7 x 19 mm), 10 pc 1/4 x 13/32 in. (6.5 x 10 mm), 8 pc 23/64 x 1-3/8 in. (9.1 x 35 mm), 6 pc 3/8 x 5/8 in. (9.5 x 16 mm), 12 pc 3/8 x 3/4 in. (9.5 x 19 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565225	200 pc	4609 1	6	24

134 PC METRIC ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 1.5 x 6 mm, 4 pc 1.5 x 10 mm, 4 pc 1.5 x 12 mm, 4 pc 1.5 x 20 mm, 4 pc 2 x 6 mm, 4 pc 2 x 10 mm, 4 pc 2 x 12 mm, 4 pc 2 x 20 mm, 4 pc 3 x 10 mm, 4 pc 3 x 18 mm, 4 pc 3 x 24 mm, 4 pc 3 x 30 mm, 4 pc 3 x 40 mm, 3 pc 4 x 10 mm, 3 pc 4 x 18 mm, 3 pc 4 x 22 mm, 3 pc 4 x 26 mm, 3 pc 4 x 30 mm, 3 pc 4 x 40 mm, 4 pc 5 x 14 mm, 4 pc 5 x 18 mm, 4 pc 5 x 26 mm, 4 pc 5 x 30 mm, 4 pc 5 x 40 mm, 4 pc 5 x 50 mm, 3 pc 6 x 20 mm, 3 pc 6 x 24 mm, 3 pc 6 x 30 mm, 3 pc 6 x 40 mm, 3 pc 6 x 50 mm, 3 pc 8 x 20 mm, 3 pc 8 x 30 mm, 3 pc 8 x 40 mm, 3 pc 8 x 50 mm, 3 pc 8 x 65 mm, 2 pc 10 x 40 mm, 2 pc 10 x 45 mm, 2 pc 10 x 50 mm, 2 pc 10 x 65 mm, 2 pc 10 x 80 mm



Item No.	Size	EAN 69426292+	Inner	Outer
565393	134 pc	4619 0	6	24

26 PC KEY-TYPE HOSE CLAMP ASSORTMENT

- No tools needed to tighten or loosen
- 10 pc 1/2 in. (12.7 mm), 6 pc 5/8 in. (15.9 mm), 6 pc 3/4 in. (19 mm), 2 pc 7/8 in. (22.2 mm), 2 pc 1 in. (25.4 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565427	26 pc	4638 1	6	24

18 PC RUBBER INSULATED CLAMP ASSORTMENT

- Used to securely suspend hoses, cables, pipes and more
- 8 pc 1/4 in. (6.4 mm), 4 pc 5/16 in. (7.9 mm), 2 pc 3/8 in. (9.5 mm), 2 pc 1/2 in. (12.7 mm), 2 pc 5/8 in. (15.9 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
565431	18 pc	4639 8	6	24

120 PC SAE ROLL PIN ASSORTMENT

- Spring steel gives constant pressure to keep pin securely in place
- 4 pc 5/32 x 5/8 in., 4 pc 5/32 x 1 in., 4 pc 5/32 x 1-1/2 in., 4 pc 1/4 x 5/8 in., 4 pc 1/4 x 1-1/4 in., 4 pc 1/4 x 1-3/4 in., 4 pc 5/16 x 3/4 in., 4 pc 5/16 x 1-1/2 in., 4 pc 5/16 x 2 in., 4 pc 5/64 x 1/4 in., 4 pc 5/64 x 1/2 in., 4 pc 5/64 x 1 in., 4 pc 1/16 x 3/16 in., 4 pc 1/16 x 3/4 in., 4 pc 1/16 x 5/16 in., 4 pc 3/32 x 5/8 in., 4 pc 3/32 x 1-1/4 in., 4 pc 3/32 x 1-3/4 in., 5 pc 1/8 x 5/8 in., 5 pc 1/8 x 1 in., 5 pc 1/8 x 1-1/4 in., 2 pc 3/8 x 3/4 in., 2 pc 3/8 x 1-1/2 in., 2 pc 3/8 x 2 in., 4 pc 7/32 x 5/8 in., 4 pc 7/32 x 1-1/4 in., 4 pc 7/32 x 1-3/4 in., 5 pc 3/16 x 5/8 in., 5 pc 3/16 x 1 in., 5 pc 3/16 x 1-1/4 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565391	120 pc	4618 3	6	24

250 PC WOODRUFF KEY ASSORTMENT

- Precise steel keys for pulleys and drive shaft applications
- 10 pc 1/16 x 3/8 in., 10 pc 1/16 x 1/2 in., 20 pc 3/32 x 3/8 in., 20 pc 3/32 x 1/2 in., 10 pc 3/32 x 5/8 in., 10 pc 1/8 x 3/8 in., 20 pc 1/8 x 1/2 in., 30 pc 1/8 x 5/8 in., 20 pc 1/8 x 3/4 in., 40 pc 5/32 x 5/8 in., 10 pc 5/32 x 3/4 in., 5 pc 5/32 x 7/8 in., 5 pc 3/16 x 5/8 in., 20 pc 3/16 x 3/4 in., 5 pc 3/16 x 7/8 in., 5 pc 7/32 x 7/8 in., 5 pc 1/4 x 3/4 in., 5 pc 1/4 x 7/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565437	250 pc	4651 0	6	24

60 PC MACHINERY KEY ASSORTMENT

- Square keys have chamfered ends for easy insertion into keyways
- 4 pc 1/8 x 1/8 x 3/4 in., 4 pc 1/8 x 1/8 x 1 in., 5 pc 3/16 x 3/16 x 3/4 in., 5 pc 3/16 x 3/16 x 1 in., 5 pc 3/16 x 3/16 x 1-1/4 in., 5 pc 1/4 x 1/4 x 3/4 in., 5 pc 1/4 x 1/4 x 1-1/4 in., 5 pc 1/4 x 1/4 x 1-1/2 in., 5 pc 5/16 x 5/16 x 1-1/4 in., 5 pc 5/16 x 5/16 x 1-1/2 in., 5 pc 3/8 x 3/8 x 1-1/4 in., 5 pc 3/8 x 3/8 x 1-1/2 in., 2 pc 1/2 x 1/2 x 1-1/2 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565433	60 pc	4640 4	6	24

600 PC HOME HARDWARE ASSORTMENT

- For a wide variety of household jobs
- 4 pc cup hooks 1-1/2 in.
- 4 pc cup hooks 1-1/4 in.
- 12 pc picture hangers
- 15 pc sheet metal screws 1 in.
- 10 pc push pins
- 15 pc plastic anchors 4 through 6
- 153 pc wire nails 17 ga
- 16 pc sheet metal screws 1-1/4 in.
- 152 pc wire brads 17 ga
- 16 pc plastic anchors 4 through 8
- 153 pc wire nails 18 ga
- 50 pc thumb tacks



Item No.	Size	EAN 69426292+	Inner	Outer
565441	600 pc	4642 8	6	24

160 PC WIRE TERMINAL ASSORTMENT

- Terminals and connectors for industrial and automotive applications
- 4 pc 12-10 ga ring terminal 55-5
- 4 pc 12-10 ga ring terminal 55-8
- 4 pc 12-10 ga ring terminal 55-10
- 5 pc 12-10 ga male connector
- 5 pc 12-10 ga female disconnect
- 12 pc 12-10 ga butt connect
- 10 pc 16-14 ga ring terminal 2-5L
- 10 pc 16-14 ga male connector
- 10 pc 16-14 ga ring terminal 2-4L
- 10 pc 16-14 ga ring terminal 2-6
- 10 pc 16-14 ga female disconnect
- 18 pc 18-14 ga butt connect
- 10 pc 16-14 ga bullet male connect
- 12 pc 22-18 ga butt connect
- 10 pc 16-14 ga spade terminal 2-4M
- 4 pc 18-14 ga quick splice
- 8 pc 22-18 ga ring terminal 1.25-4
- 4 pc 22-18 ga quick splice
- 10 pc 16-14 ga bullet female disconnect



Item No.	Size	EAN 69426292+	Inner	Outer
565451	160 pc	4621 3	6	24

560 PC HEAT SHRINK TUBING SET

- PVC, shrink ratio 2:1, 45 mm length. include:
  90 pc 1 mm (black), 70 pc 1.5 mm (red),
  70 pc 2 mm (yellow), 50 pc 2.5 mm (blue),
  50 pc 3.5 mm (green), 50 pc 4 mm (black),
  50 pc 4 mm (red), 30 pc 5 mm (blue),
  30 pc 6 mm (blue), 25pc 7 mm (red),
  25 pc 10 mm (black), 20 pc 13 mm (black)



Item No.	Size	EAN 69426292+	Inner	Outer
565434	560 pc	0877 8	4	12

151 PC EYE BOLT ASSORTMENT

- Eye screws:
  60 pc 1-1/8 in., 12 pc 1-13/16 in.,
  12 pc 1-15/16 in.
- Hook screws:
  50 pc 1-5/8 in., 12 pc 2-1/2 in.,
  5 pc 3-3/8 in.



Item No.	Size	EAN 69426292+	Inner	Outer
565445	151 pc	4643 5	6	24

28 PC ELECTRICAL CLIP ASSORTMENT

- Repair broken leads on test equipment and chargers
- Make your own low-voltage jumper leads
- 6 pc 50 mm (2 in.) Alligator clips
- 10 pc mini alligator clips,
- 6 pc 38 mm (1-1/2 in.) alligator clips
- 2 pc 30 AMP charging clips,
- 2 pc 25 AMP charging clips
- 2 pc 10 AMP charging clips



Item No.	Size	EAN 69426292+	Inner	Outer
565447	28 pc	4644 2	6	24

96 PC ATO FUSE ASSORTMENT

- Ideal for protecting the wiring and electronics of your vehicle
- 12 pc 3 A (Violet)
- 12 pc 5 A (Orange)
- 12 pc 7.5 A (Brown)
- 12 pc 10 A (Red)
- 12 pc 15 A (Blue)
- 12 pc 20 A (Yellow)
- 12 pc 25 A (Clear)
- 12 pc 30 A (Green)



Item No.	Size	EAN 69426292+	Inner	Outer
565463	96 pc	4622 0	6	24

96 PC MINI FUSE ASSORTMENT

- Designed to fit fuse panels in many later-model vehicles
- 12 pc 3 A (Violet)
- 12 pc 5 A (Orange)
- 12 pc 7.5 A (Brown)
- 12 pc 10 A (Red)
- 12 pc 15 A (Blue)
- 12 pc 20 A (Yellow)
- 12 pc 25 A (Clear)
- 12 pc 30 A (Green)



Item No.	Size	EAN 69426292+	Inner	Outer
565467	96 pc	4623 7	6	24

24 PC MAXI FUSE ASSORTMENT

- Great for use with truck and car stereo systems or power inverters that use high amperage
- 3 pc 20 A (Yellow)
- 3 pc 30 A (Green)
- 3 pc 40 A (Orange)
- 3 pc 50 A (Red)
- 3 pc 60 A (Blue)
- 3 pc 70 A (Tan)
- 3 pc 80 A (Clear)
- 3 pc 100 A (Purple)



Item No.	Size	EAN 69426292+	Inner	Outer
565469	24 pc	4624 4	6	24

16 PC DRIVER BIT SET

- 12 pc 25 mm (1 in.) CR-V bits
  #1, #2 4.5, 5.5 mm
  #1, #2 T-10, T-15, T-20, T-25, T-30, T-40
- 2 pc 50 mm (2 in.) CR-V bits
  #2 x 2
- 1 pc quick change chuck
- 1 pc stubby bit handle



Item No.	Size	EAN 69426292+	Inner	Outer
900016	16 pc	0017 8	6	48

32 PC DRIVER BIT SET

- 30 pc CR-V bits
  #1 x 3, #2 x 3, #3 x 3 4.5, 5.5, 6.5 mm
  #1 x 3, #2 x 3, #3 x 3
  T-10, T-15, T-20, T-25, T-30, T-40
- 1 pc quick change chuck
- 1 pc stubby bit handle



Item No.	Size	EAN 69426292+	Inner	Outer
900017	32 pc	0018 5	6	36

2-IN-1 STUBBY WRENCH

- Adjustable wrench & pip wrench function
- Laser etched mm/in. scale
- Non-slip bi-material handle





Item No.	Size	EAN 69426292+	Inner	Outer
900061	2-in-1	0241 7	12	24

STUBBY RATCHET HANDLE

- Dual driver - 1/4 & 3/8 in. Dr.
- Non-slip bi-material handle








Item No.	Size	EAN 69426292+	Inner	Outer
900060	1/4 in. & 3/8 in. Dr.	0240 0	12	24

7-IN-1 STUBBY PIVOTING RATCHET SCREWDRIVER

- 6 pc CR-V bits:
  #1, #2, #3
  4, 5, 6 mm
- 1 pc pivoting ratchet screwdriver





Item No.	Size	EAN 69426292+	Inner	Outer
900168	Metric	2618 5	12	48

DUAL FUNCTION ADJUSTABLE WRENCH

- Adjustable wrench & pip wrench function
- Laser etched mm/in. scale
- 2 pc jaw protector included
- Non-slip bi-material handle











Item No.	Size	EAN 69426292+	Inner	Outer
900064		0244 8	12	48

STUBBY RATCHET HANDLE

- Dual driver - 3/8 & 1/2 in. Dr.
- Non-slip bi-material handle







Item No.	Size	EAN 69426292+	Inner	Outer
900065	3/8 in. & 1/2 in. Dr.	9029 2	12	24

STUBBY CLAW HAMMER

- Magnetic nail starter for easy nail setting
- Non-slip bi-material handle





Item No.	Size	EAN 69426292+	Inner	Outer
900062		0242 4	12	24

6-IN-1 STUBBY RATCHET SCREWDRIVER

- 5 pc CR-V bits
  #0, #1, #2
  3/16, 1/4 in. (5, 6 mm)





Item No.	Size	EAN 69426292+	Inner	Outer
900063	6-in-1	0243 1	16	48

2 PC STUBBY TOOL SET

- 1 pc dual head 1/4 in. & 3/8 in. Dr. stubby ratchet handle
- 1 pc adjustable wrench/pipe wrench





Item No.	Size	EAN 69426292+	Inner	Outer
900107	2 pc	3094 6	6	24

PROMOTION
TACTIX®

38 PC RATCHET DRIVER SET



- 27 pc CR-V bits:
  #0, #1, #2, #3
  3, 4, 5, 6, 7 mm
  1.5, 2, 2.5, 3, 4, 5, 6 mm
  #0, #1, #2, #3
  T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 9 pc 1/4 in. Dr. sockets : 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc ratchet driver




Item No.	Size	EAN 69426292+	Inner	Outer
900079	38 pc	0725 2	6	24

3 PC TOOL SET

- 1 pc multi-function pliers
- 1 pc folding knife
- 1 pc 6-in-1 screwdriver







Item No.	Size	EAN 69426292+	Inner	Outer
900111	3 pc	3997 0	6	24

2 PC CHISEL TIP MARKER

- Non-slip bi-material handle • Durable chisel tip
- Easily mark on various surfaces, waterproof & oil resistant ink



Item No.	Size	EAN 69426292+	Inner	Outer
900092	2 pc	0623 1	10	100

25 PC STUBBY TORQ DRIVER SET (METRIC)

- 16 pc 25 mm (1 in.) CR-V bits:
  #1, #2 x 2, #3 4, 5, 6 mm 3, 6 mm
  #1, #2 x 2, #3 T-10, T-15, T-20
- 6 pc 1/4 in. Dr. socket sets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 90 mm (3-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. adaptor • 1 pc stubby Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900225	25 pc	1742 8	6	24

46 PC TORQ DRIVER SET

- 24 pc 25 mm (1 in.) CR-V bits:
  #0, #1, #2 x 5, #3 5/32, 3/16, 1/4 in.
  #1, #2, #3 #1, #2, #3
  1/8, 1/4 in. T-10, T-15, T-20, T-25, T-30
- 20 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm, 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 75 mm (3 in.) extension bar • 1 pc Torq driver



Item No.	Size	EAN 69426292+	Inner	Outer
900226	46 pc	1743 5	6	12

55 PC STUBBY TOOL SET

- 32 pc 25 mm (1 in.) CR-V bits:
  #0, #1, #2 x 5, #3
  4, 5, 6, 7 mm
  2, 2.5, 3, 4, 5, 5.5, 6 x 2 mm
  #1, #2 x 2, #3
  T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- Stubby ratchet screwdriver
- Stubby adjustable wrench
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19 mm
- 3/8 in. (F) x 1/4 in. (M) adaptor
- 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. socket/bit adaptor
- 60 mm (2-3/8 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900154	55 pc	0850 1	6	12

46 PC STUBBY TOOL SET

- 20 pc 25 mm (1 in.) CR-V bits:
  #1, #2, #3 4, 5, 6 mm
  3, 4, 5, 6 mm, 1/8, 5/32, 3/16, 1/4 in.
  #1, #2, #3 T-10, T-20, T-30
- Stubby adjustable wrench
- Stubby ratchet screwdriver
- 18 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm; 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in.
- 4 pc 3/8 in. Dr. sockets: 13, 14 mm; 1/2, 9/16 in.
- 1/4 in. & 3/8 in. Dr. dual head stubby ratchet handle
- 3/8 in. (F) x 1/4 in. (M) adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900155	46 pc	5017 3	6	12

40 PC STUBBY TOOL SET

- 31 pc 25 mm (1 in.) CR-V bits:
  #0, #1 x 2, #2 x 2, #3 x 2
  3, 4, 5, 6, 7 mm
  2, 2.5, 3, 4, 5, 6 mm
  #1, #2 x 2, #3
  T-10, T-15, T-20, T-25, T-27
  #0, #1, #2, #3
- 1/4 in. Dr. bit/socket adaptor
- Stubby ratchet screwdriver
- 5 pc 1/4 in. Dr. sockets: 4, 5, 6, 8, 10 mm
- 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1/4 in. Dr. Ratchet





Item No.	Size	EAN 69426292+	Inner	Outer
900161	40 pc	1403 8	6	18

60 PC STUBBY TOOL SET

- 39 pc 25 mm (1 in.) CR-V bits:
  #0, #1, #2 x 2, #3 3, 4, 5, 6, 7 mm
  #0, #1, #2 x 2, #3 #0, #1, #2, #3
  2, 3, 4, 5, 6 mm; 3/32, 1/8, 5/32, 3/16, 1/4 in.
  T-8, T-10 x 2, T-15 x 2, T-20 x 2, T-25, T-27, T30
- 10 pc 1/4 in. Dr. sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 4 pc 3/8 in. Dr. sockets: 13, 14, 15, 16 mm
- 1 pc 3/8 in. (F) x 1/4 in. (M) adaptor • 1 pc bit/socket adaptor
- 1 pc 3/8 in. Dr. x 75 mm (3 in.) extension bar
- 1 pc stubby adjustable wrench
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc stubby ratchet screwdriver
- 1 pc 1/4 & 3/8 in. Dr. dual head stubby ratchet handle





Item No.	Size	EAN 69426292+	Inner	Outer
900191	60 pc	6050 9	6	12



22 PC PRECISION TOOL SET

- 1 pc precision screwdriver
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 20 pc 4 x 28 mm precision bits (ni-plated):
  1.5, 2, 2.5, 3 mm #000, #00, #0, #1
  1.5, 2, 2.5, 3, 4 mm
  T-6, T-7, T-8, T-9, T-10, T-15, T-20



Item No.	Size	EAN 69426292+	Inner	Outer
900122	22 pc	8429 1	6	24

71 PC BIT SET

- 1 pc ratchet driver
- 60 pc 25 mm (1 in.) CR-V bits:
  3, 4, 5, 6, 7 mm #0, #1, #2 x 3, #3
  T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
  #0, #1, #2 x 2, #3
  #0, #1, #2, #3
  1/16, 3/32, 7/64, 1/8, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in., 2, 2.5, 3 x 2, 4, 5 x 2, 5.5, 6 x 2 mm
  T-8, T-9, T-10, T-15 x 2, T-20, T-25, T-27, T-30, T-40
- 1 pc bit/socket adaptor
- 8 pc 50 mm (2 in.) CR-V bits:
  #0, #1, #2, #3 3, 4, 5, 6 mm
- 1 pc 50 mm (2 in.) extension bar



Item No.	Size	EAN 69426292+	Inner	Outer
900179	71 pc	6246 6	6	12

23 PC STUBBY TOOL SET

- 1 pc mini ratchet driver
- 1 pc bit adaptor
- 15 pc 25 mm (1 in.) bits:
  3, 4, 5, 6 mm #0, #1, #2, #3
  #1, #2 T-15, T-20 4, 5, 6 mm
- 6 pc sockets: 5, 6, 7, 8, 9, 10 mm



Item No.	Size	EAN 69426292+	Inner	Outer
900123	23 pc	8430 7	6	24

57 PC DRIVER BIT SET

- 1 pc precision bit handle
- 1 pc ratchet screwdriver handle
- 1 pc 50 mm (2 in.) extension bar
- 1 pc 60 mm (2-1/4 in.) precision extension bar
- 9 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 20 pc CR-V precision bits:
  1.0, 1.5, 2.5 mm #000, #00, #0, #1
  T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10
  0.9, 1.3, 1.5, 2.0, 2.5 mm
- 23 pc 25 mm (1 in.) CR-V bits:
  4, 5, 6, 7 mm #0, #1, #2, #3
  T-10, T-15, T-20, T-25, T-30, T-40
  #0, #1, #2, #3 2, 3, 4, 5, 6 mm
- 1 pc bit/socket adaptor



Item No.	Size	EAN 69426292+	Inner	Outer
900180	57 pc	6526 9	6	12

48 PC RATCHET T-HANDLE SET

- 36 pc 25 mm (1 in.) CR-V bits:
  #1 x 2, #2 x 3, #3 x 2
  3 mm x 2, 4 mm x 2, 5 mm x 3, 6 mm x 2
  #1 x 2, #2 x 3, #3 x 2
  2.5, 3, 4, 5, 6 mm
  T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 9 pc 1/4 in, Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 11,12 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-driver



Item No.	Size	EAN 69426292+	Inner	Outer
900181	48 pc	5249 8	6	12

32 PC MINI RATCHET T-HANDLE SET

- 11 pc 25 mm (1 in.) CR-V bits:
  #1, #2, #3; 4,6 mm; #1, #2;
  3, 6 mm T-15, T-20
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9, 10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc mini ratchet T-driver
- 1 pc precision bit adaptor
- 10 pc CR-V precision bits:
  #00, #0; 2, 3 mm; #0, #1;
  2, 2.5 mm; T-7, T-10



Item No.	Size	EAN 69426292+	Inner	Outer
900183	32 pc	0285 1	6	24

14 PC DRAWER TOOL SET

- 1 pc multi opener
- 1 pc 9 mm snap off knife
- 3 pc 9 mm knife blades
- 1 pc 215 mm (8-1/2 in.) scissors
- 1 pc 160 mm (6 in.) linesman plier
- 1 pc 150 mm (6 in.) torpedo level
- 1 pc 3.5 m (12 ft.) tape measure
- 2 pc screwdrivers:
  #2, 6 mm
- 2 pc precision screwdrivers:
  #0, 2.4 mm
- 1 pc 225 g (8 oz.) claw hammer





Item No.	Size	EAN 69426292+	Inner	Outer
900163	14 pc	1648 3	0	6

43 PC RATCHET T-HANDLE SET

- 22 pc 25 mm (1 in.) CR-V bits:
  #1 x 2, #2 x 2, #3 x 2;
  4, 5, 6 mm; 2.5, 3, 4, 5, 5.5, 6 mm;
  T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 18 pc 1/4 in. Dr. sockets:
  4, 5, 6, 7, 8, 9, 10, 11, 12 mm;
  5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2 in.
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc ratchet T-driver



Item No.	Size	EAN 69426292+	Inner	Outer
900182	43 pc	5251 1	6	12

24 PC MINI RATCHET T-HANDLE SET

- 15 pc 25 mm (1 in.) CR-V bits:
  #0, #1, #2, #3;
  4, 5, 6 mm;
  #1, #2, #3;
  T-10, T-15, T-20;
  3, 6 mm
- 6 pc 1/4 in. Dr. sockets: 5, 6, 7, 8, 9,10 mm
- 1 pc 100 mm (4 in.) extension bar
- 1 pc 1/4 in. Dr. socket/bit adaptor
- 1 pc mini ratchet T-driver



Item No.	Size	EAN 69426292+	Inner	Outer
900184	24 pc	0286 8	6	24

45 PC HOME USE TOOL SET

- 225 g (8 oz.) claw hammer
- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 9 mm snap off knife
- 10 pc 9 mm knife blades
- 140 mm (5-1/2 in.) VDE voltage detector
- 3.5 m (12 ft.) tape measure
- 100 mm (4 in.) screwdriver handle
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 20 pc bits:
  4, 5, 6 mm #1, #2, #3
  #1, #2, #3 3, 4, 5, 6 mm
  T-10, T-15, T-20, T-25, T-27, T-30, T-40



Item No.	Size	EAN 69426292+	Inner	Outer
900192	45 pc	6698 3	0	8

24 PC TOOL SET

- 160 mm (6 in.) linesman pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 3.5 m (12 ft.) tape measure
- 225 g (8 oz.) claw hammer
- 9 mm snap off knife
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 10 pc bits:
  5, 6 mm #1, #2, #3
  4, 5, 6 mm T-15, T-20
- Zipper case included





Item No.	Size	EAN 69426292+	Inner	Outer
900194	24 pc	1424 3	0	12

146 PC TOOL BOX SET

- 1 pc 340 g (12 oz) claw hammer
- 1 pc 150 mm adjustable wrench
- 1 pc 18 mm snap off knife
- 5 pc 18 mm snap off knife blades
- 1 pc 160 mm diagonal pliers
- 1 pc 160 mm combination pliers
- 1 pc 200 mm water pump pliers
- 1 pc magnetic bit driver • 20 pc bits
- 2 pc 100 mm screwdrivers PH #2 & Slot 5 mm
- 1 pc 140 mm VDE voltage detector
- 1 pc 3.5 m (12 ft) tape measure
- 8 pc hex keys 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 1 pc 150 mm hacksaw
- 100 pc hardware box
- 1 pc plastic tool box



Item No.	Size	EAN 69426292+	Inner	Outer
900199	146 pc	9460 3	0	4

2 PC UNIVERSAL QUICK SNAP WRENCH SET

- Small wrench: 9-22 mm (3/8 in.-7/8 in.)
- Big wrench: 23-32 mm (7/8 in.-1-1/4 in.)
- Non-slip bi-material handle
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work





Item No.	Size	EAN 69426292+	Inner	Outer
900304	2 pc	8094 1	6	12

39 PC TOOL SET

- 340 g (12 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- 160 mm (6 in.) long nose pliers
- 160 mm (6 in.) diagonal pliers
- 150 mm (6 in.) adjustable wrench
- 100 mm (4 in.) bit handle
- 20 pc bits
- 4 pc precision screwdrivers
- 8 pc hex keys: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- Utility knife



Item No.	Size	EAN 69426292+	Inner	Outer
900196	39 pc	8999 9	0	8

43 PC STUBBY TOOL SET

- 23 pc CR-V bits:
  #0, #1, #2 x 2, #3
  1/8, 5/32, 3/16 x 2, 1/4 in.
  1/8, 5/32, 3/16, 7/32 in.
  #1, #2, #3
  T-10, T-15, T-20, T-25, T-27, T-30
- 16 pc 1/4 in. Dr. sockets: 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16 in., 4, 5, 6, 7, 8, 9, 10, 11 mm
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 2-3/8 in. extension bar
- 1 pc 3 in. extension bar
- Stubby ratchet handle



Item No.	Size	EAN 69426292+	Inner	Outer
900236	43 pc	2842 4	6	12

UNIVERSAL QUICK SNAP WRENCH SMALL

- 9-22 mm (3/8-7/8 in.)
- Fits all kinds of bolts and nuts with just one hand movement
- Ideal for plumbing, carpentry, mechanical and garden work
- Non-slip bi-material handle






Item No.	Size	EAN 69426292+	Inner	Outer
900305	9-22 mm (3/8-7/8 in.)	8313 3	6	36

2 PC UNIVERSAL WRENCH SET

- Big universal wrench: 5~15~27 mm (3/16~19/32~1-1/16 in.)
- Small universal wrench: 5~11~16 mm (3/16~7/16~5/8 in.)
- Fits Metric or SAE fasteners





Item No.	Size	EAN 69426292+	Inner	Outer
900302	2 pc	5904 6	10	20

34 PC SCREWDRIVER SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
  - #1, #2, #3
  - 4, 5, 6 mm
  - 3, 4, 5, 6 mm
  - #1, #2, #3
  - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- Ratchet driver
- 5 pc precision screwdrivers:
  - #00, #0
  - 1.4, 2.0, 3.0 mm
- 5 pc screwdrivers:
  - #1 x 100 mm (4 in.), #2 x 100 mm (4 in.)
  - 3 x 75 mm (1/8 x 3 in.)
    5 x 100 mm (3/16 x 4 in.)
    6 x 100 mm (1/4 x 4 in.)
- 2 pc stubby screwdrivers:
  - #2 x 38 mm (1-/2 in.)
  - 6 x 38 mm (1/4 x 1-/2 in.)





Item No.	Size	EAN 69426292+	Inner	Outer
900401	34 pc	9348 4	6	12

39 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper
- 1 pc tweezer
- 4 pc precision screwdrivers: 1.4, 2.0 mm, #00, #0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 28 pc H4 x 28 mm CR-V precision bits:
  1.0, 1.5, 2.0, 2.5, 3.0 mm, #000, #00, #0, #1,
  T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10,
  0.9, 1.3, 1.5, 2.0, 2.5 mm, 2.0, 3.0
  Y20, 0.8, 1.2, 1.5





Item No.	Size	EAN 69426292+	Inner	Outer
900405	39 pc	9023 0	6	12

15 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 160 mm (6 in.) long nose pliers
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc 9 mm snap off knife
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN 69426292+	Inner	Outer
910023	15 pc	8308 9	0	10

30 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 8 pc hex keys: 1.5-6 mm
- 8 pc 1/4 in. Dr. sockets: 5-12 mm
- 1 pc 1/4 in. Dr. ratchet handle
- 1 pc 1/4 in. Dr. x 50 mm extension bar
- 1 pc 100 mm (4 in.) bit handle
- 10 pc bits • Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN 69426292+	Inner	Outer
910024	30 pc	9764 2	0	10

21 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc tweezer
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc precision screwdriver handle
- 16 pc H4 x 28 mm CR-V precision bits:
  1.0, 1.5, 2.0, 2.5, 3.0 mm
  #000, #00, #0
  T-4, T-5, T-6, T-7
  T-8, T-9, T-10, T-15



Item No.	Size	EAN 69426292+	Inner	Outer
900404	21 pc	9022 3	8	16

28 PC GENERAL TOOL SET

- Dual-sided opening
- Clear-top
- 20 pc 25 mm (1 in.) bits:
  - #1, #2, #3
  - 4, 5, 6 mm
  - 3, 4, 5, 6 mm
  - #1, #2, #3
  - T-10, T-15, T-20, T-25, T-27, T-30, T-40
- 60 mm (2-1/4 in.) extension bar
- 225 g (8 oz.) claw hammer
- 3.5 m (12 ft.) tape measure
- Ratchet driver
- 150 mm (6 in.) adjustable wrench
- 150 mm (6 in.) torpedo level
- 9 mm snap off knife
- 160 mm (6 in.) linesman pliers





Item No.	Size	EAN 69426292+	Inner	Outer
900402	28 pc	9349 1	6	12

40 PC TOOL BAG SET

- 1 pc 160 mm long nose pliers
- 1 pc 160 mm linesman pliers
- 1 pc 225mm torpedo level
- 1 pc magnetic bit handle • 20 pc bits
- 4 pc precision screwdrivers:
  1.5, 3.0 mm, #00, #0
- 1 pc 3m MID tape measure
- 8 pc hex key 1.5, 2, 2.5, 3, 4, 5, 5.5, 6 mm
- 1 pc 225 g (8 oz) claw hammer
- 1 set 100 pc hardware box
- 1 pc nylon tool bag



Item No.	Size	EAN 69426292+	Inner	Outer
901102	40 pc	9068 1	0	8

14 TOOL SET

- 1 pc 225 g (8 oz) claw hammer
- 1 pc 160 mm linesman pliers
- 1 pc 150 mm adjustable wrench
- 1 pc magnetic bit driver
- 10 pc bits





Item No.	Size	EAN 69426292+	Inner	Outer
901108	14 pc	9136 7	6	12

6 PC INTERLOCK TOOL BOX SET

- 1 pc 150 mm (6 in.) adjustable wrench
- 1 pc 3.5 m (12 ft.) tape measure
- 1 pc 225 g (8 oz.) claw hammer
- 1 pc Slotted screwdriver 6 x 100 mm (1/4 x 4 in.)
- 1 pc PH screwdriver #2 x 100 mm (4 in.)
- 1 pc 9 mm snap off knife
- Interlockable tool box



Interlockable multiple units



Item No.	Size	EAN 69426292+	Inner	Outer
910025	6 pc	4050 1	0	10

15 PC TOOL SET

- 225 g (8 oz.) claw hammer
- 9 mm snap-off knife
- 160 mm (6 in.) CR-V linesman pliers
- Magnetic bit holder
- 150 mm (6 in.) adjustable wrench
- 10 pc CR-V bits: ⊖ 5, 6 mm ⊕ #1, #2, #3 ○ 4, 5, 6 mm ✪ T-15, T-20



Item No.	Size	EAN 69426292+	Inner	Outer
910101	15 pc	1590 5	6	12

31 PC RATCHET T-HANDLE SET


- 8 pc 1/4 in. Dr. sockets: 4, 5, 6, 7, 8, 9, 10, 12 mm
- 1 pc socket/bit adaptor
- 20 pc 25 mm (1 in.) CR-V bits:
  ⊕ #0, #1, #2, #2, #3
  ⊖ 3, 4, 5, 6, 6 mm
  ✪ T-10, T-15, T-20, T-25, T-30, T-40
  ○ 3, 4, 5, 6 mm
- 1 pc 140 mm (5-1/2 in.) extension bar
- 1 pc ratchet T-handle



Item No.	Size	EAN 69426292+	Inner	Outer
900984	31 pc	4882 8	6	12

15-IN-1 MULTI KNIFE IN WATERPROOF BOX

① Bottle & can opener
② Knife
③ Wood saw
④ Fish scaler & hook remover
⑤ Scissors
⑥ Corkscrew
⑦ Wire stripper
⑧ Nail file & cleaner
⑨ Phillips screwdriver
⑩ Leather punch
⑪ Bottle opener & screwdriver



Item No.	Size	EAN 69426292+	Inner	Outer
911004	15-in-1	8879 4	12	48

54 PC TOOL SET

- 1/4 in. Dr. 72 tooth CR-V ratchet handle
- 3/8 in. (M) x 1/4 in. (F) adaptor
- 1/4 in. Dr. x 75 mm extension bar
- 31 pc CR-V bits: ⊕ #0, #1, #2, #2, #3 ⊖ 3, 4, 5, 6, 7 mm ○ 2, 2.5, 3, 4, 5, 6 mm ✪ #1, #2, #3 ✪ T-8, T-10, T-15, T-20, T-25, T-27, T-30, T-40 ■ #0, #1, #2, #3
- 10 pc 1/4 in. Dr. CR-V sockets: 4, 4.5, 5, 6, 7, 8, 9, 10, 11, 12 mm
- 6 pc 3/8 in. Dr. sockets: 13, 14, 15, 16, 17, 19mm
- Ratchet screwdriver handle
- 1/4 in. Dr. bit/socket adaptor
- 60 mm (2-1/4 in.) bit extension bar
- 150 mm (6 in.) adjustable wrench



Item No.	Size	EAN 69426292+	Inner	Outer
910102	54 pc	1592 9	6	12

13-IN-1 MULTI-TOOL IN WATERPROOF BOX

① Long nose pliers
② Regular pliers
③ Hard wire cutter
④ Bottle opener & large slotted screwdriver
⑤ Saw
⑥ Small slotted screwdriver
⑦ Awl
⑧ Knife
⑨ Medium slotted screwdriver
⑩ Phillips screwdriver
⑪ Nail file & cleaner



Item No.	Size	EAN 69426292+	Inner	Outer
911001	13-in-1	8876 3	12	48

MULTI-FUNCTION KNIFE

① Knife
② Scissors
③ Bottle opener
④ Small slotted screwdriver
⑤ Can opener
⑥ Medium slotted screwdriver
⑦ Stripper
⑧ Leather punch
⑨ Corkscrew





Item No.	Size	EAN 69426292+	Inner	Outer
950009	9-in-1	5961 0	6	36

6 PC BALL END HEX KEY 24/CAN

- 2, 2.5, 3, 4, 5, 6 mm



Item No.	Size	EAN 69426292+	Inner	Outer
916001	24/can	8066 8	24	144

6 PC TORX KEY 24/CAN

- T-9, T-10, T-15, T-20, T-25, T-30



Item No.	Size	EAN 69426292+	Inner	Outer
916002	24/can	8067 5	24	144

SURVIVAL MULTI-FUNCTION TOOL SET

- 15 in 1 multi-tool with nylon pouch
- 250 lumens rechargeable torch 3W LED + 2W COB



Item No.	Size	EAN 69426292+	Inner	Outer
950025		5188 0	6	12

SKELETON MULTI-FUNCTION TOOL SET

- 9-in-1 multi-tool with nylon pouch
- 300 lumens LED torch
- 2 pc AA batteries included



Item No.	Size	EAN 69426292+	Inner	Outer
950028		7183 3	6	24

MINI FOLDING KNIFE 50/CAN



Item No.	Size	EAN 69426292+	Inner	Outer
916003	50/can	8260 0	50	300


POCKET ALUMINUM LEVEL 40/CAN



Item No.	Size	EAN 69426292+	Inner	Outer
916004	40/can	8798 8	40	240

TRAVELER MULTI-FUNCTION TOOL SET

- 17 in 1 mini multi-tool with nylon pouch
- 300 lumens rechargeable LED torch



Item No.	Size	EAN 69426292+	Inner	Outer
950026		5189 7	6	24


40 PC TOOL BOX SET

- 19 pc CR-V bits:
  ⊕ #1, #2, #3 ⊖ 4, 5, 6 mm ⊕ #1, #2, #3
  ○ 3, 4, 5 mm ■ #1, #2, #3
  ✪ T-10, T-15, T-20, T-30
- 1 pc 1/4 in. Dr. adaptor
- 1 pc 90 mm bit extension bar
- 1 pc 1/4 in. Dr. x 75 mm (3 in.) extension bar
- 1 pc 1/4 in. Dr. stubby ratchet handle with bit holder
- 15 pc 1/4 in. Dr. sockets: 4, 4.5, 5 x 2, 5.5, 6 x 2, 7, 8 x 2, 9, 10 x 2, 11,12 mm
- 1 pc stubby ratchet handle
- 1 pc 50 cm (19 in.) tool box



Item No.	Size	EAN 69426292+	Inner	Outer
990009	40 pc	9262 3	0	10

EASY DISPLAY SET UP:



Item No.	QP height	QP QTY/ pallet	Pallet height	EU Pallet QTY		US Pallet QTY		AU Pallet QTY	
	(cm)		(cm)	20'	40'	20'	40'	20'	40'
QP #1	51	8	115	176	384	144	336	160	320
QP #2	61	4	74	132	288	108	252	80	240
QP #3	78	4	91	88	192	72	168	80	160
QP #4	71	4	84	88	192	72	168	80	160
QP #5	100	4	113	88	192	72	168	80	160

#1



#2




#3



#4



EASY DISPLAY SET UP:




#5





TACTIX PRO PLIERS

- Chrome-Nickel steel for maximum durability
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Meets or exceeds DIN standards



The high leverage design is 25%+ more efficient than standard pliers

TACTIX PRO LONG NOSE PLIERS

CR-NI



Item No.	Size	EAN 69426292+	Inner	Outer
201501P	160 mm (6 in.)	6133 9	6	36
201503P	205 mm (8 in.) high Leverage	6134 6	6	24

TACTIX PRO DIAGONAL PLIERS

CR-NI



Item No.	Size	EAN 69426292+	Inner	Outer
201505P	160 mm (6 in.)	6135 3	6	36
201507P	190 mm (7-1/2 in.) high Leverage	6136 0	6	24

TACTIX PRO LINESMAN PLIERS

CR-NI



Item No.	Size	EAN 69426292+	Inner	Outer
201511P	190 mm (7-1/2 in.) high Leverage	6137 7	6	24
201513P	215 mm (8-1/2 in.) high Leverage	6138 4	6	24

TACTIX PRO END NIPPER

CR-NI




Item No.	Size	EAN 69426292+	Inner	Outer
201523P	190 mm (7-1/2 in.) high Leverage	6139 1	6	24

TACTIX PRO AUTO-GRIP GROOVE JOINT PLIERS

- Auto-grip function adjusts lower jaw 4X faster than traditional groove joint pliers
- Chrome-Vanadium steel
- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Meets or exceeds DIN standards

CR-V





Item No.	Size	EAN 69426292+	Inner	Outer
201533P	250 mm (10 in.)	6538 4	6	24
201534P	300 mm (12 in.)	6539 1	6	12






TACTIX PRO SCREWDRIVERS

- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increases grip and leverage
- S2 steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Magnetic tip
- Meets or exceeds DIN standards

TACTIX PRO PHILLIPS SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205322P	#0 x 75 mm (3 in.)	6076 9	6	72
205325P	#1 x 100 mm (4 in.)	6079 0	6	72
205326P	#2 x 38 mm (1-1/2 in.)	6080 6	6	72
205327P	#2 x 100 mm (4 in.)	6081 3	6	72
205330P	#3 x 150 mm (6 in.)	6084 4	6	60


TACTIX PRO 9 PC BALL END LONG HEX KEY SET

- Unique design soft TPE holder. Cr-plated finish with multi color coated



Item No.	Size	EAN 69426292+	Inner	Outer
206503P	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm	6021 9	6	36
206504P	1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6022 6	6	36

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205300P	0.4 x 2.5 x 75 mm (3/32 x 3 in.) E-TIP	6059 2	6	72
205301P	0.5 x 3.0 x 75 mm (1/8 x 3 in.) E-TIP	6060 8	6	72
205303P	0.8 x 4.0 x 100 mm (5/32 x 4 in.) E-TIP	6062 2	6	72

TACTIX PRO POZI SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205341P	#0 x 75 mm (3 in.)	6087 5	6	72
205344P	#1 x 100 mm (4 in.)	6090 5	6	72
205345P	#2 x 38 mm (1-1/2 in.)	6091 2	6	72
205346P	#2 x 100 mm (4 in.)	6092 9	6	72
205348P	#3 x 150 mm (6 in.)	6094 3	6	60

TACTIX PRO 9 PC LONG TORX® KEY SET

- Unique design soft TPE holder. Cr-plated finish with multi color coated



Item No.	Size	EAN 69426292+	Inner	Outer
206505P	T-10, T-15, T-20, T-25, T-27, T-30, T-40, T-45, T-50	6023 3	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO SLOTTED SCREWDRIVER



Item No.	Size	EAN 69426292+	Inner	Outer
205305P	1.0 x 5.5 x 38 mm (1/4 x 1-1/2 in.)	6064 6	6	72
205306P	1.0 x 5.5 x 100 mm (7/32 x 4 in.)	6065 3	6	72
205310P	1.2 x 6.5 x 100 mm (1/4 x 4 in.)	6069 1	6	72
205313P	1.2 x 8.0 x 150 mm (5/16 x 6 in.)	6072 1	6	60

TACTIX PRO TORX® SCREWDRIVER




Item No.	Size	EAN 69426292+	Inner	Outer
205351P	T-8 x 75 mm (3 in.)	6095 0	6	72
205352P	T-10 x 75 mm (3 in.)	6096 7	6	72
205353P	T-15 x 100 mm (4 in.)	6097 4	6	72
205354P	T-20 x 100 mm (4 in.)	6098 1	6	72
205355P	T-25 x 100 mm (4 in.)	6099 8	6	72
205356P	T-27 x 125 mm (5 in.)	6100 1	6	72
205357P	T-30 x 125 mm (5 in.)	6101 8	6	72
205358P	T-40 x 150 mm (6 in.)	6102 5	6	60

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO ADJUSTABLE WRENCH

- Torque ridge handle design creates a high leverage comfortable grip
- Meets 1.3X DIN torque standard




Item No.	Size	Max opening mouth	EAN 69426292+	Inner	Outer
210061P	150 mm (6 in.)	24 mm (15/16 in.)	6024 4	6	36
210063P	200 mm (8 in.)	30 mm (1-3/16 in.)	6025 1	6	36
210065P	250 mm (10 in.)	36 mm (1-3/8 in.)	6026 8	6	24
210067P	300 mm (12 in.)	44 mm (1-3/4 in.)	6027 5	6	12

TACTIX PRO T-HANDLE KEY


- TPV handles are durable, resistant to oil and wear, and provide maximum shock absorbency
- Torque ridge handle design increase grip and leverage
- S2 steel is engineered for extreme durability with up to 30% increased torque capacity than traditional CR-V material
- Meets or exceeds DIN standards

TACTIX PRO BALL END T-HANDLE HEX KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206401P	2 mm	5975 6	6	60
206402P	2.5 mm	5976 3	6	60
206403P	3 mm	5977 0	6	60
206405P	4 mm	5978 7	6	60
206407P	5 mm	5979 4	6	60
206409P	6 mm	5980 0	6	36
206411P	7 mm	5981 7	6	36
206413P	8 mm	5982 4	6	36
206415P	10 mm	5983 1	6	36
206421P	5/64 in.	5984 8	6	60
206423P	3/32 in.	5985 5	6	60
206425P	1/8 in.	5986 2	6	60
206427P	5/32 in.	5987 9	6	60
206429P	3/16 in.	5988 6	6	60
206431P	1/4 in.	5989 3	6	36
206433P	5/16 in.	5990 9	6	36
206435P	3/8 in.	5991 6	6	36

TACTIX PRO T-HANDLE TORX® KEY



Item No.	Size	EAN 69426292+	Inner	Outer
206441P	T-9	5992 3	6	60
206442P	T-10	5993 0	6	60
206443P	T-15	5994 7	6	60
206444P	T-20	5995 4	6	60
206445P	T-25	5996 1	6	60
206446P	T-27	5997 8	6	36
206447P	T-30	5998 5	6	36
206448P	T-40	5999 2	6	36
206449P	T-45	6000 4	6	36
206450P	T-50	6001 1	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

TACTIX PRO 7 PC BALL END T-HANDLE HEX SET





Item No.	Size	EAN 69426292+	Inner	Outer
206457P	2.5, 3, 4, 5, 6, 8, 10 mm	6002 8	6	12
206458P	3/32, 1/8, 5/32, 3/16, 1/4, 5/16, 3/8 in.	6003 5	6	12

TACTIX PRO 7 PC T-HANDLE TORX® SET





Item No.	Size	EAN 69426292+	Inner	Outer
206459P	T-10, T-15, T-20, T-25, T-27, T-30, T-40	6004 2	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.



TACTIX PRO CLAW HAMMER

- Shock absorbing forged design
- Precision forged head
- Durable one-piece construction
- Oversized striking face
- Ergonomic design, non-slip 3 color handle
- Meets or exceeds DIN standards



Item No.	Size	EAN 69426292+	Inner	Outer
221805P	450 g (16 oz.)	7108 6	6	12


28 PC STUBBY RATCHET SET

- 20 pc S2 color bits:
  - 4, 5.5, 6.5 mm; #1, 2, 3; #1, 2, 3;
  - 3, 4, 5, 6 mm; T10, T15, T20, T25, T27, T30, T40
- 1 pc CR-V bit socket adapter
- 5 pc 1/4 in. Dr. CR-V sockets: 4, 5, 6, 8, 10 mm
- 1 pc 1/4 in. Dr. stubby ratchet handle
- 1 pc stainless steel quick chuck



Item No.	Size	EAN 69426292+	Inner	Outer
555928P	28 pc	5633 5	12	24


PRECISION TOOLS



TACTIX®
PRECISION

TACTIX®







5 PC PRECISION SCREWDRIVER SET

#00, #0
0.8, 1.5, 2.0 mm

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545223	5 pc	1899 9	6	36

6 PC PRECISION SCREWDRIVER BOX SET

#0, #1
2.0, 3.0 mm
T-8, T-10

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545218	6 pc	4155 3	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET

#00, #0
1.5, 2.0, 2.5, 3.0 mm

S2




Item No.	Size	EAN 69426292+	Inner	Outer
545551	6 pc	6037 0	6	36

11 PC MOBILE PHONE TOOL BOX SET

#0 2.0 mm
T-5, T-6 & T8
• 1 pc organizer
• 2 pc shell opener
• 3 pc special screwdriver.

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545571	11 pc	6041 7	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

6 PC PRECISION SCREWDRIVER BOX SET

#00, #0 & #1
2.0, 2.5, 3.0 mm

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545221	6 pc	1898 2	6	36

6 PC TORX PRECISION SCREWDRIVER BOX SET

T-5, T-6, T-7, T-8, T9 & T10

S2




Item No.	Size	EAN 69426292+	Inner	Outer
545557	6 pc	6038 7	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC PRECISION SCREWDRIVER BOX SET

#00, #0, #1
0.8, 1.0, 1.5, 2.0, 2.5, 3.0 mm
T-6, T-7, T-8, T9 & T10
• 1 pc organizer

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545575	15 pc	6042 4	6	24

7 PC PRECISION SCREWDRIVER BOX SET

#00, #0 & #1
1.5, 2.5, 3.0 mm
T-6

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545231	7 pc	1903 3	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

32 PC PRECISION SCREWDRIVER BIT BOX SET

- 30 pc bits:
- ⊕ #000, #00, #0 & #1
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5 & 4.0 mm
- ✲ #0, #1
- ✪ T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- ○ 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0 & 4.0 mm
- 1 pc 115 mm (4-1/2 in.) extension bar
- 1 pc precision screwdriver handle



Item No.	Size	EAN 69426292+	Inner	Outer
545532	32 pc	3167 7	6	36

20 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc suction cup
- 12 pc H4 x 28 mm S2 Precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ✪ 0.8, 1.2
- ✪ T-4, T-5, T-6, T-7, T-8 & T-10
- ▲ 2.0
- 1 pc 60 mm (2-1/4 in.) extension bar
- 1 pc sim card ejector
- 1 pc triangle paddle
- 1 pc organizer



Item No.	Size	EAN 69426292+	Inner	Outer
545603	20 pc	6525 2	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

53 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 2 pc precision screwdrivers: ✪ 0.8 ⊕ #00
- 2 pc plastic opening sticks • 1 pc suction cup
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ✪ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- ○ 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ▲ 2.0, 3.0 ◢ Y2.0 Ⓤ U2.6
- ✪ 0.8, 1.2, 1.5 ○ R0.8
- 1 pc sim card ejector • 1 pc triangle paddle
- 1 pc tweezer • 1 pc organizer

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545625	53 pc	6043 1	6	24

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

44 PC PRECISION BIT SET

- 1 pc precision screwdriver handle
- 1 pc 60 mm (2-1/4 in.) extension bar
- 6 pc nut drivers: M2.5, 3.0, 3.5, 4.0, 4.5, 5.0 mm
- 36 pc H4 x 28 mm S2 precision bits:
- ⊖ 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0 mm
- ⊕ #000, #00, #0, #1
- ✪ T-3, T-4, T-5, T-6, T-7, T-8, T-9, T-10, T-15 & T-20
- ○ 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0 mm
- ▲ 2.0, 3.0
- ◢ Y2.0
- ✪ 0.8, 1.2, 1.5
- Ⓤ U2.6
- ○ R0.8

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545601	44 pc	6524 5	6	36

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

15 PC MOBILE PHONE REPAIR TOOL SET

- 1 pc precision screwdriver handle
- 2 pc plastic opening sticks
- 1 pc triangle paddle
- 8 pc H4 x 45 mm S2 precision bits:
- ⊕ #000, #00
- ⊖ 1.2 mm
- ✪ 0.8
- ✪ T-4, T-5 & T-6
- ◢ Y2.0
- 1 pc suction cup
- 1 pc sim card ejector
- 1 pc organizer

S2



Item No.	Size	EAN 69426292+	Inner	Outer
545605	15 pc	6739 3	6	36

14 PC PRECISION TOOL SET

- 1 pc mini long nose pliers
- 1 pc mini diagonal pliers
- 1 pc mini bent nose pliers
- 1 pc mini end nipper pliers
- 10 pc precision screwdrivers:
- ⊕ #00, #0
- ⊖ 1.5, 2.0, 2.5, 3.0 mm
- ✪ T-5, T-6, T-8, & T-10

S2




Item No.	Size	EAN 69426292+	Inner	Outer
545714	14 pc	7192 5	6	12

TORX® IS A TRADEMARK OF TEXTRON FASTENING SYSTEMS.

SLOTTED SCREW STARTER

- Hold slotted screw.

CR-V





Item No.	Size	EAN 69426292+	Inner	Outer
545207		1891 3	6	36

17 PC HOBBY TOOLS SET


- 1 pc 300 mm (12 in.) ruler • 2 pc tweezers
- 1 pc magnifier 3X • 1 pc flush cutting pliers
- 1 pc hobby knife • 5 pc hobby knife blades
- 1 pc 9 mm snap-off knife • 3 pc needle file
- 1 pc 4-in-1 pocket screwdriver
- ⊕ #000, #0, ⊖ 2.0, 3.0
- 1 pc cutting mat 30 x 22 cm
- Nylon pouch included



Item No.	Size	EAN 69426292+	Inner	Outer
545717	17 pc	6044 8	0	12

MICRO HAND DRILL


- Turn by pushing the knurled center ring up and down.
- Ideal for all small drill bits.
- Compliments TACTIX Precision sets 545077&545079.



Item No.	Size	EAN 69426292+	Inner	Outer
545051	0.1-1.5 mm (0.004-0.059 in.)	1813 5	12	144

8 PC DOWEL CENTER SET

- Correctly and accurately position marks for precise drilling for dowel holes.
- Contents: 2 of each size ø 1/4, 5/16, 3/8, 1/2 in.










Item No.	Size	EAN 69426292+	Inner	Outer
545093	8 pc	1834 0	12	144

12 PC FRET SAW BLADE SET

- Fits most popular saw frames.
- 3 of each size #5 (17T), #6 (16T), #10 (12T), #12 (10T)







Item No.	Size	EAN 69426292+	Inner	Outer
545031	12 pc	1803 6	24	144

ADJUSTABLE SAW FRAME

- Fits blades from 10-140 mm (3/8-5-1/2 in.)






Item No.	Size	EAN 69426292+	Inner	Outer
545069		1822 7	6	36

3 PC CARVING SET

- Highly polished stainless-steel double ended tools.
- Knurled gripping surfaces for better control.
- Use for mixing, applying, spreading and smoothing.

STAINLESS STEEL



Item No.	Size	EAN 69426292+	Inner	Outer
545033	3 pc	1804 3	12	144

PARALLEL CLAMP

- Opening: 0-25.4 mm (1 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
545057		1816 6	12	72

20 PC MICRO DRILL BIT SET

- Top quality HSS ground drill bits.
- Drill numbers 0.3-1.6 mm.

H.S.S



Item No.	Size	EAN 69426292+	Inner	Outer
545079	20 pc	1827 2	12	72

JUNIOR HACKSAW

- SK4 blade.




Item No.	Size	EAN 69426292+	Inner	Outer
545297	152 mm (6 in.)	1936 1	12	72

10 PC RIFFLER FILE SET

- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- For detail work in wood, plaster, plastic and metal.
- Plastic pouch included.






Item No.	Size	EAN 69426292+	Inner	Outer
545075	10 pc	1825 8	12	48

10 PC NEEDLE FILE SET

- Medium grade flat, round and triangular profiles.
- Double ended for twice the life.
- Plastic pouch included.





Item No.	Size	EAN 69426292+	Inner	Outer
545076	10 pc	4152 2	12	48

RIGHT ANGLE DRIVE ATTACHMENT

- 90° angles with 9.5mm shaft;
- Compact design allows work in tight areas;
- For drilling in hard-to-reach places




Item No.	Size	EAN 69426292+	Inner	Outer
545089		1832 6	6	36

COUNTERSINK

- Stepped shank for use with most 1/4 in. and 3/8 in. chucks.
- Multi fluted cutting edge removes stock quickly and prevents chatter.
- For deburring and chamfering holes on steel, plastic, wood and other materials.







Item No.	Size	EAN 69426292+	Inner	Outer
545103	1/2 in. (12.7 mm)	1839 5	24	144
545105	5/8 in. (15.9 mm)	1840 1	24	144
545107	3/4 in. (19.1 mm)	1841 8	24	144

HANDY COUNTERSINK

- Great multi-use tool for deburring and countersinking.
- Chamfered head has five cutting flutes and is made from tool steel.
- Works on many surfaces including iron, wood, plastic, copper, aluminum and sheet metal.






Item No.	Size	EAN 69426292+	Inner	Outer
545109	3/4 in. (19.1 mm)	1842 5	12	48

4 PC ADJUSTABLE PILOT BIT SET

- #6 (3/32 in.), #8 (7/64 in.), #10 (1/8 in.) & #12 (9/64 in.)
- 1/4 in. hex shanks prevent slippage in electric drills and used in power screwdrivers.
- Drill, countersink and counterbore precision screw holes in a single operation when doing fine carpentry and woodworking.







Item No.	Size	EAN 69426292+	Inner	Outer
545111	4 pc	1843 2	12	144

HINGE BIT

- Use for drilling pilot hole in cabinet and door hinges, door butts and hardware.
- Spring loaded outer guide keeps drill centered for perfect pilot holes.
- Adjustable drill depth.






Item No.	Size	EAN 69426292+	Inner	Outer
545113	5/64 in.	1844 9	12	72
545115	7/64 in.	1845 6	12	72
545117	9/64 in.	1846 3	12	72

PLUG CUTTER

- Provide accurate plugs for covering screw holes in decking, flooring and other woodworking projects.
- Engineered to start cutting plugs easily with hand-held drills or drill press.





Item No.	Size	EAN 69426292+	Inner	Outer
545119	10 mm	1847 0	12	72
545121	13 mm	1848 7	12	72
545123	16 mm	1849 4	12	72

SCRIBER

- Marks hard materials including hardened steel, stainless steel, ceramics and glass.




Item No.	Size	EAN 69426292+	Inner	Outer
545143	145 mm (5-3/4 in.)	1859 3	12	144

SCRIBER

- This scriber consists of short straight and short 90º bent steel points which thread into knurled body.
- Made of carbon steel
- Overall length: 200 mm (8 in.)









Item No.	Size	EAN 69426292+	Inner	Outer
545145	200 mm (8 in.)	1860 9	6	72

5 PC CARVING TOOL SET

- Half round chisel 9 mm (11/32 in.).
- Straight chisel 11 mm (3/8 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Bent V parting tool 4.5 mm (11/64 in.).
- Bent gouge 11 mm (3/8 in.).



Item No.	Size	EAN 69426292+	Inner	Outer
545285	5 pc	1930 9	6	36

6 PC CARVING TOOL SET

- Bent gouge 11 mm (3/8 in.).
- Bent V parting tool 9 mm (11/32 in.).
- Straight round chisel 9 mm (11/32 in.).
- Straight skew chisel 11 mm (3/8 in.).
- Straight chisel 11 mm (3/8 in.).
- Bent round chisel 9 mm (11/32 in.).



Item No.	Size	EAN 69426292+	Inner	Outer
545283	6 pc	1929 3	6	36

20 LEAF TAPER GAUGE

- 0.05, 0.1, 0.15, 0.2, 0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.55, 0.6, 0.65, 0.7,0.75, 0.8, 0.85, 0.9, 0.95 & 1.0 mm
- 102 mm leaf is from 6-10 mm wide.



Item No.	Size	EAN 69426292+	Inner	Outer
545165	20 pc	1870 8	6	36



FLAT LEG DIVIDER

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN 69426292+	Inner	Outer
545147	102 mm (4 in.)	1861 6	6	36
545149	152 mm (6 in.)	1862 3	6	36

OUTSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN 69426292+	Inner	Outer
545151	103 mm (4 in.)	1863 0	6	36
545153	150 mm (6 in.)	1864 7	6	36

INSIDE CALIPERS

- Square leg calipers of hardened and forged steel for added rigidity and precision.
- Fast action release.
- Hardened and tempered bow springs.



Item No.	Size	EAN 69426292+	Inner	Outer
545155	106 mm (4-3/16 in.)	1865 4	6	36
545157	160 mm (6-5/16 in.)	1866 1	6	36

DRILL BIT GAUGE


- High-quality stainless-steel gauge quickly and accurately identifies drill bit size.
- Permanently etched markings are clear and easy to read indicating both hole size and decimal equivalent.



Item No.	Size	EAN 69426292+	Inner	Outer
545128	1-13 mm	3446 3	24	96

ANGLE PROTRACTOR

- Measure and mark the degrees of an angle on outside, inside and sloped angles.
- Graduations from 0° to 165° in opposite directions with lock nut.



Item No.	Size	EAN 69426292+	Inner	Outer
545131		1853 1	6	72

FOLDING RULER


- Metric and SAE graduations.



Item No.	Size	EAN 69426292+	Inner	Outer
545133	200 mm (8 in.)	1854 8	12	72

STEEL PROTRACTOR


- For setting bevels, measuring and transferring angles.
- Stainless steel quality for better accuracy.
- Permanently etched graduations; 0-180°.
- 150 mm (6 in.) adjustable arm locks into place with knurled thumb nut.



Item No.	Size	EAN 69426292+	Inner	Outer
545173	150 mm (6 in.)	1874 6	6	36

PROTRACTOR AND DEPTH GAUGE

- A versatile tool that allows the angle and depth to be measured simultaneously.
- 0-180° in opposite directions allowing the direct reading of angles and supplementary angles.



Item No.	Size	EAN 69426292+	Inner	Outer
545175	150 mm (6 in.)	1875 3	6	36

MICRO SNIPS

- Spring action handles speeds your work by returning the snips to the open position.
- Excellent for modeling, needlecraft, bead stringing etc.

STAINLESS STEEL





Item No.	Size	EAN 69426292+	Inner	Outer
545005		1790 9	24	144

STRAIGHT TIP JEWELLERS TINSNIPS

- Suitable for cutting intricate shapes in light gauge metal and materials.






Item No.	Size	EAN 69426292+	Inner	Outer
545037	180 mm (7 in.)	1806 7	6	36

2 PC TWEEZERS SET

- Durable plastic quality.
- Serrated jaws with wide tips.
- Great for crafts and school projects.





Item No.	Size	EAN 69426292+	Inner	Outer
545035	2 pc	1805 0	6	72

MAGNIFIER TWEEZERS

- Elegantly simple and easy to use.
- 25 mm (1 in.) magnifier mounted on a 75 mm (2-1/2 in.) stainless steel handle with fold out precision tweezers.
- Focal point for the magnifier is matched to the tweezers point.





Item No.	Size	EAN 69426292+	Inner	Outer
545007	10 x power	1791 6	24	144

CUTTING KNIFE SET

- 1 pc cutting knife with cover
- 5 pc blades in storage box.
- Replacement blades #545013.




Item No.	Size	EAN 69426292+	Inner	Outer
545045		1810 4	12	72

4 PC TWEEZERS SET

- Use for electronics repair, precision assembly, and models.
- Includes self-locking, needle point, angle point and flat smooth point.
- Non-slip knurled grips.
- Heavy duty tweezers set.



STAINLESS STEEL



Item No.	Size	EAN 69426292+	Inner	Outer
545065	4 pc	1919 4	12	72

EYEGLASS LOUPE

- 10 x magnifying power.
- Scratch resistant lens.





Item No.	Size	EAN 69426292+	Inner	Outer
545009		1792 3	12	144

GLASS MAGNIFIER

- 3 x magnifying power.
- Diameter: 58 mm (2-1/4 in.)



Item No.	Size	EAN 69426292+	Inner	Outer
545261		1918 7	12	72

EYEGLASS REPAIR KIT

- Includes: screwdriver, tweezers, screws, nose pads and rubber o-rings.
- Convenient travel case.
- Perfect for quick emergency repairs and adjustments.





Item No.	Size	EAN 69426292+	Inner	Outer
545237		1906 4	12	144

MINI SCISSORS

- Spring loaded and knurled handles for excellent use on modeling, needlecraft, bead stringing etc.

STAINLESS STEEL



Item No.	Size	EAN 69426292+	Inner	Outer
545025	120 mm (4-4/5 in.)	1800 5	12	144

FOLDING POCKET MAGNIFIER

- 4 x magnifying power
- Optical quality precision grounded glass lens.
- Durable swing-away case provides protective cover for lens and serves as a handle.



Item No.	Size	EAN 69426292+	Inner	Outer
545263		1919 4	12	72

POCKET CENTER PUNCH

- Punches, marks, scribes and starts drill, nail or screw hole.
- One-hand spring impact operation. No hammer needed.



Item No.	Size	EAN 69426292+	Inner	Outer
545141	125 mm (5 in.)	1858 6	12	144

HOBBY HAMMER

- One head flat and the other chisel shaped for spreading rivet heads.
- Great for driving home small pins, nails and railroad spikes.



Item No.	Size	EAN 69426292+	Inner	Outer
545071	210 mm (8-1/2 in.)	1823 4	12	72

LED LIGHT MAGNETIC PICK-UP TOOL

- Powerful magnetic pick-up tool holds up to 5 lbs.
- Durable, energy efficient LED bulb.
- Easy pick up in dark and hard to reach areas.
- Extends up to 31-1/2 in. (800 mm)

MAGNETIC TIP





Item No.	Size	EAN 69426292+	Inner	Outer
545265		1920 0	12	72

RAZOR SCRAPER

- For scraping paint, trimming wallpaper and scoring cardboard.
- Straight razor blade retracts into steel handle for storage.
- With one blade.





Item No.	Size	EAN 69426292+	Inner	Outer
545275		1925 5	12	144

BALL PEIN HAMMER

- Drop forged steel head for strength and durability.
- Use for shaping metal or riveting.



Item No.	Size	EAN 69426292+	Inner	Outer
545073	210 mm (8-1/2 in.)	1824 1	12	72

TELESCOPING MAGNETIC PICK-UP

- Powerful magnet holds up to 5 lbs.
- Telescopic from 6 to 24 in. (152 to 610 mm)

MAGNETIC TIP





Item No.	Size	EAN 69426292+	Inner	Outer
545267		1921 7	12	144

13 PC CARVING KNIFE BOX SET

- 10 pc blades: 2 pc chisel, 2 pc V-gouge, 2 pc V-gouge, 2 pc U-gouge, 2 pc U-gouge.
- 2 pc storage tubes.
- 1 pc precision carving knife handles.



Item No.	Size	EAN 69426292+	Inner	Outer
545279	13 pc	1927 9	6	36

SWIVEL VACUUM VISE

- Ideal for holding small parts
- Vacuum suction base
- Tabletop 360° rotates and swivels vise tilts 90°
- Max open 70 mm







Item No.	Size	EAN 69426292+	Inner	Outer
545255		1915 6	0	6

BENDABLE SHAFT MAGNETIC PICK-UP

- Powerful magnet holds up to 1.5 lbs.
- Overall length is 24 in. (610 mm)



MAGNETIC TIP




Item No.	Size	EAN 69426292+	Inner	Outer
545269		1922 4	12	72

MAGNETIZER/DEMAGNETIZER

- To magnetize or demagnetize tool tips.





Item No.	Size	EAN 69426292+	Inner	Outer
545273		1924 8	12	72

17 PC HOBBY KNIFE SET

- 15 pc blades: 5 of short radius; 5 of sharp angle; 5 of short angle.
- 1 pc storage tube.
- 1 pc precision knife handle.

SK5



Item No.	Size	EAN 69426292+	Inner	Outer
545291	17 pc	1933 0	6	36

GLASS CUTTER

- Steel wheel with honed angle of 120 degrees for cutting single and double strength glass.
- Ball end for starting the run and notches in the cutting head for helping to break out thinner glass.





Item No.	Size	EAN 69426292+	Inner	Outer
545293	130 mm (5-1/8 in.)	1934 7	12	144

12 SETS GROMMETS SET

- Including 12 sets grommets.
- To repair or add grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.



Item No.	Size	EAN 69426292+	Inner	Outer
545299GRO	10 mm (3/8 in.)	5911 4	10	60
545300GRO	16 mm (5/8 in.)	7022 5	10	60

13 PC 10 mm GROMMET REPAIR KIT

- Including 12 sets grommets.
- To repair or add 10 mm (3/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.







Item No.	Size	EAN 69426292+	Inner	Outer
545299	13 pc	1937 8	6	36

13 PC 16 mm GROMMET REPAIR KIT

- Including 12 sets grommets.
- To repair or add 16 mm (5/8 in.) grommets to fabrics and other materials.
- Used on tarps, pool covers, canvas tents, sail cloth and lawn furniture.







Item No.	Size	EAN 69426292+	Inner	Outer
545300	13 pc	7021 8	6	36

ACRYLIC CUTTER

- Tungsten carbide cutting tip; Precise cutting of plexiglass, styrene, laminate and other materials



Item No.	Size	EAN 69426292+	Inner	Outer
545295	195 mm (7-1/2 in.)	1935 4	12	72

2 PC MINI PLIERS SET

- Built-in spring return.
- Excellent for modeling, needlecraft, bead string etc.
- Long nose & diagonal



Item No.	Size	EAN 69426292+	Inner	Outer
545301		1938 5	6	36

4 PC PRECISION BLADE BOX SET


- Straight, 35° bend, 90° bend,180° hook.
- plastic storage box included.



Item No.	Size	EAN 69426292+	Inner	Outer
545313	4 pc	1944 6	6	36

TORPEDO LEVEL

- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



Item No.	Size	EAN 69426292+	Inner	Outer
545317	150 mm (6 in.)	1946 0	12	48

BULL'S EYE LEVEL

- Made of unbreakable acrylic plastic.
- For leveling machines, audio and video equipment, pool and game tables, electric appliances, and many other items.



Item No.	Size	EAN 69426292+	Inner	Outer
545319		1947 7	12	144

4 PC MARKING TOOL SET

- 1 pc steel awl.
- 1 pc steel scribe.
- 1 pc storage tube.
- 1 pc precision grip handle.



Item No.	Size	EAN 69426292+	Inner	Outer
545321	4 pc	1948 4	6	36

RECTANGULAR TELESCOPING MIRROR

- Telescopic from 11 to 29-1/2 in. (280 to 750 mm)
- Inspection mirror 2 x 3-1/2 in. (50 x 89 mm)



Item No.	Size	EAN 69426292+	Inner	Outer
545323		1949 1	12	72

ROUND INSPECTION MIRROR

- Telescopic from 9-1/2 to 27-1/2 in. (241 to 698.5 mm)
- Inspection mirror 2 in. (50 mm)




Item No.	Size	EAN 69426292+	Inner	Outer
545325		1950 7	12	72

POWER TOOLS ACCESSORIES



TACTIX®





TACTIX®

POWER TOOLS ACCESSORIES

A Comprehensive Range Suitable For TACTIX








For your safety, protective equipment as above are recommended to be worn during use.



HSS TWIST DRILL BITS






- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° | HSS 6542 | DIN 338

HSS COBALT TWIST DRILL BITS






- Titanium coated for long life
- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° | HSS 6542 | DIN 338

HSS COBALT TWIST DRILL BITS






- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

135° | M35 | DIN 338

CONCRETE DRILL BITS






- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry

YG8 | DIN 8039

MULTI-PURPOSE DRILL BITS






- High carbon steel body with YG8 carbide tip
- For masonry, tile, wood, chipboard, metal plate and plastic

YG8 | DIN 8039

HSS BRAD POINT WOOD DRILL BITS






- Precision ground #4241 high speed steel
- Brad point tip provides accuratepositioning for starting
- For soft wood, hard wood, plywood, hardboards and veneer wood

HSS 4241 | DIN 338




HSS TWIST DRILL BITS





- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° | HSS 6542 | DIN 338



135° Split Point
- Self - centering (won't "walk")
- Best for portable drills
- Requires less force than 118°

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410001	2 PC 1.0 mm	12 mm	34 mm	1952 1	20	200
410003	2 PC 1.5 mm	18 mm	40 mm	1953 8	20	200
410005	2 PC 2.0 mm	24 mm	49 mm	1954 5	20	200
410007	2 PC 2.5 mm	30 mm	57 mm	1955 2	20	200
410009	2 PC 3.0 mm	33 mm	61 mm	1956 9	20	200
410011	3.2 mm	36 mm	65 mm	1957 6	20	200
410013	3.5 mm	39 mm	70 mm	1958 3	20	200
410015	4.0 mm	43 mm	75 mm	1959 0	20	200
410017	4.2 mm	43 mm	75 mm	1960 6	20	200
410019	4.5 mm	47 mm	80 mm	1961 3	20	200
410021	4.8 mm	52 mm	86 mm	1962 0	20	200
410023	5.0 mm	52 mm	86 mm	1963 7	20	200
410025	5.5 mm	57 mm	93 mm	1964 4	20	120
410027	6.0 mm	57 mm	93 mm	1965 1	20	120
410029	6.5 mm	63 mm	101 mm	1966 8	20	120
410031	7.0 mm	69 mm	109 mm	1967 5	20	120
410033	7.5 mm	69 mm	109 mm	1968 2	20	120
410035	8.0 mm	75 mm	117 mm	1969 9	20	120
410037	8.5 mm	75 mm	117 mm	1970 5	20	120
410039	9.0 mm	81 mm	125 mm	1971 2	20	120
410041	9.5 mm	81 mm	125 mm	1972 9	20	120
410043	10.0 mm	87 mm	133 mm	1973 6	20	120
410045	10.5 mm	87 mm	133 mm	1974 3	20	120
410047	11.0 mm	94 mm	142 mm	1975 0	20	120
410051	12.0 mm	101 mm	151 mm	1977 4	20	120
410053	12.5 mm	101 mm	151 mm	1978 1	20	120
410055	13.0 mm	101 mm	151 mm	1979 8	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410061	1/32 in.	3/8 in.	1-3/4 in.	6741 6	20	200
410062	1/16 in.	11/16 in.	1-9/16 in.	6742 3	20	200
410063	5/64 in.	1 in.	2 in.	6743 0	20	200
410064	3/32 in.	1-1/4 in.	2-1/4 in.	6744 7	20	200
410065	7/64 in.	1-1/2 in.	2-5/8 in.	6745 4	20	200
410066	1/8 in.	1-5/8 in.	2-3/4 in.	6746 1	20	200
410068	5/32 in.	2 in.	3-1/8 in.	6747 8	20	200
410070	3/16 in.	2-5/16 in.	3-1/2 in.	6748 5	20	200
410072	7/32 in.	2-1/2 in.	3-3/4 in.	6749 2	20	120
410074	1/4 in.	2- 3/4 in.	4 in.	6750 8	20	120
410076	5/16 in.	3-3/16 in.	4-1/2 in.	6751 5	20	120
410078	3/8 in.	3-5/8 in.	5 in.	6752 2	20	120
410080	7/16 in.	4-1/16 in.	5-1/2 in.	6753 9	20	120
410082	1/2 in.	4-1/2 in.	6 in.	6754 6	20	120
410084	9/16 in.	4-1/4 in.	6-5/16 in.	6755 3	20	120
410086	5/8 in.	4-3/4 in.	7 in.	6756 0	10	60
410088	3/4 in.	5-5/16 in.	7-13/16 in.	6757 7	10	60

5 PC HSS TWIST DRILL BITS





HSS 6542 | 135° | DIN 338

Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410081	5 PC HSS Twist Drill Bits	3816 4	10	60

13 PC HSS TWIST DRILL BITS





HSS 6542 | 135° | DIN 338

Contents:
1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5,4.8, 5, 5.5, 6, 6.5 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410085	13 PC HSS Twist Drill Bits	3817 1	10	60

HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410484	19 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm	5916 9	5	20
410494	21 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in.	5922 0	5	20

19 PC HSS TWIST DRILL BITS



HSS 6542 | 135° | DIN 338

Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5,10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410087	19 PC HSS Twist Drill Bits	4995 5	5	20

HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410482	13 PC Metric	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm	5915 2	6	36
410492	13 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in.	5920 6	6	36

HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410486	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10,10.5, 11, 11.5, 12, 12.5, 13 mm	5918 3	5	10
410496	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64,3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64,13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	5924 4	5	10

25 PC HSS TWIST DRILL BITS




HSS 6542 | 135° | DIN 338

Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5,10, 10.5, 11, 11.5,12, 12.5, 13 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410089	25 PC HSS Twist Drill Bits	5006 7	5	10

TI-COATED HSS TWIST DRILL BITS





- Titanium coated for long life
- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° | HSS 6542 | DIN 338

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410101	2 PC 1.0 mm	12 mm	34 mm	1980 4	20	200
410103	2 PC 1.5 mm	18 mm	40 mm	1981 1	20	200
410105	2 PC 2.0 mm	24 mm	49 mm	1982 8	20	200
410107	2 PC 2.5 mm	30 mm	57 mm	1983 5	20	200
410109	2 PC 3.0 mm	33 mm	61 mm	1984 2	20	200
410111	3.2 mm	36 mm	65 mm	1985 9	20	200
410113	3.5 mm	39 mm	70 mm	1986 6	20	200
410115	4.0 mm	43 mm	75 mm	1987 3	20	200
410117	4.2 mm	43 mm	75 mm	1988 0	20	200
410119	4.5 mm	47 mm	80 mm	1989 7	20	200
410121	4.8 mm	52 mm	86 mm	1990 3	20	200
410123	5.0 mm	52 mm	86 mm	1991 0	20	200
410125	5.5 mm	57 mm	93 mm	1992 7	20	120
410127	6.0 mm	57 mm	93 mm	1993 4	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410129	6.5 mm	63 mm	101 mm	1994 1	20	120
410131	7.0 mm	69 mm	109 mm	1995 8	20	120
410133	7.5 mm	69 mm	109 mm	1996 5	20	120
410135	8.0 mm	75 mm	117 mm	1997 2	20	120
410137	8.5 mm	75 mm	117 mm	1998 9	20	120
410139	9.0 mm	81 mm	125 mm	1999 6	20	120
410141	9.5 mm	81 mm	125 mm	2000 8	20	120
410143	10.0 mm	87 mm	133 mm	2001 5	20	120
410145	10.5 mm	87 mm	133 mm	2002 2	20	120
410147	11.0 mm	94 mm	142 mm	2003 9	20	120
410149	11.5 mm	94 mm	142 mm	2004 6	20	120
410151	12.0 mm	101 mm	151 mm	2005 3	20	120
410153	12.5 mm	101 mm	151 mm	2006 0	20	120
410155	13.0 mm	101 mm	151 mm	2007 7	20	120

5 PC TI-COATED HSS TWIST DRILL BITS





HSS 6542 | 135° | DIN 338

Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410181	5 PC Ti-coated HSS Twist Drill Bits	3818 8	10	60

13 PC TI-COATED HSS TWIST DRILL BITS





HSS 6542 | 135° | DIN 338

Contents:
1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5,4.8, 5, 5.5, 6, 6.5 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410185	13 PC Ti-coated HSS Twist Drill Bits	3819 5	10	60



TI-COATED HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410485	19 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6,6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10 mm	5917 6	5	20
410495	21 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8 in.	5923 7	5	20

19 PC TI-COATED HSS TWIST DRILL BITS



HSS 6542 | 135° | DIN 338

Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5,10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410187	19 PC Ti-coated HSS Twist Drill Bits	4996 2	5	20

TI-COATED HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410483	13 PC Metric	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm	5850 6	6	36
410493	13 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in.	5921 3	6	36

TI-COATED HSS DRILL METAL CASE SET



HSS 4241 | 118° | 135°

Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410487	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm	5919 0	5	10
410497	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64,13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	5925 1	5	10

25 PC TI-COATED HSS TWIST DRILL BITS




HSS 6542 | 135° | DIN 338

Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5,10, 10.5, 11, 11.5,12, 12.5, 13 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410189	25 PC Ti-coated HSS Twist Drill Bits	2738 0	5	10

HSS COBALT TWIST DRILL BITS



- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410370	2 PC 1.0 mm	12 mm	34 mm	6209 1	20	100
410371	2 PC 1.5 mm	18 mm	40 mm	6210 7	20	100
410372	2 PC 2.0 mm	24 mm	49 mm	6211 4	20	100
410373	2 PC 2.5 mm	30 mm	57 mm	6212 1	20	100
410374	2 PC 3.0 mm	33 mm	61 mm	6213 8	20	100
410375	3.2 mm	36 mm	65 mm	6214 5	20	100
410376	3.5 mm	39 mm	70 mm	6215 2	20	100
410377	4.0 mm	43 mm	75 mm	6216 9	20	100
410379	4.5 mm	47 mm	80 mm	6218 3	20	100
410381	5.0 mm	52 mm	86 mm	6220 6	20	100
410382	5.5 mm	57 mm	93 mm	6221 3	20	60
410383	6.0 mm	57 mm	93 mm	6222 0	20	60
410384	6.5 mm	63 mm	101 mm	6223 7	20	60
410385	7.0 mm	69 mm	109 mm	6224 4	20	60
410386	7.5 mm	69 mm	109 mm	6225 1	20	60
410387	8.0 mm	75 mm	117 mm	6226 8	20	60
410388	8.5 mm	75 mm	117 mm	6227 5	20	60
410389	9.0 mm	81 mm	125 mm	6228 2	20	60
410390	9.5 mm	81 mm	125 mm	6229 9	20	60
410391	10.0 mm	87 mm	133 mm	6230 5	20	60
410392	10.5 mm	87 mm	133 mm	6231 2	20	60
410393	11.0 mm	94 mm	142 mm	6232 9	20	60
410394	11.5 mm	94 mm	142 mm	6233 6	20	60
410395	12.0 mm	101 mm	151 mm	6234 3	20	60
410396	12.5 mm	101 mm	151 mm	6235 0	20	60
410397	13.0 mm	101 mm	151 mm	6236 7	20	60

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410411	2 PC 1/32 in.	3/8 in.	1-3/4 in.	6528 3	20	100
410413	2 PC 1/16 in.	11/16 in.	1-9/16 in.	6529 0	20	100
410414	2 PC 5/64 in.	1 in.	2 in.	6530 6	20	100
410415	2 PC 3/32 in.	1-1/4 in.	2-1/4 in.	7216 8	20	100
410416	7/64 in.	1-1/2 in.	2-5/8 in.	7217 5	20	100
410417	1/8 in.	1-5/8 in.	2-3/4 in.	7218 2	20	100
410418	9/64 in.	1-3/4 in.	2-7/8 in.	7219 9	20	100
410419	5/32 in.	2 in.	3-1/8 in.	7220 5	20	100
410421	3/16 in.	2-5/16 in.	3-1/2 in.	7221 2	20	100
410423	7/32 in.	2-1/2 in.	3-3/4 in.	7222 9	20	60
410425	1/4 in.	2- 3/4 in.	4 in.	7223 6	20	60
410429	5/16 in.	3-3/16 in.	4-1/2 in.	7224 3	20	60
410433	3/8 in.	3-5/8 in.	5 in.	7225 0	20	60
410437	7/16 in.	4-1/16 in.	5-1/2 in.	7226 7	20	60
410441	1/2 in.	4-1/2 in.	6 in.	7227 4	20	60



HEX SHANK HSS TWIST DRILL BITS

- For steel, cast iron, malleable iron, non-ferrous metal and plastic
- Hex shank for quick change adapters and a more secure fit



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410203	2 PC 1.5 mm	18 mm	62 mm	4765 4	20	200
410205	2 PC 2.0 mm	24 mm	71 mm	4766 1	20	200
410207	2 PC 2.5 mm	30 mm	79 mm	4767 8	20	200
410209	2 PC 3.0 mm	33 mm	83 mm	4768 5	20	200
410211	3.5 mm	39 mm	92 mm	4769 2	20	200
410213	4.0 mm	43 mm	97 mm	4770 8	20	200
410215	4.5 mm	47 mm	102 mm	4771 5	20	200
410217	5.0 mm	52 mm	108 mm	4772 2	20	200
410219	5.5 mm	57 mm	115 mm	4773 9	20	200
410221	6.0 mm	57 mm	115 mm	4774 6	20	200
410223	6.5 mm	63 mm	123 mm	4775 3	20	200

HEX SHANK TI-COATED HSS TWIST DRILL BITS

- Titanium coated for long life
- For steel, cast iron, malleable iron, non-ferrous metal and plastic
- Hex shank for quick change adapters and a more secure fit



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410253	2 PC 1.5 mm	18 mm	62 mm	4776 0	20	200
410255	2 PC 2.0 mm	24 mm	71 mm	4777 7	20	200
410257	2 PC 2.5 mm	30 mm	79 mm	4778 4	20	200
410259	2 PC 3.0 mm	33 mm	83 mm	4779 1	20	200
410261	3.5 mm	39 mm	92 mm	4780 7	20	200
410263	4.0 mm	43 mm	97 mm	4781 4	20	200
410265	4.5 mm	47 mm	102 mm	4782 1	20	200
410267	5.0 mm	52 mm	108 mm	4783 8	20	200
410269	5.5 mm	57 mm	115 mm	4784 5	20	200
410271	6.0 mm	57 mm	115 mm	4785 2	20	200
410273	6.5 mm	63 mm	123 mm	4786 8	20	200

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410488	13 PC Metric	1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm	6313 5	6	36
410498	13 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4 in.	6315 9	6	36

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410489	25 PC Metric	1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10,10.5, 11, 11.5, 12, 12.5, 13 mm	6314 2	5	10

COBALT DRILL METAL CASE SET



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410499	29 PC SAE	1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32,11/64, 3/16, 13/64, 7/32, 15/64, 1/4, 17/64, 9/32, 19/64, 5/16, 21/64, 11/32, 23/64, 3/8, 25/64,13/32, 27/64, 7/16, 29/64, 15/32, 31/64, 1/2 in.	6316 6	5	10

15 PC HSS COBALT DRILL SET



- Contents: 1.5, 1.5, 2.0, 2.0, 2.5, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0, 10.0 mm
- Industrial grade coablt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

Item No.	Description	EAN 69426292+	Inner	Outer
418014P	15 PC HSS Cobalt Drill Set	6734 8	6	24



HSS TWIST DRILL BITS WITH POUCH-METRIC

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410001BM	10 PC 1.0 mm	12 mm	34 mm	5670 0	36	72
410009BM	10 PC 3.0 mm	33 mm	61 mm	5674 8	36	72
410011BM	10 PC 3.2 mm	36 mm	65 mm	5675 5	36	72
410015BM	10 PC 4.0 mm	43 mm	75 mm	5677 9	36	72
410017BM	10 PC 4.2 mm	47 mm	80 mm	5678 6	36	72
410021BM	10 PC 4.8 mm	52 mm	86 mm	5680 9	36	72
410023BM	10 PC 5.0 mm	52 mm	86 mm	5681 6	36	72
410027BM	10 PC 6.0 mm	57 mm	93 mm	5683 0	30	60
410035BM	10 PC 8.0 mm	75 mm	117 mm	5687 8	24	48
410041BM	10 PC 9.5 mm	81 mm	125 mm	5690 8	18	36
410043BM	5 PC 10.0 mm	87 mm	133 mm	5691 5	24	48
410049BM	5 PC 11.5 mm	94 mm	142 mm	5694 6	18	36
410051BM	5 PC 12.0 mm	101 mm	151 mm	5695 3	18	36
410053BM	5 PC 12.5 mm	101 mm	151 mm	5696 0	18	36
410056BM	5 PC 10.0 mm	108 mm	160 mm	8397 3	18	36
410062BM	5 PC 20.0 mm	140 mm	205 mm	8398 0	10	20

HSS TI-COATED TWIST DRILL BITS WITH POUCH-METRIC

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410111BM	10 PC 3.2 mm	36 mm	65 mm	5732 5	36	72
410115BM	10 PC 4.0 mm	43 mm	75 mm	5734 9	36	72
410117BM	10 PC 4.2 mm	47 mm	80 mm	5735 6	36	72
410121BM	10 PC 4.8 mm	52 mm	86 mm	5737 0	36	72
410127BM	10 PC 6.0 mm	57 mm	93 mm	5740 0	30	60
410143BM	5 PC 10.0 mm	87 mm	133 mm	5748 6	24	48
410149BM	5 PC 11.5 mm	94 mm	142 mm	5751 6	18	36
410151BM	5 PC 12.0 mm	101 mm	151 mm	5752 3	18	36
410153BM	5 PC 12.5 mm	101 mm	151 mm	5753 0	18	36

HSS COBALT TWIST DRILL BITS WITH POUCH-METRIC

- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410370BM	10 PC 1.0 mm	12 mm	34 mm	6288 6	36	72
410371BM	10 PC 1.5 mm	18 mm	40 mm	6289 3	36	72
410372BM	10 PC 2.0 mm	24 mm	49 mm	6290 9	36	72
410373BM	10 PC 2.5 mm	30 mm	57 mm	6291 6	36	72
410374BM	10 PC 3.0 mm	33 mm	61 mm	6292 3	36	72
410376BM	10 PC 3.5 mm	39 mm	70 mm	6293 0	36	72
410379BM	10 PC 4.5 mm	47 mm	80 mm	62954	36	72
410382BM	10 PC 5.5 mm	57 mm	86 mm	6297 8	30	60
410383BM	10 PC 6.0 mm	57 mm	86 mm	6298 5	30	60
410384BM	10 PC 6.5 mm	63 mm	101 mm	6299 2	30	60
410385BM	10 PC 7.0 mm	69 mm	109 mm	6300 5	24	48
410386BM	10 PC 7.5 mm	69 mm	109 mm	6301 2	24	48
410387BM	10 PC 8.0 mm	75 mm	117 mm	6302 9	24	48
410388BM	10 PC 8.5 mm	75 mm	117 mm	6303 6	24	48
410389BM	10 PC 9.0 mm	81 mm	125 mm	6304 3	18	36
410390BM	10 PC 9.5 mm	81 mm	125 mm	6305 0	18	36
410391BM	5 PC 10.0 mm	87 mm	133 mm	6306 7	18	36
410392BM	5 PC 10.5 mm	87 mm	133 mm	6307 4	18	36
410393BM	5 PC 11.0 mm	94 mm	142 mm	6308 1	18	36
410395BM	5 PC 12.0 mm	101 mm	151 mm	6310 4	18	36
410396BM	5 PC 12.5 mm	101 mm	151 mm	6311 1	18	36
410397BM	5 PC 13.0 mm	101 mm	151 mm	6312 8	18	36



HSS TWIST DRILL BITS WITH POUCH-SAE

- High speed steel material, 118 degree split,roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410000BS	10 PC 1/32 in.	1/2 in.	1-3/8 in.	0222 6	36	72
410005BS	10 PC 3/32 in.	32 mm	57 mm	5700 4	36	72
410009BS	10 PC 1/8 in.	41 mm	70 mm	5702 8	36	72
410013BS	10 PC 5/32 in.	51 mm	79 mm	5704 2	36	72
410017BS	10 PC 3/16 in.	59 mm	89 mm	5706 6	36	72
410025BS	10 PC 1/4 in.	70 mm	105 mm	5710 3	30	60
410033BS	10 PC 5/16 in.	81 mm	114 mm	5714 1	24	48
410041BS	10 PC 3/8 in.	92 mm	127 mm	5718 9	18	36
410047BS	5 PC 27/64 in.	100 mm	137 mm	5721 9	24	48
410051BS	5 PC 29/64 in.	106 mm	143 mm	5723 3	18	36
410055BS	5 PC 31/64 in.	111 mm	149 mm	5725 7	18	36
410057BS	5 PC 1/2 in.	114 mm	152 mm	5726 4	18	36
410058BS	5 PC 17/32 in.	64 mm	95 mm	8399 7	10	20
410059BS	5 PC 9/16 in.	120 mm	168 mm	8402 4	10	20
410062BS	5 PC 13/16 in.	140 mm	208 mm	8400 0	10	20

HSS TI-COATED TWIST DRILL BITS WITH POUCH-SAE

- High speed steel material, 118 degree split, roll-forged
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410109BS	10 PC 1/8 in.	41 mm	70 mm	5759 2	36	72
410113BS	10 PC 5/32 in.	51 mm	79 mm	5761 5	36	72
410117BS	10 PC 3/16 in.	59 mm	89 mm	5763 9	36	72
410125BS	10 PC 1/4 in.	70 mm	105 mm	5767 7	30	60
410131BS	10 PC 19/64 in.	78 mm	111 mm	5770 7	24	48
410133BS	10 PC 5/16 in.	81 mm	114 mm	5771 4	24	48
410135BS	10 PC 21/64 in.	84 mm	117 mm	5772 1	24	48
410139BS	10 PC 23/64 in.	89 mm	124 mm	5774 5	18	36
410143BS	5 PC 25/64 in.	95 mm	130 mm	5776 9	24	48
410145BS	5 PC 13/32 in.	98 mm	133 mm	5777 6	24	48
410147BS	5 PC 27/64 in.	100 mm	137 mm	5778 3	24	48
410151BS	5 PC 29/64 in.	106 mm	143 mm	5780 6	18	36
410153BS	5 PC 15/32 in.	110 mm	146 mm	5781 3	18	36
410155BS	5 PC 31/64 in.	111 mm	149 mm	5782 0	18	36
410157BS	5 PC 1/2 in.	114 mm	152 mm	5783 7	18	36

HSS ROLL FORGE TWIST DRILL BITS

- High speed steel material, 118 degree point angle, roll-forged, black oxide finish
- For steel, cast iron, malleable iron, non-ferrous metal and plastic



Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410303	2 PC 1.5 mm	18 mm	40 mm	4926 9	20	100
410304	2 PC 2.0 mm	24 mm	49 mm	4927 6	20	100
410305	2 PC 2.5 mm	30 mm	57 mm	4928 3	20	100
410306	2 PC 3.0 mm	33 mm	61 mm	4929 0	20	100
410310	4.0 mm	43 mm	75 mm	4930 6	20	100
410314	5.0 mm	52 mm	86 mm	4931 3	20	100
410315	5.5 mm	57 mm	93 mm	4932 0	20	100
410316	6.0 mm	57 mm	93 mm	4933 7	20	100
410320	8.0 mm	75 mm	117 mm	4934 4	20	100
410324	10.0 mm	87 mm	133 mm	4935 1	20	100

LONG METAL DRILL

- Industry grade #6542 high speed steel material,118 degree split
- No clamping in drill hole, good chip removal
- For drilling through walls as well as boards, beams, floor boards made of soft and hard wood
- Also suitable for facade and as a roofer's drill bit for metal, profile sheets etc



Item No.	DIA.	Working Length	Shank DIA.	Overall Length	EAN 69426292+	Inner	Outer
410346	6 mm	90 mm	5 mm	400 mm	5448 5	10	40
410348	8 mm	90 mm	6 mm	400 mm	5449 2	10	40
410350	10 mm	90 mm	8 mm	400 mm	5450 8	10	40
410352	12 mm	90 mm	8 mm	400 mm	5451 5	10	40
410354	14 mm	90 mm	10 mm	400 mm	5452 2	10	20
410356	16 mm	90 mm	10 mm	400 mm	5453 9	10	20
410358	18 mm	90 mm	10 mm	400 mm	5454 6	10	20
410360	20 mm	90 mm	12 mm	400 mm	5455 3	10	20
410362	22 mm	90 mm	12 mm	400 mm	5456 0	10	20
410364	24 mm	90 mm	12 mm	400 mm	5457 7	10	20

SCREW EXTRACTORS SET

- 1/4 " Hex shank for using with cordless and electric power drills
- Tough high speed steel for removing damaged nails and steel nails.
- Self-centering and not walking



Item No.	Description	EAN 69426292+	Inner	Outer
421905	#0, #1, #2, #3, #4	8390 4	25	50

TAP WITH HSS DRILL BIT SET

- Convenient tap and HSS drill bit set
- Ideal for general purpose threading



Item No.	Tap Size	Working Length	Overall Length	Drill Size	EAN 69426292+	Inner	Outer
421001	3x0.5	18	46	2.5	0245 5	10	60
421003	3x0.6	18	46	2.4	8438 3	10	60
421005	4x0.7	20	52	3.3	0246 2	10	60
421007	4x0.75	20	52	3.25	8439 0	10	60
421009	5x0.8	22	60	4.2	0247 9	10	60
421011	5x0.9	22	60	4.1	8440 6	10	60
421013	6x1.0	24	62	5	0267 7	10	60
421015	6x0.75	24	62	5.25	8345 4	10	60
421017	7x1.0	25	65	6	8441 3	10	60
421019	7x0.75	25	65	6.25	8442 0	10	60
421021	8x1.25	28	70	6.75	0268 4	10	60
421023	8x1.0	28	70	7	8443 7	10	60
421025	10x1.5	30	75	8.5	0269 1	10	60
421027	10x1.25	30	75	8.75	0270 7	10	60
421029	12x1.75	40	80	10.25	0271 4	10	60
421031	12x1.5	40	80	10.5	0272 1	10	60
421051	4-40	14	47	3/32 in.	8444 4	10	60
421053	6-32	17	50	7/64 in.	8445 1	10	60
421055	8-32	19	54	9/64 in.	8446 8	10	60
421057	10-24	22	60	5/32 in.	8447 5	10	60
421059	10-32	22	60	5/32 in.	8448 2	10	60
421061	12-24	23	60	11/64 in.	8449 9	10	60
421063	1/4-20	25	63	13/64 in.	8450 5	10	60
421065	1/4-28	25	63	7/32 in.	8451 2	10	60
421067	5/16-18	28	70	17/64 in.	8452 9	10	60
421069	5/16-24	28	70	9/32 in.	8453 6	10	60
421071	3/8-16	33	75	5/16 in.	8454 3	10	60
421073	3/8-24	33	75	21/64 in.	8346 1	10	60
421075	7/16-14	36	80	3/8 in.	8455 0	10	60
421077	7/16-20	36	80	25/64 in.	8456 7	10	60
421079	1/2-13	40	85	27/64 in.	8457 4	10	60
421081	1/2-20	40	85	29/64 in.	8347 8	10	60
421083	1/8-27	19	54	23/64 in.	8458 1	10	60

COMBINATION DRILL TAP BIT

- M2 high speed steel offering high hardness, wear resistance, and good toughness
- Titanium coating provides excellent corrosion resistance
- Use for drilling and tapping on aluminum, alloy steel, ordinary steel, cast iron, non-ferrous metals, hard plastics, etc
- Flutes on the screw tap help to remove chips and debris from the hole
- Hex shank for quick change adapters and a more secure fit




Item No.	Size	EAN 69777135+	Inner	Outer
421100	M3 x 0.5	1559 3	12	72
421101	M4 x 0.7	1560 9	12	72
421102	M5 x 0.8	1561 6	12	72
421103	M6 x 1.0	1562 3	12	72
421104	M8 x 1.25	1563 0	12	48
421105	M10 x 1.5	1564 7	12	48
421106	M12 x 1.75	1565 4	12	48

7 PC DIE WITH WRENCH METRIC SET

- Ideal for maintenance and repair work
- Hexagon shape provides more grip



Specification	Diameter	Pitch	S	E
M3 x 0.5	3	0.5	18	5
M4 x 0.7	4	0.7	18	5
M5 x 0.8	5	0.8	18	7
M6 x 1	6	1	18	7
M7 x 1	7	1	21	9
M8 x 1.25	8	1.25	21	9




Item No.	Description	Size	EAN 69426292+	Inner	Outer
421301	7 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0728 3	12	48
421311	7 PC	4-40, 6-32, 8-32, 10-24, 12-24, 1/4-20	8348 5	12	48

7 PC TAP WITH WRENCH

- Ideal for general purpose threading





Specification	Diameter (D)	Pitch	Working Length(l)	Length (L)	Shank (d1)
M3 x 0.5	3	0.5	18.2	43.8	4
M4 x 0.7	4	0.7	21.3	48.6	5
M5 x 0.8	5	0.8	24.3	56.5	5.5
M6 x 1	6	1	25.3	57.7	6
M7 x 1	7	1	27.4	65	6
M8 x 1.25	8	1.25	28.6	70	6

Item No.	Description	Size	EAN 69426292+	Inner	Outer
421303	7 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0727 6	12	48
421313	7 PC	4-40, 6-32, 8-32, 10-24, 12-24, 1/4-20	8459 8	12	48

13 PC TAP & DIE SET

- Ideal for general purpose threading



Item No.	Description	Size	EAN 69426292+	Inner	Outer
421601	13 PC	6-32, 8-32, 10-24, 10-32, 1/4-20, 5/16-18	0804 4	6	12
421603	13 PC	M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25	0729 0	6	12

RACHET T-HANDLE FOR TAP

- Quick,efficient rathceting action
- Designed for use with taps



Item No.	Size	EAN 69426292+	Inner	Outer
421161	M3-M8	0717 7	12	48
421163	M5-M12	0726 9	12	48

60 PC METRIC AND SAE TAP & DIE SET



1 x
1 x
1 x
1 x
2 x
27 x



M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.0, M10 x 1.5, M12 x 1.75, 4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4 -20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2 -20, 1/8-27


27 x



M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M7 x 1.0, M8 x 1.25, M9 x 1.25, M10 x 1.0, M10 x 1.5, M12 x 1.75, 4-40, 6-32, 8-32, 10-24, 10-32, 12-24, 1/4 -20, 1/4-28, 5/16-18, 5/16-24, 3/8-16, 3/8-24, 7/16-14, 7/16-20, 1/2-13, 1/2 -20, 1/8-27

Item No.	Description	EAN 69426292+	Inner	Outer
421660	60 PC	0730 6	0	5





HSS-COBALT STEP DRILL

PRO GRADE

- Industrial grade cobalt M35 high speed steel
- Automatically debur holes
- 4x long using life time
- For drilling multiple hole sizes with one bit in steel, brass, stainless steel, copper, aluminum, wood and plastic
- Black nitriding for extra hardness and rust prevention



Item No.	Shank DIA.	Holes	Size	EAN 69426292 (A) 69743345 (B)	Inner	Outer
416001	6.35 mm (1/4 in.)	9	ø 4-12 mm	A + 2308 5	12	48
416005	6.35 mm (1/4 in.)	9	ø 4-20 mm	A + 2310 8	12	48
416015	6.35 mm (1/4 in.)	8	ø 6-20 mm	A + 2315 3	12	48
416017	6.35 mm (1/4 in.)	10	ø 6-25 mm	B + 5335 5	12	48
416019	13.0 mm (9/16 in.)	13	ø 5-35 mm	A + 2317 7	12	48
416027	6.35 mm (1/4 in.)	13	ø 1/8-1/2 in.	A + 2321 4	12	48
416033	6.35 mm (1/4 in.)	12	ø 3/16-7/8 in.	A + 2324 5	12	48
416035	9.5 mm (3/8 in.)	10	ø 1/4-1-3/8 in.	A + 2325 2	12	48

ø 4-12 mm




416001

ø 4-20 mm




416005

ø 6-20 mm




416015

ø 6-25 mm



416017

ø 5-35 mm




416019

ø 1/8-1/2 in.




416027

ø 3/16-7/8 in.



416033

ø 1/4-1-3/8 in.



416035

3 PC HSS STEP DRILL-METRIC

416061

- High speed steel
- Titanium coating for rust prevention
- Automatically debur holes
- For drilling multiple hole sizes with one bit in steel, brass, copper, aluminum, wood and plastic



1/4 in.

Item No.	Shank DIA.	Size	EAN 69743345+	Inner	Outer
416061	6.35 mm (1/4 in.)	ø 4-12 / ø 4-20 / ø 4-32 mm	5336 2	6	24



ø 4-12 mm ø 4-32 mm ø 4-20 mm



3 PC HSS STEP DRILL-SAE

416063

- High speed steel
- Titanium coating for rust prevention
- Automatically debur holes
- For drilling multiple hole sizes with one bit in steel, brass, copper, aluminum, wood and plastic



1/4 in.


Item No.	Shank DIA.	Size	EAN 69743345+	Inner	Outer
416063	6.35 mm (1/4 in.)	ø 3/16-1/2 / ø 1/4-3/4 / ø 1/8-1/2 in.	5337 9	6	24



ø 1/8-1/2 in. ø 3/16-1/2 in. ø 1/4-3/4 in.



CONCRETE DRILL BITS





- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry

YG8

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410501	2 PC 3.0 mm	36 mm	60 mm	2008 4	20	200
410503	4.0 mm	45 mm	75 mm	2009 1	20	200
410505	5.0 mm	51 mm	85 mm	2010 7	20	200
410506	5.5 mm	55 mm	100 mm	5458 4	20	120
410507	6.0 mm	60 mm	100 mm	2011 4	20	120
410508	6.5 mm	60 mm	100 mm	5459 1	20	120
410509	7.0 mm	60 mm	100 mm	2012 1	20	120
410511	8.0 mm	72 mm	120 mm	2013 8	20	120
410513	9.0 mm	72 mm	120 mm	2014 5	20	120
410515	10.0 mm	72 mm	120 mm	2015 2	20	120
410517	11.0 mm	90 mm	150 mm	2016 9	20	120
410519	12.0 mm	90 mm	150 mm	2017 6	20	120
410521	13.0 mm	90 mm	150 mm	2018 3	20	120
410523	14.0 mm	90 mm	150 mm	2019 0	20	120
410525	15.0 mm	90 mm	150 mm	2020 6	20	120
410527	16.0 mm	90 mm	150 mm	2021 3	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410551	1/8 in.	1-3/4 in.	3 in.	6664 8	20	200
410552	5/32 in.	1-3/4 in.	3 in.	6665 5	20	200
410553	3/16 in.	2-3/8 in.	4 in.	6666 2	20	200
410554	7/32 in.	2-3/8 in.	4 in.	6758 4	20	120
410555	1/4 in.	2-3/8 in.	4 in.	6667 9	20	120
410557	1/4 in.	3-1/2 in.	6 in.	6668 6	20	120
410558	5/16 in.	3-1/2 in.	6 in.	6669 3	20	120
410559	3/8 in.	3-1/2 in.	6 in.	6670 9	20	120
410560	7/16 in.	3-1/2 in.	6 in.	6671 6	20	120
410561	1/2 in.	3-1/2 in.	6 in.	6672 3	20	120
410563	9/16 in.	3-1/2 in.	6 in.	6759 1	20	120
410565	5/8 in.	3-1/2 in.	6 in.	6760 7	20	120
410567	3/4 in.	3-1/2 in.	6 in.	6761 4	20	120
410573	3/8 in.	7-1/8 in.	12 in.	1587 5	10	60
410575	1/2 in.	7-1/8 in	12 in.	1612 4	10	60
410577	5/8 in.	7-1/8 in	12 in.	1654 4	10	60

5 PC CONCRETE DRILL BITS





DIN 8039

YG8

Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410547	5 PC - 4, 5, 6, 8,10 mm	2031 2	10	60

8 PC CONCRETE DRILL BITS





DIN 8039

YG8

Item No.	Description	EAN 69426292+	Inner	Outer
410548	8 PC - 3, 4, 5, 6, 7, 8, 9,10 mm	3820 1	10	60
410550	8 PC - 1/8, 5/32, 3/16, 1/4, 9/32, 5/16, 11/32, 3/8 in.	6970 0	10	60

10 PC CONCRETE DRILL SET

- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry





YG8

Item No.	DIA.	Working Length	Overall Length	EAN 69743345+	Inner	Outer
410551BS	10PC 1/8in.	1-3/4 in.	3 in.	5013 2	36	72
410552BS	10PC 5/32in.	1-3/4 in.	3 in.	5014 9	36	72
410553BS	10PC 3/16in.	2-3/8 in.	4 in.	5015 6	36	72
410555BS	10PC 1/4in.	2-3/8 in.	4 in.	5016 3	30	60
410558BS	10PC 5/16in.	3-1/2 in.	6 in.	5017 0	24	48
410559BS	10PC 3/8in.	3-1/2 in.	6 in.	5018 7	18	36
410561BS	5PC 1/2in.	3-1/2 in.	6 in.	5019 4	18	36

5 PC MASONRY DRILL BITS

- 40CR body with YG8C carbide tip
- 3-flat shank for sure grip
- For concrete, reinforced concrete, brick, block and masonry
- Plastic box included





3 FLAT YG8C

Item No.	Description	EAN 69426292+	Inner	Outer
410694	4, 5, 6, 8, 10 mm	8489 5	10	60
410695	5 PC - 5/32, 3/16, 1/4, 5/16, 3/8 in.	6206 0	10	60



MULTI-PURPOSE DRILL BITS

- High carbon steel body with YG8 carbide tip
- For masonry, tile, wood, chipboard, metal plate and plastic





YG8 DIN 8039

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410601	2 PC 3.0 mm	36 mm	60 mm	2032 9	20	200
410603	4.0 mm	45 mm	75 mm	2033 6	20	200
410605	5.0 mm	51 mm	85 mm	2034 3	20	200
410607	6.0 mm	60 mm	100 mm	2035 0	20	120
410609	7.0 mm	60 mm	100 mm	2036 7	20	120
410611	8.0 mm	72 mm	120 mm	2037 4	20	120
410613	9.0 mm	72 mm	120 mm	2038 1	20	120
410615	10.0 mm	72 mm	120 mm	2039 8	20	120
410617	11.0 mm	90 mm	150 mm	2040 4	20	120
410619	12.0 mm	90 mm	150 mm	2041 1	20	120
410621	13.0 mm	90 mm	150 mm	2042 8	20	120

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410623	14.0 mm	90 mm	150 mm	2043 5	20	120
410625	15.0 mm	90 mm	150 mm	2044 2	20	120
410627	16.0 mm	90 mm	150 mm	2045 9	20	120
410663	3/16 in.	2-3/8 in.	4 in.	5950 3	20	200
410665	1/4 in.	2-3/8 in.	4 in.	5952 7	20	120
410673	1/4 in.	3-1/2 in.	6 in.	5953 4	20	120
410674	5/16 in.	3-1/2 in.	6 in.	5954 1	20	120
410675	3/8 in.	3-1/2 in.	6 in.	5955 8	20	120
410677	1/2 in.	3-1/2 in.	6 in.	5957 2	20	120
410679	5/8 in.	3-1/2 in.	6 in.	5959 6	20	120
410680	3/4 in.	3-1/2 in.	6 in.	5960 2	20	120

GLASS/TILE DRILL BITS

- YG6X carbide tip
- For tile, china, mirrors and glass





YG6X

Item No.	DIA.	EAN 69426292+	Inner	Outer
416201	4.0 mm	2337 5	10	100
416203	5.0 mm	2338 2	10	100
416205	6.0 mm	2339 9	10	100
416207	7.0 mm	2340 5	10	100
416209	8.0 mm	2341 2	10	100
416223	3/16 in.	6768 3	10	100
416225	1/4 in.	6769 0	10	100
416227	5/16 in.	6770 6	10	100
416229	3/8 in.	6771 3	10	100
416231	1/2 in.	6772 0	10	100

5 PC MULTI-PURPOSE DRILL BITS





DIN 8039

YG8

Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
410655	5 PC Multi-purpose Drill Bits	3821 8	10	60

8 PC MULTI-PURPOSE DRILL BITS





DIN 8039

YG8

Contents: 3, 4, 5, 6, 7, 8, 9, 10 mm

Item No.	Description	EAN 69762270+	Inner	Outer
410657	8 PC Multi-Purpose Drill Bits	3322 7	10	60

5 PC GLASS/TILE DRILL BITS

- YG6X carbide tip
- For tile, china, mirrors and glass






Contents: 4, 5, 6, 8, 10 mm

YG6X

Item No.	Description	EAN 69762270+	Inner	Outer
416241	5 PC Glass/Tile Drill Bits	3321 0	10	60



CROSS CARBIDE GLASS/TILE DRILL BIT

- TCT Carbide crossed TIP
- Hex quick change shank
- Sand blast finish

NEW







YG6X 1/4 in.

Item No.	DIA.	EAN 69777135+	Inner	Outer
416250	4.0 mm	1570 8	12	72
416252	5.0 mm	1571 5	12	72
416254	6.0 mm	1572 2	12	72
416256	8.0 mm	1573 9	12	48
416258	10.0 mm	1574 6	12	48
416260	12.0 mm	1575 3	12	48

SDS PLUS POINT CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410901	250 mm (10 in.)	Point	3822 5	10	60

SDS PLUS FLAT CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410902	250 mm (10 in.)	20 mm (13/16 in.)	3823 2	10	60
410903	250 mm (10 in.)	40 mm (1-9/16 in.)	3824 9	10	60

SDS PLUS GAUGE CHISEL

- For concrete, masonry and natural stone



Item No.	Overall length	Size	EAN 69426292+	Inner	Outer
410904	250 mm (10 in.)	Gauge	3825 6	10	60



5 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick




Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410954	5 PC SDS Plus Hammer Drill Bits	4, 5, 6, 8, 10 mm	8490 1	10	60
410955	5 PC SDS Plus Hammer Drill Bits	3/16, 1/4, 5/16, 3/8, 1/2 in.	6482 8	10	60

SDS PLUS HAMMER DRILL BITS



- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick





Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410701	4.0 mm	40 mm	110 mm	2055 8	20	200
410703	5.0 mm	40 mm	110 mm	2056 5	20	200
410705	5.5 mm	40 mm	110 mm	2057 2	20	200
410707	6.0 mm	40 mm	110 mm	2058 9	20	200
410713	8.0 mm	40 mm	110 mm	2061 9	20	200
410717	10.0 mm	40 mm	110 mm	2063 3	20	200
410719	5.0 mm	90 mm	160 mm	2064 0	20	200
410720	5.5 mm	90 mm	160 mm	5460 7	20	200
410721	6.0 mm	90 mm	160 mm	2065 7	20	200
410723	6.5 mm	90 mm	160 mm	2066 4	20	200
410727	8.0 mm	90 mm	160 mm	2068 8	20	200
410731	10.0 mm	90 mm	160 mm	2070 1	20	200
410735	12.0 mm	90 mm	160 mm	2072 5	20	200
410736	12.0 mm	130 mm	200 mm	9000 1	10	60
410739	14.0 mm	90 mm	160 mm	2074 9	10	100
410744	5.0 mm	130 mm	210 mm	5461 4	10	60
410747	6.0 mm	130 mm	210 mm	2078 7	10	60
410749	6.5 mm	130 mm	210 mm	2079 4	10	60
410753	8.0 mm	130 mm	210 mm	2081 7	10	60
410757	10.0 mm	130 mm	210 mm	2083 1	10	60
410761	12.0 mm	130 mm	210 mm	2085 5	10	60
410765	14.0 mm	130 mm	210 mm	2087 9	10	60
410769	16.0 mm	130 mm	210 mm	2089 3	10	60
410771	18.0 mm	130 mm	210 mm	2090 9	10	60
410773	20.0 mm	130 mm	210 mm	2091 6	10	60
410779	8.0 mm	170 mm	260 mm	2094 7	10	60

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
410781	10.0 mm	170 mm	260 mm	2095 4	10	60
410785	12.0 mm	170 mm	260 mm	2097 8	10	60
410789	14.0 mm	170 mm	260 mm	2099 2	10	60
410793	16.0 mm	170 mm	260 mm	2101 2	10	60
410797	18.0 mm	170 mm	260 mm	2103 6	10	60
410799	20.0 mm	170 mm	260 mm	2104 3	10	40
410801	22.0 mm	170 mm	260 mm	2105 0	10	40
410803	24.0 mm	170 mm	260 mm	2106 7	10	20
410807	26.0 mm	170 mm	260 mm	2108 1	10	20
410839	10.0 mm	350 mm	450 mm	2124 1	10	60
410841	12.0 mm	350 mm	450 mm	2125 8	10	60
410843	14.0 mm	350 mm	450 mm	2126 5	10	40
410845	16.0 mm	350 mm	450 mm	2127 2	10	40
410847	18.0 mm	350 mm	450 mm	2128 9	10	30
410849	20.0 mm	350 mm	450 mm	2129 6	10	30
410851	22.0 mm	350 mm	450 mm	2130 2	10	20
410853	24.0 mm	350 mm	450 mm	2131 9	10	20
410857	26.0 mm	350 mm	450 mm	2133 3	10	20
411103	1/4 in.	3-3/8 in.	6 in.	6673 0	20	120
411105	5/16 in.	3-3/8 in.	6 in.	6674 7	20	120
411106	3/8 in.	3-3/8 in.	6 in.	6675 4	20	120
411108	1/2 in.	3-3/8 in.	6 in.	6676 1	20	120
411110	5/8 in.	3-3/8 in.	6 in.	6677 8	20	120
411116	3/8 in.	8-1/2 in.	12 in.	6678 5	20	60
411118	1/2 in.	8-1/2 in.	12 in.	6679 2	30	60
411120	5/8 in.	8-1/2 in.	12 in.	6680 8	30	60

4 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	Description	Contents	EAN 69426292+	Inner	Outer
410951	4 PC SDS Plus Hammer Drill Bits	5, 6, 8, 10 mm	4997 9	10	60
410953	4 PC SDS Plus Hammer Drill Bits	5, 6, 8, 10 mm	4998 6	10	60

SDS MAX HAMMER DRILL BITS



- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	DIA.	Shank DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
411012	12.0 mm	18 mm	210 mm	340 mm	4493 6	10	40
411014	14.0 mm	18 mm	210 mm	340 mm	4494 3	10	40
411016	16.0 mm	18 mm	210 mm	340 mm	4495 0	10	40
411018	18.0 mm	18 mm	210 mm	340 mm	4496 7	10	40
411020	20.0 mm	18 mm	210 mm	340 mm	4497 4	10	20
411022	22.0 mm	18 mm	210 mm	340 mm	4498 1	10	20
411025	25.0 mm	18 mm	210 mm	340 mm	4499 8	10	20
411028	28.0 mm	18 mm	210 mm	340 mm	4500 1	10	20
411030	30.0 mm	18 mm	210 mm	340 mm	4501 8	5	10
411054	14.0 mm	18 mm	340 mm	505 mm	4502 5	10	20
411056	16.0 mm	18 mm	340 mm	505 mm	4503 2	10	20
411058	18.0 mm	18 mm	340 mm	505 mm	4504 9	10	20
411060	20.0 mm	18 mm	340 mm	505 mm	4505 6	0	10


Item No.	DIA.	Shank DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
411062	22.0 mm	18 mm	340 mm	505 mm	4506 3	0	10
411065	25.0 mm	18 mm	340 mm	505 mm	4507 0	0	10
411068	28.0 mm	18 mm	340 mm	505 mm	4508 7	5	10
411070	30.0 mm	18 mm	340 mm	505 mm	4509 4	5	10
411072	32.0 mm	18 mm	340 mm	505 mm	4510 0	5	10
411075	35.0 mm	18 mm	340 mm	505 mm	4511 7	0	5
411080	20.0 mm	18 mm	670 mm	800 mm	4512 4	0	5
411082	22.0 mm	18 mm	670 mm	800 mm	4513 1	0	5
411085	25.0 mm	18 mm	670 mm	800 mm	4514 8	0	5
411088	28.0 mm	18 mm	670 mm	800 mm	4515 5	0	5
411090	30.0 mm	18 mm	670 mm	800 mm	4516 2	0	5
411095	35.0 mm	18 mm	670 mm	800 mm	4517 9	0	5



11 PC SDS PLUS HAMMER DRILL BITS

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick

Contents:
- 5 x 110 mm
- 6 x 110 mm
- 6 x 160 mm
- 8 x 160 mm
- 10 x 160 mm
- 10 x 210 mm
- 12 x 210 mm
- 10 x 450 mm
- 12 x 450 mm
- 16 x 450 mm
- 20 x 450 mm





Item No.	Description	EAN 69426292+	Inner	Outer
410961	11 PC SDS Plus Hammer Drill Bits	4999 3	0	6

11 PC SDS-PLUS DRILLS & CHISELS SET

- 1 pc chisel 14 x 250 mm
- 2 pc chisels flat 20 & 40 x 250 mm,
- 8 pc drills sds:
  5 x 110 mm, 6 x 110 mm
  8 x 160 mm, 10 x 160 mm,
  12 x 160 mm, 14 x 200 mm,
  16 x 200 mm, 18 x 300 mm





Item No.	Description	EAN 69426292+	Inner	Outer
410962	11 PC SDS-Plus Drills & Chisels Set	8674 5	0	5

8 PC SDS PLUS HAMMER DRILL BIT SET




Contents:
5 x 110 mm, 5.5 x 110 mm, 6 x 110 mm,
6.5 x 110 mm, 5 x 160 mm, 6 x 160 mm,
8 x 160 mm,10 x 160 mm

- 40CR body with professional quality YG8C carbide tip
- For hard materials, concrete, granite and brick



Item No.	Description	EAN 69762270+	Inner	Outer
410950	8 PC SDS Plus Hammer Drill Bits Set	3318 0	6	24








50 mm (2 in.) GARDEN AUGER DRILL BIT

- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks






Item No.	DIA.	Working Length	Overall Length	EAN 69708346+	Inner	Outer
412150	50 mm (2 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	7132 2	1	8

40 mm (1-9/16 in.) GARDEN AUGER DRILL BIT

- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 7mm Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN 69743345+	Inner	Outer
412145	40 mm (1-9/16 in.)	100 mm (4 in.)	220 mm (8-5/8 in.)	5475 8	1	8

75 mm (3 in.) GARDEN AUGER DRILL BIT


- Ideal for planting larger bulbs, plants and tilling
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN 69708346+	Inner	Outer
412170	75 mm (3 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	7018 9	1	8

50 mm (2 in.) GARDEN AUGER DRILL BIT


- Ideal for planting vegetables, seedlings, small bulbs and aerating lawns
- Easily digs through most soil types
- Constructed from heavy duty steel
- 7mm Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN 69743345+	Inner	Outer
412147	50 mm(2 in.)	100 mm (4 in.)	220 mm (8-5/5 in.)	5476 5	1	8

100 mm (4 in.) GARDEN AUGER DRILL BIT

- Ideal for preparing post holes and planting
- Easily digs through most soil types
- Constructed from heavy duty steel
- 11.1 mm (7/16 in.) Hex-shank fits most power drill chucks



Item No.	DIA.	Working Length	Overall Length	EAN 69708346+	Inner	Outer
412190	100 mm (4 in.)	300 mm (11-3/4 in.)	450 mm (17-3/4 in.)	7566 5	1	8

80 mm (3-3/16 in.) GARDEN AUGER DRILL BIT


- Ideal for planting larger bulbs, plants and tilling
- Easily digs through most soil types
- Constructed from heavy duty steel
- 8mm Hex-shank fits most power drill chucks




Item No.	DIA.	Working Length	Overall Length	EAN 69743345+	Inner	Outer
412149	80 mm (3-3/16 in.)	170 mm (6-5/8 in.)	300 mm (11-3/4 in.)	5477 2	1	8

HSS BRAD POINT WOOD DRILL BITS







- Precision ground #4241 high speed steel
- Brad point tip provides accuratepositioning for starting
- For soft wood, hard wood, plywood, hardboards and veneer wood




HSS 4241 | DIN 338

Item No.	DIA.	Working Length	Overall Length	EAN 69426292+	Inner	Outer
411501	3.0 mm	32 mm	60 mm	2153 1	20	200
411503	4.0 mm	42 mm	74 mm	2154 8	20	200
411505	5.0 mm	51 mm	85 mm	2155 5	20	200
411509	6.0 mm	56 mm	92 mm	2157 9	20	120
411513	7.0 mm	68 mm	108 mm	2159 3	20	120
411515	8.0 mm	74 mm	116 mm	2160 9	20	120
411517	9.0 mm	80 mm	124 mm	2161 6	20	120
411519	10.0 mm	86 mm	132 mm	2162 3	20	120
411521	11.0 mm	93 mm	141 mm	2163 0	20	120
411523	12.0 mm	100 mm	150 mm	2164 7	20	120
411525	13.0 mm	100 mm	150 mm	2165 4	20	120

WOOD SPADE





- 3-Point cutting edges
- Hex shank for quick change adapters and a more secure fit
- For hard, soft and engineered wood

HSS 4241 | 1/4 in.

Item No.	DIA.	Overall Length	EAN 69426292+	Inner	Outer
411601	6.0 mm	152 mm	2168 5	10	60
411603	8.0 mm	152 mm	2169 2	10	60
411605	10.0 mm	152 mm	2170 8	10	60
411609	12.0 mm	152 mm	2172 2	10	60
411611	13.0 mm	152 mm	2173 9	10	60
411613	14.0 mm	152 mm	2174 6	10	60
411617	16.0 mm	152 mm	2176 0	10	60
411621	18.0 mm	152 mm	2178 4	10	60
411623	19.0 mm	152 mm	2179 1	10	60
411625	20.0 mm	152 mm	2180 7	10	60
411627	22.0 mm	152 mm	2181 4	10	60
411629	24.0 mm	152 mm	2182 1	10	60
411631	25.0 mm	152 mm	2183 8	10	60
411633	26.0 mm	152 mm	2184 5	10	60
411635	28.0 mm	152 mm	2185 2	10	60
411637	30.0 mm	152 mm	2186 9	10	60
411639	32.0 mm	152 mm	2187 6	10	60
411641	35.0 mm	152 mm	2188 3	10	60
411643	38.0 mm	152 mm	2189 0	10	60

Item No.	DIA.	Overall Length	EAN 69426292+	Inner	Outer
411661	1/4 in.	6 in.	2192 0	10	60
411662	5/16 in.	6 in.	2193 7	10	60
411663	3/8 in.	6 in.	2194 4	10	60
411664	7/16 in.	6 in.	2195 1	10	60
411665	1/2 in.	6 in.	2196 8	10	60
411666	9/16 in.	6 in.	2197 5	10	60
411667	5/8 in.	6 in.	2198 2	10	60
411668	11/16 in.	6 in.	2199 9	10	60
411669	3/4 in.	6 in.	2200 2	10	60
411670	13/16 in.	6 in.	2201 9	10	60
411671	7/8 in.	6 in.	2202 6	10	60
411672	15/16 in.	6 in.	2203 3	10	60
411673	1 in.	6 in.	2204 0	10	60
411674	1-1/8 in.	6 in.	2205 7	10	60
411675	1-1/4 in.	6 in.	2206 4	10	60
411676	1-3/8 in.	6 in.	2207 1	10	60

5 PC HSS BRAD WOOD DRILL BITS





DIN 338 | HSS 4241

Contents: 4, 5, 6, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
411527	5 PC HSS Brad Point Wood Drill Bits	2166 1	10	60

8 PC HSS BRAD WOOD DRILL BITS





DIN 338 | HSS 4241

Contents: 3, 4, 5, 6, 7, 8, 9, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
411529	8 PC HSS Brad Point Wood Drill Bits	2167 8	10	60


6 PC WOOD SPADE



1/4 in. | DIN 338


- Contents: 10, 12, 16, 18, 20, 25 mm

Item No.	Description	EAN 69426292+	Inner	Outer
411647	6 PC Wood Spade Set	2191 3	5	30



SHIP AUGER BITS

- The ship head and coarse screw point provide fast boring in hard and soft wood as well as cuts through knots
- Solid center with single cutter
- Screw point for precise locating
- For chipboard, plywood and large timber









460 mm

Extra Long

Item No.	DIA.	Total Length	Working Length	EAN 69426292+	Inner	Outer
412003	8.0 mm	230 mm	168 mm	2219 4	10	60
412005	10.0 mm	230 mm	168 mm	2220 0	10	60
412007	12.0 mm	230 mm	168 mm	2221 7	10	60
412009	14.0 mm	230 mm	168 mm	2222 4	10	60
412011	16.0 mm	230 mm	168 mm	2223 1	10	60
412013	18.0 mm	230 mm	168 mm	2224 8	10	60
412015	20.0 mm	230 mm	168 mm	2225 5	10	60
412017	22.0 mm	230 mm	168 mm	2226 2	6	36
412035	10.0 mm	460 mm	388 mm	2235 4	10	60
412037	12.0 mm	460 mm	388 mm	2236 1	10	60

Item No.	DIA.	Total Length	Working Length	EAN 69426292+	Inner	Outer
412039	14.0 mm	460 mm	388 mm	2237 8	10	60
412041	16.0 mm	460 mm	388 mm	2238 5	10	40
412043	18.0 mm	460 mm	388 mm	2239 2	10	40
412045	20.0 mm	460 mm	388 mm	2240 8	10	30
412047	22.0 mm	460 mm	388 mm	2241 5	4	16
412049	24.0 mm	460 mm	388 mm	2242 2	4	16
412051	25.0 mm	460 mm	388 mm	2243 9	4	16
412053	28.0 mm	460 mm	388 mm	2244 6	4	16
412055	30.0 mm	460 mm	388 mm	2245 3	4	16



8 PC 230 mm AUGER DRILL BITS SET




- Contents: 6, 8, 10, 12, 14, 16, 18, 20 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412081	8 PC 230 mm Auger Drill Bits Set	5000 5	0	10

EXTENSION BAR FOR WOOD SPADE





Item No.	Description	EAN 69426292+	Inner	Outer
411901	150 mm(6 in.)	2216 3	10	60
411903	300 mm(12 in.)	2217 0	10	60

6 PC 460 mm AUGER DRILL BITS SET




- Contents: 10, 12, 14, 16, 18, 20 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412085	6 PC 460 mm Auger Drill Bits Set	5001 2	0	8

SUPER FORSTNER BITS

- For drilling dimensionally accurate, tear-free, flat bottomed holes in solid wood, veneered wood boards, chipboard and plywood
- Ideal for door locks, mortising, electrical and plumbing work
- Not for use with routers



Item No.	DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
412109	15.0 mm	8.0 mm	2255 2	12	48
412115	20.0 mm	8.0 mm	2258 3	12	48
412121	25.0 mm	8.0 mm	2261 3	12	48
412127	30.0 mm	8.0 mm	2264 4	12	48
412132	35.0 mm	10.0 mm	3841 6	12	48



5 PC SUPER FORSTNER BITS SET



- Contents: 15, 20, 25, 30, 35 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412171	5 PC Super Forstner Bits Set	2286 6	0	20

15 PC SUPER FORSTNER BITS SET



- Contents: 10, 12, 15, 16, 18, 20, 22, 25, 26, 28, 30, 35, 40, 45, 50 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412173	15 PC Super Forstner Bits Set	2287 3	0	6

TCT FORSTNER BITS

- YG8 carbide tipped brad point
- For drilling dimensionally accurate, tear-free holes in soft and hard wood, resin bonded and plastic coated laminates, veneered wood sheet, chipboard, and other forms of compressed wood sheet
- Ideal for carpenters, joiners, kitchen work and window installation

YG8



Item No.	DIA.	Shank DIA.	Overall DIA.	EAN 69426292+	Inner	Outer
412201	15.0 mm	8.0 mm	90 mm	2288 0	12	48
412207	20.0 mm	8.0 mm	90 mm	2291 0	12	48
412213	25.0 mm	8.0 mm	90 mm	2294 1	12	48
412219	30.0 mm	8.0 mm	90 mm	2297 2	12	48
412225	35.0 mm	10.0 mm	90 mm	2300 9	12	48



5 PC TCT FORSTNER BITS SET



YG8

- Contents: 15, 20, 25, 30, 35 mm

Item No.	Description	EAN 69426292+	Inner	Outer
412239	5 PC TCT Forstner Bits Set	2306 1	5	20

4 PC WOOD PRE-DRILL SET



- Hss Step Drill Bit
- Pocket Hole Guide
- Depth Ring
- Hex key
- Introduction

HSS

Item No.	Description	EAN 69426292+	Inner	Outer
413001	4 PC Wood Pre-Drill Set	2311 5	6	24

QUAD FLUTE DRILL BIT


- Quad cutting spurs for faster, cleaner holes, less breakout, and extended drilling file
- Full screw-point tip allows bit to self-feed for ease of drilling.
- Tapered quad-flute design for faster chip ejection and less binding; quick-change shank
- 4x faster than regular wood drill



Item No.	DIA.	Overall Length	EAN 69426292+	Inner	Outer
412510	10 mm	165 mm	2209 5	10	60
412512	12 mm	165 mm	2210 1	10	60
412516	16 mm	165 mm	2212 5	10	60
412518	18 mm	165 mm	2213 2	10	60
412520	20 mm	165 mm	2214 9	10	60
412522	22 mm	165 mm	2215 6	10	60
412525	25 mm	165 mm	6051 6	10	60
412530	30 mm	165 mm	6053 0	10	60
412532	32 mm	165 mm	6054 7	10	60

PILOT DRILL BITS

- Adjust hole depth for screw head depth
- For drilling in wood, plastic and soft metal



HSS 118°

Item No.	Screw Size	Drill Size	EAN 69426292+	Inner	Outer
416101	#6	3/32 in. (2.4 mm)	2333 7	20	200
416103	#8	7/64 in. (2.8 mm	2334 4	20	200
416105	#10	1/8 in. (3.2 mm)	2335 1	20	200
416107	#12	9/64 in. (3.6 mm)	2336 8	20	200

2 PC POCKET HOLE & DOWELING JIG



- For wood dowelling and pocket hole drilling funtion
- Contents: 6, 8, 10, 12 mm

Item No.	Description	EAN 69426292+	Inner	Outer
413006	2 PC Pocket Hole & Doweling Jig	5478 9	12	48

COUNTER SINK BIT

- High speed steel material, 5 fluted, 82 degree point, hex shank for quick chuck and extension
- For countersinking, deburring and chamfering in iron, steel, plastic and wood

HSS

5 FLUTE

1/4 in.



Item No.	Drill Size	EAN 69426292 (A) 69708346 (B)	Inner	Outer
416141	10 mm (3/8 in.)	A + 4788 3	10	60
416143	13 mm (1/2 in.)	A + 4789 0	10	60
416146	16 mm (5/8 in.)	A + 4790 6	10	60
416149	19 mm (3/4 in.)	A + 4791 3	10	60
416151	25 mm (1 in.)	B + 7013 4	10	60

10 PC POCKET HOLE PLUGS SET



Item No.	Description	EAN 69426292+	Inner	Outer
413110	10 PC Pocket Hole Plugs Set	9399 6	25	400

7 PC DRILL STOP SET



- Contents:
  6 PC drill stop: 3, 3, 5, 6, 8, 10 mm
  1 PC hex key


Item No.	Description	EAN 69426292+	Inner	Outer
416507	7 PC Drill Stop Set	4792 0	10	60




FLUSH TRIM ROUTER BITS



- For fast smooth trimming and through cutting of laminates, plywood, paneling and other materials







Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420031	12.7 mm	8 mm	Flush Trim	2681 9	10	30
420331	1/2 in.	1/4 in.	Flush Trim	6258 9	10	30

COVE BOX ROUTER BITS



- For decorative edging






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420111	28.5 mm	8 mm	Core Box	2693 2	10	30
420411	7/8 in.	1/4 in.	Core Box	6271 8	10	30

KEY HOLE ROUTER BITS



- For making key hole slots for picture frames, shelves, mirrors, cabinets and other wall hangings






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420001	9.52 mm	8 mm	Key Hole	2676 5	10	30

DOVETAIL ROUTER BITS



- For dovetail joint applications
- Cutting edges are precision ground for extra smooth cuts







Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420041	12.7 mm	8 mm	Dovetail	2682 6	10	30

CLASSICAL COVE ROUTER BITS



- For decorative edging






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420115	28.5 mm	8 mm	Classical Cove	3833 1	10	30
420381	1-1/8 in.	1/4 in.	Classical Cove	6266 4	10	30

2-FLUTE STRAIGHT ROUTER BITS



- For roughing operations where high production feed rates are essential
- Optimum chip clearance
- Specially designed tip for fast plunge cutting





Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420011	6 mm	8 mm	2 Flute Straight	2677 2	10	30
420012	8 mm	8 mm	2 Flute Straight	3834 8	10	30
420013	10 mm	8 mm	2 Flute Straight	2678 9	10	30
420017	16 mm	8 mm	2 Flute Straight	2680 2	10	30
420311	1/4 in.	1/4 in.	2 Flute Straight	6253 4	10	30
420313	3/8 in.	1/4 in.	2 Flute Straight	6254 1	10	30
420315	1/2 in.	1/4 in.	2 Flute Straight	6255 8	10	30
420317	3/4 in.	1/4 in.	2 Flute Straight	6256 5	10	30







V-GROOVE ROUTER BITS



- For door front grooving, lettering and sign work
- Shear angle cutter geometry for efficient cutting







Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420051	12.7 mm	8 mm	V-Groove	2683 3	10	30
420350	3/8 in.	1/4 in.	V-Groove	6261 9	10	30

CLASSICAL OGEE ROUTER BITS



- Adds classic beauty to your product with beautiful, decorative edging






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420081	31.8 mm	8 mm	Classical Ogee	2686 4	10	30

TONGUE & GROOVE ROUTER BITS



- Produces perfectly fitted tongue and groove joints
- Ideal for cabinet doors






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420155	25 mm	5 mm	Tongue & Groove	2694 9	10	30

T-SLOT ROUTER BITS



- Cutting slots for joining biscuits







Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420145	4 mm	8 mm	T-slot	3837 9	10	30
420151	5 mm	8 mm	T-slot	3838 6	10	30

CORE BOX ROUTER BITS



- For rounded grooves used in a variety of applications ranging from doors to columns






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420071	12 mm	8 mm	Core Box	2685 7	10	30
420371	1/4 in.	1/4 in.	Core Box	6263 3	10	30
420372	3/8 in.	1/4 in.	Core Box	6264 0	10	30
420373	1/2 in.	1/4 in.	Core Box	6265 7	10	30

ROUND-OVER ROUTER BITS



- Create decorative edging and drop-leaf table joints




Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420093	25.4 mm	8 mm	Corner Rounding	2688 8	10	30
420391	7/8 in.	1/4 in.	Corner Rounding	6267 1	10	30
420393	1 in.	1/4 in.	Corner Rounding	6268 8	10	30

BEADING ROUTER BITS



- Create decorative edging and drop-leaf table joints





Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420103	25.4 mm	8 mm	Beading	2691 8	10	30
420401	7/8 in.	1/4 in.	Beading	6269 5	10	30
420403	1 in.	1/4 in.	Beading	6270 1	10	30

45º CHAMFER ROUTER BITS



- For decorative bevel edging and concealed joints






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420121	35 mm	8 mm	45º Chamfer	2694 9	10	30
420421	1 in.	1/4 in.	45º Chamfer	6273 2	10	30

ROMAN OGEE ROUTER BITS



- For decorative edging and period furniture





Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420135	29 mm	8 mm	Roman Ogee	3835 3	10	30




CLASSICAL ROUTER BITS



- For decorative edging






Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420141	35 mm	8 mm	Classical	3836 2	10	30

RABBETING ROUTER BITS



- Equipped with pilot for making rabbit cuts without use of a router guide





Item No.	Cutting Size	Shank Dia.	Product Details	EAN 69426292+	Inner	Outer
420161	9.5 mm	8 mm	Rabbeting	3840 9	10	30
420461	7/8 in.	1/4 in.	Rabbeting	6274 9	10	30

12 PC ROUTER BITS SET





- 1/4 in. Round shank
- 6 mm (1/4 in.) straight bit
- 12 mm (1/2 in.) straight bit
- 16 mm (5/8 in.) straight bit
- 12.7 mm (1/2 in.) 90deg V grooving bit
- 12.7 mm (1/2 in.) dovetail bit
- 32 mm (1-1/4 in.) 45deg chamfer bit
- 12.7 mm (1/2 in.) flush trim bit
- R6.3 mm (1/4 in.) round over bit
- R9.5 mm (3/8 in.) round over bit
- R6.3 mm (1/4 in.) core box bit
- R6.3 mm (1/4 in.) cove bit
- R4 mm (5/32 in.) roman ogee bit

Item No.	Description	EAN 69426292+	Inner	Outer
420212	12 PC	3055 7	0	40

18 PC COMBO DRILL SET



- HSS twist drill bits for steel, cast iron, malleable iron, non-ferrous metal and plastic
- Concrete drill bits for concrete, reinforced concrete, brick, block and masonry
- Wood drill bits for soft wood, hard wood, plywood, hardboards and veneer wood

Item No.	Description	EAN 69708346+	Inner	Outer
418033	3,4,5,6,8,10 mm	7854 3	6	24

21 PC MAGNETIC CASE BIT SET



- 15 PC 25 mm S2 bits:
  - #1 x 2, #2 x 4, #3
  - 4 x 2, 5.5 x 2, 6.5 mm
  - #1, #2, #3
- 2 PC 50 mm S2 bits
  - #2
  - 5.5 mm
- 3 PC nut drivers: 6, 8, 10 mm
- 60 mm stainless steel extension bar
- Magnetic storage case





Item No.	Description	EAN 69426292+	Inner	Outer
418321	21 PC Magnetic Case Bit Set	5227 6	6	24

13 PC QUICK CHANGE DRILL BIT SET



419013 - Metric

6 PC 50 mm bits #1, #2, #3
5, 6, 7 mm
3 PC wood spades - 12, 19, 25 mm
3 PC HSS drills - 1.5, 3.0, 5.0 mm
1 PC quick change chuck




419014 - SAE

6 PC 2 in. bits - #1, #2, #3
3/16, 1/4, 9/32 in.
3 PC wood spades - 1/2, 3/4, 1 in.
3 PC HSS drills - 1/16, 1/8, 3/16 in.
1 PC quick change chuck



Item No.	Description	EAN 69426292+	Inner	Outer
419013	13 PC Drill Bit Set - Metric	4627 5	6	36
419014	13 PC Drill Bit Set - SAE	4865 1	6	36

25 PC HSS COBALT TWIST DRILL



- Industrial grade cobalt M35 high speed steel, 135 degree split, fully ground body
- For stainless steel, steel, cast steel and other hard materials

135° M35 DIN 338



Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm

Item No.	Description	EAN 69762270+	Inner	Outer
410180	25 PC HSS Cobalt Twist Drill Bits Set	3314 2	5	10

25 PC HSS TWIST DRILL BITS SET



- Industry grade #6542 high speed steel material, 135 degree split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

135° HSS 6542 DIN 338



Contents:
1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5, 10, 10.5, 11, 11.5, 12, 12.5, 13 mm

Item No.	Description	EAN 69762270+	Inner	Outer
410183	25 PC HSS Twist Drill Bits Set	3315 9	5	10

7 PC MAGNETIC NUT DRIVER SET

6, 7, 8, 9, 10, 12, 13 mm





CRV

Item No.	Description	EAN 69426292+	Inner	Outer
418607	7 PC Magnetic Nut Driver Set	5788 2	18	54



31 PC QUICK CHANGE DRIVING BIT SET



418130 - Metric

30 PC S2 bits S2
- 3, 4.5, 5.5, 6.5 mm
- #0, #1 x 2, #2 x 2, #3 x 2
- #0, #1 x 2, #2 x 2, #3 x 2
- 3, 4, 5, 6 mm
- T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC stainless steel quick change chuck

418132 - SAE

30 PC CR-V bits CRV
- 1/8, 5/32, 3/16, 1/4 in.
- #0, #1 x 2, #2 x 2, #3 x 2
- #0, #1 x 2, #2 x 2, #3 x 2
- 1/8, 5/32, 3/16, 1/4 in.
- T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40

1 PC stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
418130	31 PC Bit Set - Metric	3973 4	12	48
418132	31 PC Bit Set - SAE	3046 5	12	48

61 PC QUICK CHANGE DRIVING BIT SET



418159 - Metric

59 PC S2 bits S2
- 3 x 2, 4.5 x 2, 5.5 x 2, 6.5 x 2 mm
- #0 x 2, #1 x 2, #2 x 5, #3 x 2
- #0 x 2, #1 x 2, #2 x 5, #3 x 2
- 2, 3, 4, 5, 6, 8 mm
- 1/16, 3/32, 1/8, 5/32, 3/16, 7/32 in.
- T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
- T-10, T-15, T-20, T-25, T-27, T-30, T-40

1 PC bit adaptor
1 PC stainless steel quick change chuck

418162 - SAE

59 PC CR-V bits CRV
- 1/8 x 2, 5/32 x 2, 3/16 x 2, 1/4 x 2 in.
- #0 x 2, #1 x 2, #2 x 5, #3 x 2
- #0 x 2, #1 x 2, #2 x 5, #3 x 2
- 2, 3, 4, 5, 6, 8 mm
- 1/16, 3/32, 1/8, 5/32, 3/16, 7/32 in.
- T-8, T-9, T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
- T-10, T-15, T-20, T-25, T-27, T-30, T-40


1 PC bit adaptor
1 PC stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
418159	61 PC Bit Set - Metric	3974 1	6	24
418162	61 PC Bit Set - SAE	4840 8	6	24

117 PC QUICK CHANGE DRIVING BIT SET



115 PC CR-V bits CRV
- 3, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8 mm; 1/8, 5/32, 3/16, 7/32, 1/4 in.
- #0 x 2, #1 x 2, #2 x 6, #3 x 2
- #0 x 2, #1 x 2, #2 x 5, #3 x 2
- 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 8 mm
- 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4 in.
- 2, 2.5, 3, 4, 5, 6 mm
- 5/64, 3/32, 7/64, 1/8, 9/64, 5/32 in.
- T-8 x 2, T-10 x 2, T-15 x 2, T-20 x 2, T-25 x 2, T-27 x 2,T-30 x 2, T-35 x 2, T-40 x 2
- T-10, T-15, T-20, T-25, T-27, T-30, T-35, T-40
- #0, #1, #2, #3
- 4, 6, 8, 10
- #1, #2, #3, #4
- M5, M6, M8
- 6, 8, 10
- C1, C2, C3



1 PC bit adaptor
1 PC stainless steel quick change chuck

Item No.	Description	EAN 69426292+	Inner	Outer
418210	117 PC Bit Set	3975 8	6	12

55 PC DRILL & BIT SET



11 PC Ti-coated HSS drills:
1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 mm
5 PC concrete drills: 4, 5, 6, 8, 10 mm
5 PC wood drills: 4, 5, 6, 8, 10 mm
3 PC wood spades: 13, 16, 19 mm
19 PC 25 mm CR-V bits:
- 4, 5, 6 mm
- #1, #2, #3
- #1, #2, #3
- 3, 4, 5, 6 mm
- T-10, T-15, T-20, T-25, T-27, T-30

1 PC bit / socket adaptor
6 PC 50 mm CR-V bits:
- #1, #2, #3
- 4, 5, 6 mm

3 PC nut drivers: 6, 8, 10 mm
1 PC 60 mm extension bar
1 PC 12.7 mm countersink

Item No.	Description	EAN 69426292+	Inner	Outer
418455	55 PC Drill & Bit Set	3975 8	0	10

37 PC DRILL BIT SET



16 x S2
- #1, #2, #3
- 4, 5, 6, 7 mm
- #1, #2, #3
- T-15, T-20, T-25, T-30

1 x 60 mm
1 x
1 x 13 mm HSS

5 x 2, 2, 3, 4, 5 mm
5 x 4, 5, 5.5, 6, 7 mm
5 x 4, 5, 6, 7, 8 mm
3 x 7, 8, 10 mm

Item No.	Description	EAN 69426292+	Inner	Outer
418713	37 PC Drill Bit Set	6031 8	6	24

40 PC DRILL BIT SET



16 x S2
- #1, #2, #3
- 4, 6, 7 mm
- #1, #2, #3
- T-15, T-20, T-25
- 3, 4, 5, 6 mm

1 x 60 mm
3 x 18, 22, 32 mm
1 x 13 mm HSS

11 x 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5 mm
4 x 4, 5, 6, 7 mm
4 x 4, 5, 6, 8 mm

Item No.	Description	EAN 69426292+	Inner	Outer
418714	40 PC Drill Bit Set	6032 5	6	24

78 PC DRILL BIT SET



40 x S2
- #0 x 2, #1 x 2, #2 x 3, #3 x 3
- 4 x 2, 6 x 2, 7 x 2 mm
- #0 x 2, #1 x 2, #2 x 3, #3 x 3
- T-10, T-10, T-15, T-15, T-20,T-20,T-25, T-25, T-30, T-40
- 3, 4, 5, 6 mm

1 x 60 mm
1 x HSS 13 mm
4 x 5, 6, 8 mm
1 x
5 x 32, 38, 44, 54 mm
11 x 3, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 7.5, 8 mm
6 x 4, 5, 5.5, 6, 7, 8 mm
5 x 4, 5, 6, 8, 10 mm
4 x 12, 16, 20, 22 mm

Item No.	Description	EAN 69426292+	Inner	Outer
418737	78 PC Drill Bit Set	6034 9	0	8

90 PC DRILL BIT SET



40 x S2
- #0 x 2, #1 x 2, #2 x 3, #3 x 3
- 4 x 2, 6 x 2, 7 x 2 mm
- #0 x 2, #1 x 2, #2 x 3, #3 x 3
- T-10, T-10, T-15, T-15, T-20,T-20,T-25, T-25, T-30, T-40
- 3, 4, 5, 6 mm

1 x 60 mm
1 x HSS 13 mm
4 x 5, 6, 8 mm
1 x
5 x 32, 38, 44, 54 mm
7 x 4, 5, 6, 7, 8, 9, 10 mm
15 x 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5, 5.5, 6, 6.5, 7, 8, 10 mm
6 x 4, 5, 5.5, 6, 7, 8 mm
5 x 4, 5, 6, 8, 10 mm
4 x 12, 16, 20, 22 mm

Item No.	Description	EAN 69426292+	Inner	Outer
418739	90 PC Drill Bit Set	6035 6	0	8

99 PC DRILL BIT SET



42 x S2 25 mm
- #1 x 3, #2 x 5, #3 x 2
- 4, 5 x 3, 6 x 3, 7 mm
- #1 x 3, #2 x 5, #3 x 2
- T-10, T-10, T-15, T-15, T-20, T-20, T-25, T-25, T-27, T-27, T-30, T-30
- 3, 4 mm

13 x 1.5, 1.5, 2, 2, 2.5, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7 mm
5 x 3, 5, 6, 8, 10 mm
13 x 3, 3, 3.5, 4, 4.5, 5, 5, 5.5, 6, 6.5, 7, 7.5, 8 mm
1 x 60 mm
12 x S2 50 mm
- #1, #2, #2, #3
- 4, 5, 6, 6, 7 mm
- T-10, T-15, T-20

7 x 5, 6, 8, 10, 11, 12, 13 mm
1 x 32, 38, 44, 54 mm
1 x HSS 13 mm

Item No.	Description	EAN 69426292+	Inner	Outer
418740	99 PC Drill Bit Set	6036 3	0	8

76 PC DRILLS & BITS SET - METRIC

12 x HSS 1.5, 1.5, 2, 2, 2.5, 2.5, 3, 3.2, 3.5, 4, 5, 6 mm
4 x HCS 3, 4, 5, 6 mm
4 x HM TCT 3, 4, 5, 6 mm
2 x HCS 13, 25 mm
3 x CRV 6, 8, 10 mm
1 x HCS 60 mm


34 x CRV (25 mm (1 in.))
- #1 x 2, #2 x 4, #3 x 2
- 3, 4, 5, 5, 6, 6, 7 mm
- #1, #2, #3
- T-10, T-15, T-20, T-25, T-27, T-30, T-40
- #1, #2 x 2, #3
- 2, 3, 4, 5, 6 mm

9 x CRV (50 mm (2 in.))
- #1, #2, #3
- #1, #2, #3
- 4, 6, 7 mm

1 x HCS 12.5 mm
4 x 3, 5, 8 mm
2 x #2 x 2

NEW





Item No.	Description	EAN 69777135+	Inner	Outer
418748	76 PC	1225 7	8	16


90 PC DRILL & BIT SET

1 x HCS 12 mm
5 x 3, 5, 6, 8 mm
1 x
5 x HCS 32, 38, 45, 54 mm
1 x HCS 60 mm
2x HCS 16, 22 mm
5 x HCS 3, 4, 5, 6, 8 mm
5 x HM TCT 3, 4, 5, 6, 8 mm
13 x HSS 1.5, 1.5, 2, 2, 2.5, 2.5, 3, 3.5, 4, 4.5, 5, 6, 6.5 mm

46 x CRV
- #1 x 2, #2 x 4, #3 x 3
- (3, 4, 5, 6, 7 mm) x 2
- #1 x 2, #2 x 3, #3 x 2
- T-10, T-15, T-20, T-25, T-27, T-30
- #1 x 3, #2 x 4, #3 x 2
- 2, 3, 4, 5, 6 mm

6 x CRV 6, 7, 8, 9, 10, 12 mm







Item No.	Description	EAN 69743345+	Inner	Outer
418744	90 Pc Drills & Bits Set	5549 6	0	16


120 PC DRILLS & BITS SET

88 x 25 mm CRV
- #0 x 3, #1 x 3, #2 x 6, #3 x 4
- 3 mm x 3, 4 mm x 3, 5 mm x 4, 6 mm x 4, 7 mm x 1
- #0 x 3, #1 x 8, #2 x 6, #3 x 6
- T-10, T - 10, T-15, T-15, T-20, T-20, T-25, T-25, T-27, T-30
- #0 x 2, #1 x 2, #2 x 6, #3 x 2
- 2, 2.5, 3, 4, 5, 6 mm 5/64, 3/32, 1/8, 5/32, 3/16, 1/4 in.

15 x 50 mm CRV
- #1, #2, #3
- 3, 4, 5, 6, 7 mm
- #0, #1, #2, #3
- #1, #2, #3

5 x CRV 6, 8, 10, 11, 13 mm
1 x HCS 60 mm
11 x HSS 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 5, 6, 6.5, 8 mm







Item No.	Description	EAN 69762270+	Inner	Outer
418746	120 PC Drills & Bits Set	3108 7	0	16

400 PC DRILL BITS SET



14 x HSS 1.5, 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5 mm
5 x HM TCT 4, 5, 6, 8, 10 mm
5 x HCS 4, 5, 6, 8, 10 mm
2 x HCS 13, 16, mm
6 x CRV 6, 7, 8, 9, 10, 11 mm
1 x HCS
1 x HCS 60 mm
1 x
52 x 25 mm CRV
- 3, 3, 4, 4, 5, 5, 6, 6 mm
- #0, #1 x 3, #2 x 5, #3 x 2
- #0, #1 x 3, #2 x 4, #3 x 2
- T10, T15, T20, T25, T27, T30, T35, T40
- S0, S1, S2 x 2, S3
- 2, 3, 4, 5, 6 mm, 5/64, 1/8, 5/32, 3/16, 1/4 in.

11 x 50 mm CRV
- 4, 5, 6 mm
- #1, #2, #3
- #1, #2, #3
- T15, T20

4 x 3, 5, 8 mm
3 x
90 x 3 x 30 mm x 45 pc, 4 x 40 mm x 20 pc, 5 x 50 mm x 15 pc, 5 x 60 mm x 10 pc
205 x 5 mm x 85 pc, 6 mm x 65 pc, 8 mm x 35 pc, 10 mm x 20 pc

Item No.	Description	EAN 69762270+	Inner	Outer
418505	400 PC Drill Bits Set	3320 3	0	5



28 PC QUICK CHANGE BIT SET













418113
- 24 PC 50 mm CR-V bits ⊕ #1 x 2, #2 x 4, #3 x 2
  ⊖ 5, 6 x 2, 7 mm
  ⊕ #1, #2 x 2, #3 ○ 3, 4, 5 mm
  ✪ T-10, T-15, T-20, T-25, T-30

1 PC quick change holder
3 PC CR-V nut drivers - 6, 8, 10 mm

418115
- 24 PC 50 mm CR-V bits ⊕ #1, #2 x 10, #3
  ⊖ 3/16, 1/4 x 2, 9/32 in.
  ▢ #1, #2 x 6, #3

1 PC quick change holder
3 PC CR-V nut drivers - 1/4, 5/16, 3/8 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418113	28 PC Quick Change Bit Set - Metric	0821 1	6	12
418115	28 PC Quick Change Bit Set - SAE	0822 8	6	12

15 PC TI-COATED HSS TWIST DRILL SET



- Ti-coated, #4241 HSS, 118° split, fully ground body
- For steel, cast iron, malleable iron, non-ferrous metal and plastic

Item No.	Description	EAN 69426292+	Inner	Outer
418011	1.5, 1.5, 2.0, 2.0, 2.5, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0, 10.0 mm	0810 5	6	12
418013	1/16, 1/16, 5/64, 5/64, 3/32, 3/32, 7/64, 1/8,9/64, 5/32, 3/16, 7/32, 1/4, 5/16, 3/8 in.	0811 2	6	12

15 PC CONCRETE DRILL SET



- High carbon steel body with YG8 carbide tip
- For concrete, reinforced concrete, brick, block and masonry

Item No.	Description	EAN 69426292+	Inner	Outer
418051	3.0, 3.0, 3.0, 4.0, 4.0, 4.0, 5.0, 5.0, 5.0,6.0, 6.0, 8.0, 8.0, 10.0, 10.0 mm	0814 3	6	12
418053	1/8, 1/8, 1/8, 5/32, 5/32, 5/32, 3/16, 3/16, 3/16, 1/4, 1/4, 5/16, 5/16, 3/8, 3/8 in.	0815 0	6	12

15 PC WOOD DRILL SET



- High carbon steel, brad point tip
- For soft wood, hard wood, plywood, hardboards and veneer wood

Item No.	Description	EAN 69426292+	Inner	Outer
418081	3.0, 3.0, 3.0, 4.0, 4.0, 4.0, 5.0, 5.0, 5.0,6.0, 6.0, 8.0, 8.0, 10.0, 10.0 mm	0818 1	6	12
418083	1/8, 1/8, 1/8, 5/32, 5/32, 5/32, 3/16, 3/16, 3/16, 1/4, 1/4, 5/16, 5/16, 3/8, 3/8 in.	0819 8	6	12

20 PC DRILL & BIT SET



418101
- 7 PC hex shank HSS drill bits - 1.5, 2, 3, 4, 4.5, 5, 6 mm
  1 PC quick change holder
  9 PC 50 mm CR-V bits - ⊕ #1, #2, #3 ⊖ 4, 5.5, 6.5 mm
  ⊕ #1, #2, #3
  3 PC CR-V nut drivers - 6, 8, 10 mm

418103
- 7 PC hex shank HSS drill bits - 1/16, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4 in.
  1 PC quick change holder
  9 PC 50 mm CR-V bits - ⊕ #1, #2, #3
  ⊖ 3/16, 1/4, 9/32 in.
  ▢ #1, #2, #3
  3 PC CR-V nut drivers - 1/4, 5/16, 3/8 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418101	20 PC Drill & Bit Set - Metric	0820 4	6	12
418103	20 PC Drill & Bit Set - SAE	4625 1	6	12

17 PC COMBO DRILL SET



- 12 PC Ti-coated #4241 HSS drill bits
- 5 PC YG8 carbide tip masonry drill bits

Item No.	Description	EAN 69426292+	Inner	Outer
418021	12 PC - 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0 mm 5 PC - 3.0, 5.0, 6.0, 8.0, 10.0 mm	0812 9	6	12
418023	12 PC - 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 11/64, 3/16, 13/64, 7/32, 1/4 in. 5 PC - 1/8, 3/16, 1/4, 5/16, 3/8 in.	0813 6	6	12

29 PC DRIVING BIT SET



418107
- 24 PC 25 mm CR-V bits - ⊕ #1 x 2, #2 x 4, #3 x 2
  ⊖ 4, 5.5 x 2, 6.5 mm
  ⊕ #1, #2 x 2, #3
  ○ 3, 4, 5 mm
  ✪ T-10, T-15, T-20, T-25, T-30
  2 PC 50 mm CR-V bits - ⊕ #2 ⊕ #2
  1 PC 80 mm magnetic driver guide
  2 PC CR-V nut drivers - 6, 8 mm

418109
- 24 PC 25 mm CR-V bits - ⊕ #1, #2 x 10, #3
  ⊖ 3/16, 1/4 x 2, 9/32 in.
  ▢ #1, #2 x 6, #3
  2 PC 50 mm CR-V bits - ⊕ #2 ▢ #2
  1 PC magnetic driver guide
  2 PC CR-V nut drivers - 1/4, 5/16 in.

Item No.	Description	EAN 69426292+	Inner	Outer
418107	29 PC Bit Set - Metric	5129 3	6	12
418109	29 PC Bit Set - SAE	5130 9	6	12



DRILLING PRODUCTS
TACTIX®

42 PC IMPACT BIT SET

32 x
25 mm (1 in.) #1 x 2, #2 x 8, #3 x 2
#1, #2 x 2, #3
T-15, T-20 x 2, T-25 x 2, T-30 x 2, T-40
5.5, 6.5 mm
3 x 2, 4 x 2, 5 mm
#2

2 x 6, 8 mm

7 x
50 mm (2 in.) #2 x 2
T-20, T-25
#2 x 2
5 mm

1 x 60 mm



Item No.	Description	EAN 69743345+	Inner	Outer
455842	42 PC	5092 7	5	20

36 PC IMPACT BIT SET

24 x
25 mm (1 in.) #1 x 2, #2 x 8, #3 x 2
#1, #2, #3
T-15, T-20, T-25, T-30
5.5, 6.5 mm
3, 4, 5 mm

3 x 6, 8, 10 mm

5 x
50 mm (2 in.) #2 x 2 #2
T-20, T-25

1 x 60 mm

1 x 3/8 in.

2 x 10, 12 mm



Item No.	Description	EAN 69743345+	Inner	Outer
455844	36 PC	5093 4	5	20

37 PC IMPACT BIT SET

24 x
25 mm (1 in.) #1 x 2, #2 x 6, #3 x 2
#1, #2, #3
T-15, T-20 x 2, T-25 x 2, T-30
5.5, 6.5 mm
3, 4, 5 mm

2 x 8, 10 mm

2 x
50 mm (2 in.) #2
#2

1 x 60 mm

8 x 1.5, 2, 2.5, 3, 3.5, 4, 5, 6 mm



Item No.	Description	EAN 69743345+	Inner	Outer
455848	37 PC	5095 8	5	20


47 PC IMPACT BIT SET

32 x
25 mm (1 in.) #1 x 2, #2 x 4, #3 x 2
#1 x 2, #2 x 4, #3 x 2
T-15, T-20 x 2, T-25 x 2, T-30 x 2, T-40
5.5, 6.5 mm
3 x 2, 4 x 2, 5 x 2 mm

4 x 6, 8, 10, 12 mm

1 x 60 mm

10 x
50 mm (2 in.) #2 x 10





Item No.	Description	EAN 69743345+	Inner	Outer
455846	47 PC	5094 1	5	20

20 PC IMPACT BIT SET

20 x
25 mm (1 in.) #2 x 25 mm (1 in.)






Item No.	Description	EAN 69743345+	Inner	Outer
455820	20 PC	5090 3	24	48

10 PC IMPACT BIT SET

10 x
50 mm (2 in.) #2 x 50 mm (2 in.)





Item No.	Description	EAN 69743345+	Inner	Outer
455810	10 PC	5088 0	24	48



16 PC COMBINATION HEX SHANK DRILL BITS SET
CASE (S)

8 x 2, 2.5, 3, 3.5, 4, 5, 6, 8 mm (HSS)
4 x 4, 5, 6, 8 mm (HM TCT)
4 x 4, 5, 6, 8 mm (HCS)

NEW



Item No.	Description	EAN 69777135+	Inner	Outer
455905	16 PC	1397 1	10	20

42 PC IMPACT BIT SET
CASE (M)

32 x (25 mm (1 in.)) #1 x 2, #2 x 8, #3 x 2; #1, #2 x 2, #3; T-15, T-20 x 2, T-25 x 2, T-30 x 2, T-40; 5.5, 6.5 mm; 3 x 2, 4 x 2, 5 mm; #2
7 x (50 mm (2 in.)) #2 x 2; T-20, T-25; #2 x 2; 5 mm
2 x 6, 8 mm
1 x 60 mm

NEW



Item No.	Description	EAN 69762270+	Inner	Outer
455912	42 PC	3569 6	10	20

37 PC IMPACT BIT SET
CASE (M)

24 x (25 mm (1 in.)) #1 x 2, #2 x 6, #3 x 2; #1, #2, #3; T-15, T-20 x 2, T-25 x 2, T-30; 5.5, 6.5 mm; 3, 4, 5 mm
8 x 1.5, 2, 2.5, 3, 3.5, 4, 5, 6 mm
1 x 60 mm
2 x (50 mm (2 in.)) #2; #2
2 x 8, 10 mm

NEW



Item No.	Description	EAN 69762270+	Inner	Outer
455918	37 PC	3572 6	10	20

37 PC IMPACT BIT SET
CASE (M)

8 x (25 mm (1 in.)) #1, #2, #3; T-20 , T-25, T-30; 5.5 mm; #2
1 x 60 mm
4 x 6, 8, 10, 12 mm
16 x (50 mm (2 in.)) #1 , #2 x 6, #3; #1, #2, #3; T-20, T-25; 4, 5, 6 mm

NEW

8 x HSS 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 5 mm



Item No.	Description	EAN 69762270+	Inner	Outer
455919	37 PC	3572 6	10	20

10 PC RECIPROCATING SAW BLADES SET
CASE (L)



NEW



- 2 PC 150 mm (6 in.) x 6 TPI wood cutting – HCS
- 4PC 150 mm (6 in.) x 24 TPI metal cutting - Bi-metal
- 2 PC 225 mm (9 in.) x 14 TPI metal cutting - Bi-metal
- 2 PC 240 mm (9-1/2 in.) x 5 TPI wood cutting – HCS

Item No.	Description	EAN 69762270+	Inner	Outer
436410	10 PC	3564 1	6	12

45 PC HEX SHANK HSS DRILLS & IMPACT BITS SET
CASE (XL)

16 x (25 mm (1 in.)) #1, #2 x 6, #3; #1, #2, #3; T-15, T-20, T-25, T-27, T-30
1 x 65 mm
1 x 1/4 in.

NEW

8 x (50 mm (2 in.)) #2 x 3; T-15, T-20, T-25, T-30; 5.5 mm
8 x (75 mm (3 in.)) #2 x 3; T-20, T-25, T-30; 4 mm, 5 mm
4 x 6, 8, 10, 12 mm
8 x 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0 mm



Item No.	Description	EAN 69762270+	Inner	Outer
455920	45 PC	3574 0	5	10

14 PC 19-92 MM BI-METAL HOLESAW SET FOR PLUMBERS
CASE (XXL)

- 10 PC Bi-Metal Holesaws:
  19 mm (3/4 in.), 25 mm (1 in.) (x2)
  32 mm (1-1/4 in.), 35 mm (1-3/8 in.)
  40 mm (1-9/16 in.), 44 mm (1-3/4 in.)
  51 mm (2 in.), 64 mm (2-1/2 in.)
  92 mm (3-5/8 in.)
- 2 PC Arbors with HSS Pilot Bits
  14-30 mm HPP Arbor
  32-152 mm HPP Arbor
- 2 PC HSS Pilot Bits (Additional)
- Plastic Storage Case

NEW





Item No.	Description	EAN 69777135+	Inner	Outer
440105	14 PC	1850 1	1	4

45 PC QUICK CHANGE DRIVING BITS SET
CASE (M)

16 x (CRV) (25 mm (1 in.)) #1, #2 x 2, #3; #1, #2 x 2, #3; T-15, T-20, T-25 x 2, T-30; 5.5 mm, 6.5 mm; 5 mm
3 x CRV 6, 8, 10 mm
1 x AD 3/8 in.
1 x (CRV)
24 x (CRV) (50 mm (2 in.)) #1 x 2, #2 x 4, #3 x 2; #1, #2 x 2, #3; 4, 5.5 x 2, 6.5 mm; T-10, T-15, T-20, T-25, T-30; 3, 4, 5 mm

NEW



Item No.	Description	EAN 69777135+	Inner	Outer
455931	45 PC	1224 0	10	20

18 PC 16-51 MM BI-METAL HOLESAW SET FOR ELECTRICIANS
CASE (XXL)

- 14 PC Bi-Metal Holesaws:
  16 mm (5/8 in.) (x2), 20 mm (25/32 in.) (x2)
  22 mm (7/8 in.) (x2), 25 mm (1 in.) (x2)
  32 mm (1-1/4 in.) (x2), 40 mm (1-9/16 in.) (x2)
  51 mm (2 in.) (x2)
- 2 PC Arbors with HSS Pilot Bits
  14-30 mm HPP Arbor
  32-152 mm HPP Arbor
- 2 PC HSS Pilot Bits (Additional)
  Hex Wrench
- Plastic Storage Case

NEW





Item No.	Description	EAN 69777135+	Inner	Outer
440104	18 PC	1849 5	1	4

15 PC 19-64 MM BI-METAL HOLESAW SET FOR GENERAL PURPOSE
CASE (XXL)

- 11 PC Bi-Metal Holesaws
  19 mm (3/4 in.), 22 mm (7/8 in.),
  25 mm (1 in.), 29 mm (1-1/8 in.)
  35 mm (1-3/8 in.), 38 mm (1-1/2 in.)
  44 mm (1-3/4 in.), 51 mm (2 in.)
  54 mm (2-1/8 in.), 57 mm (2-1/4 in.)
  64 mm (2-1/2 in.)
- 2 PC Arbors with HSS Pilot Bits
  14-30 mm HPP Arbor
  32-152 mm HPP Arbor
- 2 PC HSS Pilot Bits (Additional)
  Hex Wrench
- Plastic Storage Case

NEW





Item No.	Description	EAN 69777135+	Inner	Outer
440103	15 PC	1851 8	1	4





APPLICATION GUIDE

	CONTINUOUS	SEGMENTED	TURBO		CONTINUOUS	SEGMENTED	TURBO		CONTINUOUS	SEGMENTED	TURBO
Ceramic Tiles	✓	✓	✓	Marble	✓	✓	✓	Granite	✓	✓	✓
Paver	✓			Concrete		✓	✓	Terracotta	✓	✓	✓
Slate	✓	✓	✓	Cement	✓	✓	✓	Blue Stone			✓
PVC			✓	Clay Bricks		✓	✓	Aluminium			✓

X-RIM TURBO DIAMOND BLADE — PRO GRADE





EN 13236 | MPA | DRY | WET | ø 22.23 mm / 7/8 in.

- Hot press sintered,extremely smooth cutting finish on porcelain, marble, and ceramic tile
- Reduce chipping of tiles

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69762270+	Inner	Outer
425171	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.3 mm	10 mm	3334 0	12	36
425173	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	1.3 mm	10 mm	3335 7	12	36
425175	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	1.4 mm	10 mm	3336 4	12	36
425177	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	1.8 mm	10 mm	3337 1	12	24
425179	200 mm (7-7/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	7600	1.8 mm	10 mm	3338 8	12	24
425181	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.0 mm	10 mm	3339 5	12	24



DIAMOND BLADES-SEGMENTED — PRO GRADE





EN 13236 | MPA | DRY | ø 22.23 mm / 7/8 in.

- Hot pressed sintered for heavy duty and fast cutting
- For dry use
- Universal use on concrete, bricks, granite, sandstone, block and building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425021	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.9 mm	10 mm	2349 8	12	36
425023	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2 mm	10 mm	2350 4	12	36
425025	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2 mm	10 mm	2351 1	12	36
425029	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.2 mm	10 mm	2352 8	12	24
425033	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.4 mm	10 mm	2353 5	12	24



DIAMOND BLADES-CONTINUOUS — PRO GRADE





EN 13236 | MPA | WET | ø 22.23 mm / 7/8 in.

- Hot press sintered, fast cutting, wet use
- For tile and ceramics

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425151	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	1.6 mm	7.5 mm	2376 4	12	36
425155	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	1.6 mm	7.5 mm	2378 8	12	36
425157	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	1.6 mm	7.5 mm	2379 5	12	36
425161	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2 mm	7.5 mm	2381 8	12	24
425165	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2 mm	7.5 mm	2383 2	12	24



DIAMOND BLADES-TURBO — PRO GRADE





EN 13236 | MPA | DRY | WET | ø 22.23 mm / 7/8 in.

- Hot press sintered, fast cutting, dry and wet use
- Universal use on concrete, granite, brick, block and building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425051	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	2 mm	10 mm	2356 6	12	36
425053	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2.1 mm	10 mm	2357 3	12	36
425055	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2.1 mm	10 mm	2358 0	12	36
425059	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.6 mm	10 mm	2360 3	12	24
425063	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.8 mm	10 mm	2362 7	12	24



DIAMOND BLADES-TURBO — PRO GRADE





EN 13236 | MPA | DRY | WET | ø 22.23 mm / 7/8 in.

- Hot press sintered, fast cutting, dry and wet use
- For granite, marble, very hard bricks, stone, mortar, and other hard building materials

Item No.	Outer Diameter	Bore Size	MPA	RPM	Tip Thickness	Diamond Height	EAN 69426292 (A) 69743345 (B)	Inner	Outer
425100	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	-	14500	2 mm	10 mm	B + 5006 4	12	36
425103	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	13200	2.1 mm	10 mm	A + 2367 2	12	36
425105	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	12200	2.1 mm	10 mm	A + 2368 9	12	36
425109	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	8500	2.6 mm	10 mm	A + 2370 2	12	24
425113	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	✓	6600	2.8 mm	10 mm	A + 2372 6	12	24



DIAMOND BLADES-SEGMENTED



EN 13236 | DRY | ø 22.23 mm 7/8 in.



- Dry use
- For concrete, granite, brick, block and other building materials



Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425521	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	1.9 mm	7 mm	8910 4	12	36
425523	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	1.9 mm	7 mm	3993 2	12	36
425525	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	1.9 mm	7 mm	8911 1	12	36
425527	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.4 mm	7 mm	3994 9	12	24
425531	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.6 mm	7 mm	3995 6	12	24

DIAMOND BLADES-CONTINUOUS



EN 13236 | WET | ø 22.23 mm 7/8 in.



- Wet use
- For ceramic and granite tile



Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425501	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	1.9 mm	5 mm	3992 5	12	36
425503	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	1.9 mm	5 mm	4734 0	12	36
425505	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	1.9 mm	5 mm	4735 7	12	36
425507	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.4 mm	5 mm	8908 1	12	24
425509	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.6 mm	5 mm	8909 8	12	24

DIAMOND BLADES-TURBO



EN 13236 | DRY | WET | ø 22.23 mm 7/8 in.



- Wet and dry use
- For granite, hard brick and hard stone



Item No.	Outer Diameter	Bore Size	RPM	Tip Thickness	Diamond Height	EAN 69426292+	Inner	Outer
425541	105 mm (4-1/8 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	2.1 mm	7 mm	8912 8	12	36
425543	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	2.1 mm	7 mm	3996 3	12	36
425545	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	2.1 mm	7 mm	8913 5	12	36
425547	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	2.6 mm	7 mm	8914 2	12	24
425549	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	2.8 mm	7 mm	8915 9	12	24

3PC DIAMOND BLADES



DRY | WET | TURBO

EN 13236 | ø 22.23 mm 7/8 in.

- 1 pc turbo, 1 pc segmented, 1 pc continuous
- For general concrete material cutting



Item No.	Outer Diameter	Bore Size	RPM	EAN 69426292+	Inner	Outer
425573	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	7009 6	12	48



MULTI-PURPOSE DIAMOND BLADE — PRO GRADE

MULTI-FUNCTION



- All purpose diamond edged cut off wheel
- Advanced diamond technology provides extreme cutting in wood, tubular metals, non-ferrous metals, masonry products, tiles and PVC
- High grade diamond rim to reduce dust residue and odors versus bonded abrasives
- Heat-resistant vacuum Brazed to deliver best-in-class performance and extreme blade life



Item No.	Outer Diameter	Bore Size	RPM	EAN 69743345+	Inner	Outer
425201	100 mm (4 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	5479 6	12	36
425202	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	5480 2	12	36
425203	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	5481 9	12	36
425205	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	5482 6	12	24
425206	230 mm (9 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	6600	5483 3	12	24



DIAMOND EDGE METAL CUTTING BLADE — PRO GRADE

1000+ Cut

NEW



- Diamond edge metal cutting blades boast an impressive 1000 cuts without replacement, with a wheel life of 40 times more compared to standard abrasive cut-off wheels
- Diamond edge blade uses diamond technology to provide extra long blade life
- Solid metal body woth a heavy duty design for extra safety and less risk of blade breakage
- Less odor and dust resistance



Item No.	Outer Diameter	Bore Size	RPM	EAN 69777135+	Inner	Outer
425221	100 mm (4 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	14500	1566 1	12	36
425222	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	1567 8	12	36
425223	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	1568 5	12	36
425225	180 mm (7 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	8500	1569 2	12	24



GLASS/TILE DIAMOND CUTTING GRINDING DISC — PRO GRADE


MULTIFUNCTIONAL

- Multi functions for cutting, grinding,chamferring & raking with one blade for more efficiency
- Vacuum brazed hot press
- For Dry/Wet use. (recommend wet cutting for longer lifetime)
- Suitable for multiple materials granite, marble, glass, tiles, ceramic

NEW









Item No.	Outer Diameter	Bore Size	RPM	EAN 69762270+	Inner	Outer
425211	100 mm (4 in.)	20-16 mm (3/4-5/8 in.)	14500	3776 8	12	36
425212	115 mm (4-1/2 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	13200	3777 5	12	36
425213	125 mm (5 in.)	22.23-20-16 mm (7/8-3/4-5/8 in.)	12200	3778 2	12	36


ELECTROPLATED DIAMOND CUTTING DISC WITH DOUBLE TRIANGLE SHAPE — PRO GRADE





- Electroplated diamond cutting and grinding discs for granite & marble, double sides coated
- This versatility diamond blade can cut a wide variety of materials (tile, stoneware, porcelain, marble, granite,natural stone, ceramic tile …) and can be applicable in many situations in which it can be used (straight cut, mitre, inserts, finishes …)
- Electroplated technology keeps all diamond grain attached to the steel core, high diamond exposure rate provide high efficient working performance
- M14 Flange Segmented for angle grinder

NEW



BOTH SIDES ARE COATED WITH TRIANGLE DIAMOND SPOTS

Provides high efficient cutting & grinding purpose



M14



Item No.	Outer Diameter	Bore Size	RPM	EAN 69708346+	Inner	Outer
425603	115 mm (4-1/2 in.)	M14	13200	7757 7	12	36
425605	125 mm (5 in.)	M14	12200	7762 1	12	36
425607	180 mm (7 in.)	M14	8600	7832 1	12	24
425609	230 mm (9 in.)	M14	6500	7833 8	12	24



DIAMOND CUP SINGLE



- Large grinding segments with heat treated steel bodies which provides increases durability and wheel life
- Fast action on grinding granite, marble, tile, rock and concrete
- Smoothing concrete or field stone
- Suitable for grinding machines and angle grinders





Item No.	Size	RPM	EAN 69426292+	Inner	Outer
426001	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0218 9	6	24
426003	125 x 22.23 mm (5 x 7/8 in.)	12200	0219 6	6	24

DIAMOND CUP DOUBLE



- Large grinding segments with heat treated steel bodies which provides increases durability and wheel life
- 2x faster action on grinding granite, marble, tile, rock and concrete
- Smoothing concrete or field stone
- Suitable for grinding machines and angle grinders





Item No.	Size	RPM	EAN 69426292+	Inner	Outer
426011	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0220 2	6	24
426013	125 x 22.23 mm (5 x 7/8 in.)	12200	0221 9	6	24

DIAMOND CUP TURBO




- Supper turbo segmented diamond cups are designed for grinding concrete and field stone
- The turbo segment configuration allows for faster and soft material removal
- Surface finishing on concrete, screed and natural stone can also be used for removal of glues and epoxies
- Brazed wave row segments for fast and smooth grinding with 5 mm segment height use wet or dry
- Suitable for grinding machines and angle grinders





Item No.	Size	RPM	EAN 69426292+	Inner	Outer
426021	115 x 22.23 mm (4-1/2 x 7/8 in.)	13300	0491 6	6	24
426023	125 x 22.23 mm (5 x 7/8 in.)	12200	0492 3	6	24



VACUUM BRAZED DIAMOND DRILL BIT

- 1/4 in. Hex shank for power drills
- Suitable for high drilling speed, industry diamonds, long using life
- Filled with cutting gel, no additional cooling necessary, no time-consuming preparation
- For tiles, ceramics, stone ware, gneiss, granite, marble and slate
- DRY and WET drilling







Item No.	Cutting DIA.	Cutting Depth	Shank	EAN 69743345+	Inner	Outer
425301	5 mm (3/16 in.)	32 mm (1-1/4 in.)	6.35 mm (1/4 in.)	5484 0	10	60
425303	6 mm (1/4 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5485 7	10	60
425305	8 mm (5/16 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5486 4	10	60
425307	10 mm (3/8 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5487 1	10	60
425309	12 mm (1/2 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5488 8	10	60
425311	14 mm (9/16 in.)	40 mm (1-9/16 in.)	6.35 mm (1/4 in.)	5489 5	10	60

VACUUM BRAZED DIAMOND HOLE SAW

- M14 x2 thread for angle grinders
- Suitable for high drilling speed, industry diamonds, long using life
- Filled with cutting gel, no additional cooling necessary, no time-consuming preparation
- For tiles, ceramics, stone ware, gneiss, granite, marble and slate
- DRY and WET drilling








Item No.	Cutting DIA.	Cutting Depth	Shank	EAN 69743345+	Inner	Outer
425321	6 mm (1/4 in.)	35 mm (1-3/8 in.)	M14	5491 8	12	48
425323	8 mm (5/16 in.)	35 mm (1-3/8 in.)	M14	5492 5	12	48
425325	10 mm (3/8 in.)	35 mm (1-3/8 in.)	M14	5493 2	12	48
425327	12 mm (1/2 in.)	35 mm (1-3/8 in.)	M14	5494 9	12	48
425329	14 mm (9/16 in.)	35 mm (1-3/8 in.)	M14	5495 6	12	48
425331	20 mm (13/16 in.)	45 mm (1-3/4 in.)	M14	5496 3	6	36
425333	25 mm (1 in.)	45 mm (1-3/4 in.)	M14	5497 0	6	36
425335	30 mm (1-3/16 in.)	45 mm (1-3/4 in.)	M14	5498 7	6	36
425337	35 mm (1-3/8 in.)	45 mm (1-3/4 in.)	M14	5499 4	6	36
425339	38 mm (1-1/2 in.)	45 mm (1-3/4 in.)	M14	5500 7	6	36

DIAMOND COATED HOLE SAW



- High quality industrial diamond
- Ø 19 to 35 mm for wallplug holes, water pipes, waste pipes and Ø 38 to 100 mm for waste pipes, electrical boxes and sockets, for porcelain, granite worktops, tiles, quarry tiles, ceramics, natural stone slabs, marble.
- Attention: Only usable with water cooling









Item No.	Cutting DIA.	Cutting Depth	EAN 69743345+	Inner	Outer
425360	19 mm (3/4 in.)	38 mm (1-1/2 in.)	5432 1	12	48
425362	22 mm (7/8 in.)	38 mm (1-1/2 in.)	5433 8	12	48
425364	25 mm (1 in.)	38 mm (1-1/2 in.)	5434 5	12	48
425366	29 mm (1-1/8 in.)	38 mm (1-1/2 in.)	5435 2	12	48
425368	32 mm (1-1/4 in.)	38 mm (1-1/2 in.)	5436 9	12	48
425370	35 mm (1-3/8 in.)	38 mm (1-1/2 in.)	5437 6	12	48
425372	38 mm (1-1/2 in.)	38 mm (1-1/2 in.)	5438 3	12	48
425374	44 mm (1-3/4 in.)	38 mm (1-1/2 in.)	5439 0	12	48
425376	50 mm (2 in.)	38 mm (1-1/2 in.)	5440 6	6	36
425378	54 mm (2-1/8 in.)	38 mm (1-1/2 in.)	5441 3	6	36
425380	64 mm (2-1/2 in.)	38 mm (1-1/2 in.)	5442 0	6	36
425382	67 mm (2-5/8 in.)	38 mm (1-1/2 in.)	5443 7	6	36
425384	76 mm (3 in.)	38 mm (1-1/2 in.)	5444 4	6	36
425386	82 mm (3-1/4 in.)	38 mm (1-1/2 in.)	5445 1	6	36
425388	89 mm (3-1/2 in.)	38 mm (1-1/2 in.)	5446 8	6	36
425390	100 mm (4 in.)	38 mm (1-1/2 in.)	5447 5	6	36

9 PC DIAMOND COATED HOLE SAW SET

- 19, 22, 29, 38, 51, 57 mm
- 1 pc arbor 1/2 in.-20 UNF
- 1 pc adapter
- 1 pc masonry pilot drill bit









Item No.	Size	EAN 69743345+	Inner	Outer
425392	19, 22, 29, 38, 51, 57 mm	5450 5	6	24

ARBOR FOR DIAMOND COATED HOLE SAW

- Tungsten carbide pilot drill bit



Item No.	For hole saw size	EAN 69743345+	Inner	Outer
425398	19-29 mm (3/4 in.-1-1/8 in.)	5448 2	10	60

ARBOR FOR DIAMOND COATED HOLE SAW

- Tungsten carbide pilot drill bit




Item No.	For hole saw size	EAN 69743345+	Inner	Outer
425399	32-152 mm (1-1/4 in.-6 in.)	5449 9	10	60

DRILLING GUIDE FOR DIAMOND HOLE SAWS

- For hole saws 4 to 83 mm accurately positioning.
- Two nobs to lock slider,one lever to engage suction






Item No.	Size	EAN 69743345+	Inner	Outer
425394	4-83 mm	5451 2	6	24

WATERING-CAN FOR DIAMOND HOLE SAWS

- For cooling down diamond hole saws through drilling process
- Water capacity: 1 litre
- Water hose included








Item No.	Size	EAN 69743345+	Inner	Outer
425396	1 Litre	5452 9	0	8





CIRCULAR SAW BLADES

- K30 ATB Caride teeth provides longer life and faster cutting speed.
- Suitable for all kinds of wood: Hardwoods,Softwoods,MDF, Plywood,Chipboard,etc.





Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69426292 (A) 69743345 (B)	Inner	Outer
434368	115 mm (4-1/2 in.)	2.2	1.1	22.23	48	K30 (YG8)	ATB	15-18°	Circular Saw	13200	B + 5334 8	12	36
434424	160 mm (6-1/4 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	9000	A + 5589 5	12	36
434431	165 mm (6-1/2 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	9000	A + 7262 5	12	36
435019	180 mm (7 in.)	2.4	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw	8000	A + 2651 2	12	36
435022	180 mm (7 in.)	2.4	1.4	20	40	K30 (YG8)	ATB	15-18°	Circular Saw	8000	A + 2652 9	12	36
434624	185 mm (7-1/4 in.)	2.2	1.4	20	24	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 5590 1	12	36
434636	185 mm (7-1/4 in.)	2.2	1.4	20	36	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 5591 8	12	36
434637	185 mm (7-1/4 in.)	2.2	1.4	20	40	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 8396 6	12	36
434646	185 mm (7-1/4 in.)	2.2	1.4	25.4	60	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	8000	A + 7194 9	12	36
434736	210 mm (8-1/4 in.)	2.2	1.4	30	36	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5593 2	12	36
434848	216 mm (8-1/2 in.)	2.2	1.5	30	48	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5596 3	12	36
434860	216 mm (8-1/2 in.)	2.2	1.5	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	7000	A + 5597 0	12	36
435023	230 mm (9 in.)	2.6	1.6	30	40	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	6000	A + 2653 6	12	24
435025	230 mm (9 in.)	2.6	1.6	30	60	K30 (YG8)	ATB	15-18°	Circular Saw&Miter Saw	6000	A + 2654 3	12	24
435026	250 mm (9-7/8 in.)	2.8	1.8	30	40	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 2655 0	12	24
435060	250 mm (9-7/8 in.)	2.8	1.8	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 2656 7	12	24
434936	254 mm (10 in.)	2.6	1.8	30	36	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5598 7	12	24
434948	254 mm (10in.)	2.6	1.8	30	48	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5599 4	12	24
434960	254 mm (10 in.)	2.6	1.8	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5600 7	12	24
434980	254 mm (10 in.)	2.6	1.8	30	80	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	5500	A + 5601 4	12	24
435068	300 mm (11-3/4 in.)	3.0	2.0	30	40	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	4500	A + 2657 4	6	12
435078	300 mm (11-3/4 in.)	3.0	2.0	30	60	K30 (YG8)	ATB	15-18°	Miter Saw&Table Saw	4500	A + 2658 1	6	12
435160	315 mm (12-3/8 in.)	3.0	2.0	30	60	K30 (YG8)	ATB	15-18°	Table Saw	4000	A + 5603 8	6	12
435180	315 mm (12-3/8 in.)	3.0	2.0	30	80	K30 (YG8)	ATB	15-18°	Table Saw	4000	A + 5604 5	6	12
435248	400 mm (15-3/4 in.)	3.2	2.2	30	48	K30 (YG8)	ATB	15-18°	Table Saw	3500	A + 5605 2	6	12
435260	400 mm (15-3/4 in.)	3.2	2.2	30	60	K30 (YG8)	ATB	15-18°	Table Saw	3500	A + 5606 9	6	12



WOOD
ALUMINUM
METAL
FIBRE CEMENT

ALUMINUM CIRCULAR SAW BLADE



- K30 TCG Caride teeth provides longer life and faster cutting speed.
- Suitable for aluminum cutting applications.




Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner	Outer
435501	165 mm (6-1/2 in.)	2.2	1.4	20	54	K30 (YG8)	TCG	-5°	Circular Saw	8000	5831 2	12	36
435503	185 mm (7-1/4 in.)	2.4	1.8	20	60	K30 (YG8)	TCG	-5°	Circular Saw&Miter Saw	7000	5832 9	12	36
435505	216 mm (8-1/2 in.)	2.5	1.8	30	48	K30 (YG8)	TCG	-4°	Miter Saw&Table Saw	6000	5833 6	12	36
435509	254 mm (10 in.)	2.4	1.8	30	80	K30 (YG8)	TCG	-4°	Miter Saw&Table Saw	5000	5835 0	12	24
435513	254 mm (10 in.)	2.8	2.0	25.4	100	K30 (YG8)	TCG	8°	Miter Saw&Table Saw	5000	5837 4	12	24
435515	254 mm (10 in.)	2.8	2.0	25.4	120	K30 (YG8)	TCG	0°	Miter Saw&Table Saw	5000	5838 1	12	24
435523	305 mm (12 in.)	3.2	2.2	30	100	K30 (YG8)	TCG	-5°	Miter Saw&Table Saw	4500	5842 8	6	12

METAL CIRCULAR SAW BLADE



- P30 TCG Caride teeth provides longer life and faster cutting speed.
- Suitable for cutting various types of metal products including steel siding, roofing and steel studs.
- Laser cut blade for anti-kickback during cutting.




Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner	Outer
435601	136 mm (5-3/8 in.)	1.5	1.2	20	30	P30	TCG	0°	Circular Saw	4500	5845 9	12	36
435603	150 mm (6 in.)	2.0	1.6	20	32	P30	TCG	0°	Circular Saw	4000	5846 6	12	36
435605	185 mm (7-1/4 in.)	2.0	1.6	20	48	P30	TCG	0°	Circular Saw&Miter Saw	3500	5847 3	12	36
435607	254 mm (10 in.)	2.0	1.6	30	50	P30	TCG	0°	Miter Saw	2500	5848 0	12	24
435609	305 mm (12 in.)	2.2	1.8	30	60	P30	TCG	0°	Miter Saw	2000	5849 7	6	12

FIBRE CEMENT CIRCULAR SAW BLADE



- Poly Crystalline Diamond (PCD) teeth provides longer life when cutting fibre cement sheeting of all densities.
- Stabiliser slots for reduced vibration while cutting.



Item No.	Outer Diameter	Kerf (mm)	Blade Thickness (mm)	Arbor (mm)	Teeth Quantity	Tungsten Carbide Tip	Tooth Grind	Hook Angle	Model	Max RPM	EAN 69743345+	Inner	Outer
435701	165 mm (6-1/2 in.)	1.8	1.2	20	4	PCD DIAMOND	FLAT	10°	Circular Saw	8000	5850 3	12	36
435703	185 mm (7-1/4 in.)	1.8	1.2	20	4	PCD DIAMOND	FLAT	10°	Circular Saw&Miter Saw	7000	5851 0	12	36
435705	254 mm (10 in.)	2.0	1.4	30	6	PCD DIAMOND	FLAT	10°	Miter Saw&Table Saw	5000	5852 7	12	24
435707	305 mm (12 in.)	2.2	1.6	25.4	8	PCD DIAMOND	FLAT	10°	Miter Saw&Table Saw	4500	5853 4	6	12

CUT OFF WHEELS-INOX



- For cutting all types of metal and stainless steel

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445131	100 x 1.2 x 16 mm (4 x 0.045 x 5/8 in.)	WA60 RBF	15300	2354 2	100	400
445132	100 x 1.6 x 16 mm (4 x 1/16 x 5/8 in.)	WA46 RBF	15300	8918 0	100	400
445135	115 x 1.6 x 22.23 mm (4-1/2 x 1/16 x 7/8 in.)	WA46 RBF	13200	8424 6	50	200
445136	115 x 1.0 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	WA60 RBF	13200	8425 3	50	200
445137	115 x 3.0 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	WA30 RBF	13200	8919 7	25	200
445139	125 x 1.6 x 22.23 mm (5 x 1/16 x 7/8 in.)	WA46 RBF	12200	8920 3	50	200
445140	125 x 1.0 x 22.23 mm (5 x 1/32 x 7/8 in.)	WA60 RBF	12200	8426 0	50	200
445141	125 x 3.0 x 22.23 mm (5 x 1/8 x 7/8 in.)	WA30 RBF	12200	8427 7	25	200
445151	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	WA46 RBF	8600	8921 0	50	200
445152	180 x 3.0 x 22.23 mm (7 x 1/8 x 7/8 in.)	WA30 RBF	8600	8922 7	25	100
445161	230 x 1.6 x 22.23 mm (9 x 1/16 x 7/8 in.)	WA46 RBF	6500	8428 4	50	100
445162	230 x 3.0 x 22.23 mm (9 x 1/8 x 7/8 in.)	WA30 RBF	6500	8923 4	25	100

CUT OFF WHEELS-METAL



- For cutting all types of metal

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292(A) 69708346(B)	Inner	Outer
445050	75 x 1.6 x 10 mm (3 x 1/16 x 3/8 in.)	A46SBF	20100	A + 6971 7	100	1000
445055	100 x 2.5 x 16 mm (4 x 3/32 x 5/8 in.)	A36RBF	15300	A + 2557 7	50	200
445057	115 x 3 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	A30RBF	13200	A + 2558 4	50	200
445059	115 x 1 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	A60RBF	13200	A + 2559 1	50	200
445063	125 x 3 x 22.23 mm (5 x 1/8 x 7/8 in.)	A30RBF	12200	A + 2561 4	25	200
445065	125 x 1 x 22.23 mm (5 x 1/32 x 7/8 in.)	A60RBF	12200	A + 2562 1	50	200
445071	180 x 3 x 22.23 mm (7 x 1/8 x 7/8 in.)	A30RBF	8600	A + 2565 2	25	100
445072	180 x 1.2 x 22.23 mm (7 x 3/64 x 7/8 in.)	A46RBF	8600	B + 7699 0	25	200
445073	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	A46RBF	8600	A + 2566 9	25	200
445075	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	A30RBF	6500	A + 2567 6	0	25
445076	230 x 1.6 x 22.23 mm (9 x 1/16 x 7/8 in.)	A46RBF	6500	A + 5478 2	50	100
445085	355 x 3 x 25.4 mm (14 x 1/8 x 1 in.)	A30RBF	4400	A + 2572 0	0	25
445086	355 x 2.8 x 25.4 mm (14 x 1/8 x 1 in.)	A30RBF	4400	B + 7691 4	0	25

CUT OFF WHEELS-STONE



- For general applications in concrete, stone and masonry

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445103	115 x 3 x 22.23 mm (4-1/2 x 1/8 x 7/8 in.)	C30RBF	13200	2575 1	50	200
445105	125 x 3 x 22.23 mm (5 x 1/8 x 7/8 in.)	C30RBF	12200	2576 8	25	200
445109	180 x 3 x 22.23 mm (7 x 1/8 x 7/8 in.)	C30RBF	8600	2578 2	25	100
445111	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	C30RBF	6500	2579 9	25	50



GRINDING WHEELS-INOX



- For general applications in metal and stainless steel

TYPE 27 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445181	100 x 6 x 16 mm (4 x 1/4 x 5/8 in.)	WA24 RBF	15300	8924 1	25	200
445183	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	WA24 RBF	13200	8925 8	25	100
445185	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	WA24 RBF	12200	8926 5	25	100
445187	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	WA24 RBF	8600	8927 2	25	50
445189	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	WA24 RBF	6500	8928 9	25	50

GRINDING WHEELS-METAL



- For weld grinding and surface conditioning with metal

TYPE 27 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445001	100 x 6 x 16 mm (4 x 1/4 x 5/8 in.)	A24RBF	15300	2541 6	25	100
445003	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	A24RBF	13200	2542 3	10	100
445005	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	A24RBF	12200	2543 0	10	100
445009	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	A24RBF	8600	2545 4	10	50
445011	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	A24RBF	6500	2546 1	10	20

GRINDING WHEELS-STONE



- For general applications in concrete, stone and masonry

TYPE 27 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69426292+	Inner	Outer
445015	115 x 6 x 22.23 mm (4-1/2 x 1/4 x 7/8 in.)	C24RBF	13200	2548 5	10	100
445017	125 x 6 x 22.23 mm (5 x 1/4 x 7/8 in.)	C24RBF	12200	2549 2	10	100
445021	180 x 6 x 22.23 mm (7 x 1/4 x 7/8 in.)	C24RBF	8600	2551 5	10	50
445025	230 x 6 x 22.23 mm (9 x 1/4 x 7/8 in.)	C24RBF	6500	2553 9	10	20

SAW BLADES & HOLE SAWS
TACTIX®

MULTI-PURPOSE CUT OFF WHEEL




- For cutting metal, aluminum alloy, steel, inox, masonry, pvc

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Size	Material	RPM	EAN 69743345+	Inner	Outer
445201	100 x 1 x 16 mm (4x 1/32 x 5/8 in.)	WA60 TBF	15300	5507 6	100	400
445203	115 x 1 x 22.23 mm (4-1/2 x 1/32 x 7/8 in.)	WA60 TBF	13200	5508 3	50	200
445205	125 x 1 x 22.23 mm (5 x 1/32 x 7/8 in.)	WA60 TBF	12200	5509 0	50	200
445207	180 x 1.6 x 22.23 mm (7 x 1/16 x 7/8 in.)	WA46 TBF	8600	5510 6	25	200
445209	230 x 3 x 22.23 mm (9 x 1/8 x 7/8 in.)	WA30 TBF	6500	5511 3	0	25

10 PC CUT OFF WHEEL METAL TIN SET-METAL





10 x


- Size: 115 x 1 x 22.23 mm
- For cutting all types of metal

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Description	EAN 69743345+	Inner	Outer
445059TIN	10 PC Cut Off Wheel	5010 1	10	40

10 PC CUT OFF WHEEL METAL TIN SET-METAL





10 x

- Size: 125 x 1 x 22.23 mm
- For cutting all types of metal

TYPE 41 | EN 12413 | MPA | 80m/s

Item No.	Description	EAN 69743345+	Inner	Outer
445065TIN	10 PC Cut Off Wheel	5011 8	10	40



TACTIX SAW BLADE FEATURES

Zero Plastic



Teeth Per Inch Selection Guide

3 TPI	6 TPI	8 TPI	10 TPI	14 TPI	18 TPI	24 TPI	GRIT
Wood							
		Thick Metal: 8 mm and more					
				Medium metal:3-8 mm			
					Thin metal: 3 mm and less		
							Abrasives

ROUGH — CUT QUALITY — SMOOTH

FAST — CUT SPEED — SLOW

10 PC JIG SAW BLADE SET



T-SHANK

- Fast cut for chipboard, MDF, plywood and thin metal

Contents:
2 pc 436007 (≈T111C, HCS, 8 TPI, basic for wood)



3 pc 436009 (≈T119B, HCS, 12 TPI, basic for wood)



3 pc 436013 (≈T144D, HCS, 6 TPI, speed for wood)



2 pc 436101 (≈T118A, HCS, 21 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436381	10 pc Jig Saw Blade Set - T-Shank	5002 9	10	60

10 PC JIG SAW BLADE SET



T-SHANK

- Fast and clean cut for chipboard, MDF, plywood and thin metal

Contents:
3 pc 436001 (≈T101B, HCS, 10 TPI, clean for wood)




2 pc 436007 (≈T111C, HCS, 8 TPI, basic for wood)



3 pc 436013 (≈T144D, HCS, 6 TPI, speed for wood)



1 pc 436101 (≈T118A, HSS, 21 TPI, basic for metal)



1 pc 436103 (≈T118B, HSS, 12 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436382	10 pc Jig Saw Blade Set - T-Shank	5003 6	10	60

10 PC JIG SAW BLADE SET




U-SHANK

- Fast and clean cut for chipboard, MDF, plywood and thin metal

Contents:
3 pc 436251 (≈U101B, HCS, 10 TPI, clean for wood)



2 pc 436257 (≈U111C, HCS, 8 TPI, basic for wood)



3 pc 436263 (≈U144D, HCS, 6 TPI, speed for wood)



1 pc 436301 (≈U118A, HSS, 21 TPI, basic for metal)



1 pc 436303 (≈U118B, HSS, 12 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436386	10 pc Jig Saw Blade Set - U-Shank	5005 0	10	60

10 PC JIG SAW BLADE SET



U-SHANK

- Fast cut for chipboard, MDF, plywood and thin metal

Contents:
2 pc 436257 (≈U111C, HCS, 8 TPI, basic for wood)




3 pc 436259 (≈U119B, HCS, 12 TPI, basic for wood)



3 pc 436263 (≈U144D, HCS, 6 TPI, speed for wood)



2 pc 436301 (≈U118A, HCS, 21 TPI, basic for metal)



Item No.	Description	EAN 69426292+	Inner	Outer
436385	10 pc Jig Saw Blade Set - U-Shank	5004 3	10	60

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood, wood<30 mm and closed pipes/profiles<30 mm

HCS | 10 TPI | CLEAN CUT | T101B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436001	100 mm (4 in.)	75 mm (3 in.)	2407 5	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 12 TPI | BASIC CUT | T119B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436009	91 mm (3-9/16 in.)	67 mm (2-5/8 in.)	2411 2	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<100 mm

HCS | 6 TPI | FAST CUT | T344D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436017	132 mm (5-1/4 in.)	107 mm (4-3/16 in.)	2415 0	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<45 mm

HCS | 6 TPI | CLEAN CUT | T101D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436003	100 mm (4 in.)	75 mm (3 in.)	2408 2	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, curve cut
- MIlled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 12 TPI | BASIC CUT | T119BO

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436011	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	2412 9	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, curve and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 18 TPI | CLEAN CUT | T101AO

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436019	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	2416 7	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<65 mm

HCS | 8 TPI | CLEAN CUT | T301CD

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436005	116 mm (4-1/2 in.)	91 mm (3-5/8 in.)	2409 9	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 6 TPI | FAST CUT | T144D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436013	100 mm (4 in.)	75 mm (3 in.)	2413 6	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Reverse tooth for splinter free cuts on top on work piece
- Suitable for chipboard, MDF, plywood and wood<30 mm

HCS | 10 TPI | CLEAN CUT | T101BR

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436021	100 mm (4 in.)	75 mm (3 in.)	2417 4	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 8 TPI | BASIC CUT | T111C

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436007	100 mm (4 in.)	75 mm (3 in.)	2410 5	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, curve and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 6 TPI | FAST CUT | T244D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436015	100 mm (4 in.)	75 mm (3 in.)	2414 3	20	200



5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm

BIM | 21 TPI | LONG LIFE | T118AF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436205	75 mm (3 in.)	50 mm (2 in.)	2431 0	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 0.5-1.5 mm

HSS | 32 TPI | BASIC CUT | T118G

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436105	75 mm (3 in.)	50 mm (2 in.)	2422 8	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for aluminum and non-ferrous metals
- Suitable for thin sheet metal 3-15 mm and closed pipes/profiles<30 mm

HSS | 8 TPI | FAST CUT | T127D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436115	100 mm (4 in.)	75 mm (3 in.)	2427 3	20	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Special for aluminum and non-ferrous metals
- Suitable for thin sheet metal 1-3 mm and closed pipes/profiles<30 mm

BIM | 8 TPI | LONG LIFE | T127DF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436207	100 mm (4 in.)	75 mm (3 in.)	2432 7	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm

HSS | 21 TPI | BASIC CUT | T218A

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436107	75 mm (3 in.)	50 mm (2 in.)	2423 5	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Suitable for aluminum and non-ferrous metals
- Suitable for thin sheet metal 3-15 mm and closed pipes/profiles<30 mm

HSS | 8 TPI | FAST CUT | T227D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436117	100 mm (4 in.)	75 mm (3 in.)	2428 0	20	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm

BIM | 12 TPI | LONG LIFE | T118BF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436201	75 mm (3 in.)	50 mm (2 in.)	2429 7	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm and closed pipes/profiles<65 mm

HSS | 21 TPI | BASIC CUT | T318A

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436109	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	2424 2	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm

HSS | 21 TPI | BASIC CUT | T118A

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436101	75 mm (3 in.)	50 mm (2 in.)	2420 4	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm

HSS | 12 TPI | BASIC CUT | T118B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436103	75 mm (3 in.)	50 mm (2 in.)	2421 1	20	200

5 PC T-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm and closed pipes/profiles<65 mm

HSS | 12 TPI | BASIC CUT | T318B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436111	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	2425 9	20	200



5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and fast cut
- Ground teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm

BIM | 6 TPI | FAST CUT | T114DF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436213	100 mm (4 in.)	75 mm (3 in.)	2435 8	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight, fast and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<85 mm

HCS | 6 TPI | FAST CUT | T301DL

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436025	132 mm (5-1/4 in.)	107 mm (4-3/16 in.)	2419 8	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 12 TPI | BASIC CUT | U119B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436259	91 mm (3-9/16 in.)	66 mm (2-5/8 in.)	4266 6	20	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and clean cut
- Ground teeth and back
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<30 mm

BIM | 10 TPI | CLEAN CUT | T101BF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436215	100 mm (4 in.)	75 mm (3 in.)	2436 5	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood, wood<30 mm and closed pipes/profiles<30 mm

HCS | 10 TPI | CLEAN CUT | U101B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436251	100 mm (4 in.)	75 mm (3 in.)	4262 8	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 12 TPI | BASIC CUT | U19BO

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436261	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	4267 3	20	200

5 PC T-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and fast cut
- Milled teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm

BIM | 10 TPI | FAST CUT | T345XF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436217	132 mm (5-1/4 in.)	105 mm (4-1/8 in.)	9321 7	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<45 mm

HCS | 6 TPI | CLEAN CUT | U101D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436253	100 mm (4 in.)	75 mm (3 in.)	4263 5	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 6 TPI | FAST CUT | U114D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436263	100 mm (4 in.)	80 mm (3-3/16 in.)	4268 0	20	200

5 PC T-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood,wood<60 mm
- Allow for angled and parallel cuts (use parallel guide)

HCS | 6 TPI | CLEAN CUT | T101DP

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436023	100 mm (4 in.)	75 mm (3 in.)	2418 1	20	200

5 pc U-SHANK JIG SAW BLADES



- High carbon steel, straight cut
- Milled teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 8 TPI | BASIC CUT | U111C

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436257	100 mm (4 in.)	75 mm (3 in.)	4265 9	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve and fast cut
- Ground teeth
- Suitable for chipboard, MDF, plywood and wood<50 mm

HCS | 6 TPI | FAST CUT | U244D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436265	100 mm (4 in.)	75 mm (3 in.)	4269 7	20	200

5 PC U-SHANK JIG SAW BLADES




- Bi-metal, long life, straight and fast cut
- Ground teeth
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<60 mm

BIM | 6 TPI | FAST CUT | U144DF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436363	100 mm (4 in.)	75 mm (3 in.)	4286 4	20	200

5 PC U-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm

BIM | 12 TPI | LONG LIFE | U118BF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436351	75 mm (3 in.)	50 mm (2 in.)	4283 3	20	200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, curve cut
- Milled teeth
- Special for aluminum and non-ferrous metal
- Suitable for thin sheet metal 3-15 mm and closed pipers/profiles<30 mm

HSS | 8 TPI | FAST CUT | U227D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436315	100 mm (4 in.)	75 mm (3 in.)	4282 6	20	200

5 PC U-SHANK JIG SAW BLADES



- Bi-metal, long life, straight and clean cut
- Ground teeth and back
- Suitable for hard and soft wood, plastic, plywood and laminated particleboard<30 mm

BIM | 10 TPI | CLEAN CUT | U101BF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436367	100 mm (4 in.)	75 mm (3 in.)	4287 1	20	200

5 PC U-SHANK JIG SAW BLADES



- Bi-metal, long life, straight cut
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm

BIM | 21 TPI | LONG LIFE | U118AF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436355	75 mm (3 in.)	50 mm (2 in.)	4284 0	20	200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 1-3 mm

HSS | 21 TPI | BASIC CUT | U118A

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436301	75 mm (3 in.)	50 mm (2 in.)	4275 8	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, curve and clean cut
- Ground teeth and back
- Suitable for chipboard, MDF, plywood and wood<15 mm

HCS | 18 TPI | CLEAN CUT | U101AO

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436269	82 mm (3-1/4 in.)	57 mm (2-1/4 in.)	4271 0	20	200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 0.5-1.5 mm

HSS | 36 TPI | BASIC CUT | U118G

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436305	75 mm (3 in.)	50 mm (2 in.)	4277 2	20	200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Suitable for thin sheet metal 2.5-6 mm

HSS | 12 TPI | BASIC CUT | U118B

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436303	75 mm (3 in.)	50 mm (2 in.)	4276 5	20	200

5 PC U-SHANK JIG SAW BLADES



- High carbon steel, straight and clean cut
- Ground teeth and back
- Reverse tooth for splinter free cuts on top on work piece
- Suitable for chipboard, MDF, plywood and wood<30 mm

HCS | 10 TPI | CLEAN CUT | U101BR

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436271	100 mm (4 in.)	75 mm (3 in.)	4272 7	20	200

5 PC U-SHANK JIG SAW BLADES



- High speed steel, straight cut
- Milled teeth
- Special for aluminum and non-ferrous metals
- Suitable for thin sheet metal 2.5-6 mm and closed pipes/profiles<30 mm

HSS | 8 TPI | FAST CUT | U127D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436313	100 mm (4 in.)	75 mm (3 in.)	4281 9	20	200



2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<100 mm

BIM | 24 TPI | LONG LIFE | S918AF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436431	150 mm (6 in.)	132 mm (5-1/4 in.)	2440 2	20	200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for coarse wood with nails

BIM | 3 TPI | LONG LIFE

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436402	400 mm (16 in.)	380 mm (15 in.)	5476 8	10	100

2 PC RECIPROCATING SAW BLADES



- High carbon steel, fast cut
- Ground teeth
- Suitable for pruning green wood<150 mm

HCS | 5 TPI | FAST CUT | S1531L

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436405	230 mm (9 in.)	203 mm (8 in.)	2439 6	20	200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<100 mm

BIM | 18 TPI | LONG LIFE | S922EF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436433	150 mm (6 in.)	132 mm (5-1/4 in.)	2441 9	20	200

2 PC RECIPROCATING SAW BLADES



- High carbon steel, economic cut
- Milled teeth
- Suitable for coarse wood free of nails 20-175 mm

HCS | 3 TPI | ECONOMIC CUT | S1111K

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436401	225 mm (9 in.)	203 mm (8 in.)	2437 2	20	200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for plaster<100 mm

BIM | 6 TPI | LONG LIFE | S628DF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436439	150 mm (6 in.)	132 mm (5-1/4 in.)	2444 0	20	200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for thin sheet metal 1.5-3 mm and closed pipes/profiles<175 mm

BIM | 18 TPI | LONG LIFE | S1122EF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436435	225 mm (9 in.)	203 mm (8 in.)	2442 6	20	200

2 PC RECIPROCATING SAW BLADES



- High carbon steel, clean cut
- Milled teeth
- Suitable for chipboard, MDF, plywood, plastic, building wood<100 mm and closed pipes/profiles<100 mm
- Shaped for a plunge cut

HCS | 6 TPI | CLEAN CUT | S644D

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436403	150 mm (6 in.)	127 mm (5 in.)	2438 9	20	200

2 PC RECIPROCATING SAW BLADES



- Bi-metal, long life
- Milled teeth
- Suitable for wood<150 mm, thin sheet metal<12 mm, aluminum and plastic<12 mm

BIM | 10-14 TPI | LONG LIFE | S1122VF

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436437	225 mm (9 in.)	203 mm (8 in.)	2443 3	20	200

2 PC RECIPROCATING SAW BLADES



- Stainless steel, long life
- Milled teeth
- For cutting bone, freezing meat

STAINLESS STEEL | 6 TPI | LONG LIFE

Item No.	Length	Work Length	EAN 69426292+	Inner	Outer
436471	400 mm (15-3/4 in.)	380 mm (15 in.)	6281 7	10	100

10 PC RECIPROCATING SAW BLADES SET



NEW



- 2 pc150 mm (6 in.) x 6 TPI wood cutting – HCS
- 4 pc150 mm (6 in.) x 24 TPI metal cutting - Bi-metal
- 2 pc 225 mm (9 in.) x 14 TPI metal cutting - Bi-metal
- 2 pc 240 mm (9-1/2 in.) x 5 TPI wood cutting – HCS
- TACTIX PTA INTERLOCK RANGE "L" Size

Item No.	Description	EAN 69762270+	Inner	Outer
436410	10 pc Reciprocating Saw Blades Set	3564 1	6	12

BI-METAL HOLE SAW





- Bi-metal construction with HSS M3 cutting teeth, 4-6 TPI variable tooth pitch for economic fast cutting
- For holes in steel, cast iron, aluminum, wood and plastic, use with arbor

HSS M3 | BI-METAL | 4-6TPI | 38 mm 1-1/2 in.

Item No.	Cutting DIA.	EAN 69426292+	Inner	Outer
440007	19 mm (3/4 in.)	2461 7	6	72
440013	22 mm (7/8 in.)	2464 8	6	72
440017	25 mm (1 in.)	2466 2	6	72
440021	29 mm (1-1/8 in.)	2468 6	6	72
440025	32 mm (1-1/4 in.)	2470 9	6	72
440029	35 mm (1-3/8 in.)	2472 3	6	72
440033	38 mm (1-1/2 in.)	2474 7	6	72
440035	40 mm (1-9/16 in.)	2475 4	6	72
440037	41 mm (1-5/8 in.)	2476 1	6	72
440041	44 mm (1-3/4 in.)	2478 5	6	72
440047	51 mm (2 in.)	2481 5	6	72
440051	54 mm (2-1/8 in.)	2483 9	6	72
440055	57 mm (2-1/4 in.)	2485 3	6	72
440061	64 mm (2-1/2 in.)	2488 4	6	72
440065	67 mm (2-5/8 in.)	2490 7	6	36
440067	68 mm (2-11/16 in.)	2491 4	6	36
440069	70 mm (2-3/4 in.)	2492 1	6	36
440071	73 mm (2-7/8 in.)	2493 8	6	36
440073	76 mm (3 in.)	2494 5	6	36
440077	83 mm (3-1/4 in.)	2496 9	6	36
440081	89 mm (3-1/2 in.)	2498 3	6	36
440085	95 mm (3-3/4 in.)	2500 3	6	36
440089	102 mm (4 in.)	2502 7	6	36
440091	105 mm (4-1/8 in.)	2503 4	4	24
440095	111 mm (4-3/8 in.)	2505 8	4	24
440097	114 mm (4-1/2 in.)	2506 5	4	24
440101	127 mm (5 in.)	2508 9	4	24
440105	152 mm (6 in.)	2510 2	4	12



5 PC HOLE SAW SET



HSS M3 | 4-6TPI | 38 mm 1-1/2 in.

- 4 pc hole saw: 51 mm (2 in.), 76 mm (3 in.), 86 mm (3-3/8 in.), 111 mm (4-3/8 in.)
  1 pc arbor for use with 32-150 mm diameter hole saws

Item No.	Description	EAN 69426292+	Inner	Outer
440385	5 pc Hole Saw Set	5477 5	5	10

BI-METAL HOLE SAW WITH BUILT-IN ARBOR





- Bi-metal construction with HSS M3 cutting teeth, 4-6 TPI variable tooth pitch for economic fast cutting
- For holes in steel, cast iron, aluminum, wood and plastic, use with arbor

HSS M3 | BI-METAL | 4-6TPI | 38 mm 1-1/2 in.

Item No.	Cutting DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
440202	16 mm (5/8 in.)	9.5 mm (3/8 in.) hex	6492 7	12	72
440204	19 mm (3/4 in.)	9.5 mm (3/8 in.) hex	6493 4	12	72
440207	22 mm (7/8 in.)	9.5 mm (3/8 in.) hex	6494 1	12	72
440209	25 mm (1 in.)	9.5 mm (3/8 in.) hex	6495 8	12	72
440211	28 mm (1-1/8 in.)	9.5 mm (3/8 in.) hex	6496 5	12	72
440213	32 mm (1-1/4 in.)	11.1 mm (7/16 in.) hex	6497 2	12	72
440215	35 mm (1-3/8 in.)	11.1 mm (7/16 in.) hex	6498 9	12	72
440217	38 mm (1-1/2 in.)	11.1 mm (7/16 in.) hex	6499 6	12	72
440219	41 mm (1-5/8 in.)	11.1 mm (7/16 in.) hex	6500 9	12	72
440221	44 mm (1-3/4 in.)	11.1 mm (7/16 in.) hex	6501 6	12	72
440223	48 mm (1-7/8 in.)	11.1 mm (7/16 in.) hex	6502 3	12	72
440224	51 mm (2 in.)	11.1 mm (7/16 in.) hex	6503 0	12	72
440226	54 mm (2-1/8 in.)	11.1 mm (7/16 in.) hex	6504 7	12	72
440228	57 mm (2-1/4 in.)	11.1 mm (7/16 in.) hex	6505 4	12	72
440230	60 mm (2-3/8 in.)	11.1 mm (7/16 in.) hex	6506 1	12	72
440231	64 mm (2-1/2 in.)	11.1 mm (7/16 in.) hex	6507 8	12	72
440235	67 mm (2-5/8 in.)	11.1 mm (7/16 in.) hex	6508 5	6	36
440237	76 mm (3 in.)	11.1 mm (7/16 in.) hex	6509 2	6	36

JAPANESE HOLE SAW





HSS

- HSS hole saw with 6 mm HSS drill bit
- For cutting holes in iron, aluminium, cast metals, wood, plaster, steel pipes, stainless steel(1.0 mm)
- With 1 pc hex wrench

Item No.	Cutting DIA.	Shank DIA.	EAN 69426292+	Inner	Outer
441016	16 mm	10 mm	5257 3	10	60
441019	19 mm	10 mm	5258 0	10	60
441020	20 mm	10 mm	5259 7	10	60
441021	21 mm	10 mm	5260 3	10	60
441022	22 mm	10 mm	5261 0	10	60
441025	25 mm	12 mm	5262 7	10	60
441026	26 mm	12 mm	5263 4	10	60
441028	28 mm	12 mm	5264 1	10	60
441030	30 mm	12 mm	5265 8	10	60
441032	32 mm	12 mm	5266 5	10	60
441035	35 mm	12 mm	5267 2	10	60
441038	38 mm	14 mm	5268 9	10	60
441040	40 mm	14 mm	5269 6	10	60
441041	41 mm	14 mm	5270 2	10	60
441042	42 mm	14 mm	5271 9	10	60
441043	43 mm	14 mm	5272 6	10	30
441045	45 mm	14 mm	5273 3	10	30
441048	48 mm	14 mm	5274 0	10	30
441051	51 mm	14 mm	5275 7	10	30
441054	54 mm	14 mm	5276 4	10	30
441058	58 mm	14 mm	5277 1	10	30
441060	60 mm	14 mm	5278 8	10	30
441064	64 mm	14 mm	5279 5	10	30
441076	76 mm	14 mm	5280 1	10	30

3 PC DOOR LOCK INSTALLATION SET





- For installing door locks
- Includes 54 mm (2-1/8 in.) hole saw, 22 mm (7/8 in.) wood spade, 9.5 mm (3/8 in.) arbor

Item No.	Size	EAN 69426292+	Inner	Outer
440693	3 pc Door Lock Installation Set	5134 7	6	48

5 PC HOLE SAW SET





- For cutting holes in wood and plastic
- Includes 4 pc hole saw: 32 mm (1-1/4 in.), 38 mm (1-1/2 in.), 51 mm (2 in.), 54 mm (2-1/8 in.), 1 pc 9.5 mm (3/8 in.) arbor

Item No.	Size	EAN 69426292+	Inner	Outer
440695	5 pc Hole Saw Set	5135 4	6	48

7 PC HOLE SAW SET





- High carbon steel
- For cutting holes in wood and plastic
- 25 mm (1 in.) cutting depth
- Includes
  26 mm (1 in.), 32 mm (1-1/4 in.), 38 mm (1-1/2 in.)
  45 mm (1-3/4 in.), 50 mm (2 in.), 56 mm (2-1/4 in.),
  63 mm (2-1/2 in.), 25 mm (1 in.) cutting depth

Item No.	Size	EAN 69426292+	Inner	Outer
440587	7 pc Hole Saw Set	4913 9	6	36

ADJUSTABLE HOLE SAW



- Adjust from 30-120 mm

Item No.	Size	EAN 69426292+	Inner	Outer
440703	Adjustable Hole Saw	6055 4	6	24

CARBIDE HOLE SAW



- Tungsten carbide teeth provides extrme hardness and sharpness.
- The carbide hole saw can quickly drill through ceramics and plastic.
- Used for drilling holes for water pipes, exhaust hoses, air conditioning drilling operations, etc.



YG8 | 65 mm 2-9/16 in.

Item No.	Cutting DIA.	EAN 69426292+	Inner	Outer
440426	33 mm	4793 7	12	72
440440	43 mm	4794 4	12	72
440465	67 mm	4797 5	6	36
440471	73 mm	4798 2	6	36
440477	83 mm	4799 9	6	36

ARBOR FOR HOLE SAW



- For use with 14-30 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- 9.5 mm (3/8 in.) hex shank

HSS | 135° | 3/8 in. 9.5 mm

Item No.	Size	EAN 69426292+	Inner	Outer
440303	≤30 mm (1-3/16 in.)	2520 1	10	60

ARBOR FOR HOLE SAW



- For use with 32-203 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- 11.1 mm (7/16 in.) hex shank

HSS | 135° | 7/16 in. 11.1 mm

Item No.	Size	EAN 69426292+	Inner	Outer
440311	≥32 mm (1-1/4 in.)	2524 9	10	60

7 PC CARBIDE HOLE SAW

- Includes
  5 pc hole saws
  33 mm, 53 mm,
  67 mm, 73 mm,
  83 mm
  1 pc pilot drill bit
  1 pc aluminium plate



YG8 | 65 mm 2-9/16 in.

Item No.	Description	EAN 69426292+	Inner	Outer
440537	7 pc Carbide Hole Saw	4802 6	0	10

ARBOR FOR HOLE SAW



- For use with 14-30 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- SDS plus shank

HSS | 135° | SDS PLUS

Item No.	Cutting DIA.	EAN 69426292+	Inner	Outer
440315	≤30 mm (1-3/16 in.)	2526 3	10	60

ARBOR FOR HOLE SAW




- For use with 32-150 mm diameter hole saws
- Supplied complete with 1/4 in. HSS pilot drill
- SDS plus shank

HSS | 135° | SDS PLUS

Item No.	Size	EAN 69426292+	Inner	Outer
440317	≥32 mm (1-1/4 in.)	2527 0	10	60

300 mm EXTENSION



- Work with #440311
- 11.1 mm (7/16 in.) hex shank

7/16 in. 11.1 mm

Item No.	Size	EAN 69426292+	Inner	Outer
440361	300 mm (12 in.) Extension	2536 2	10	40



ALUMINIUM PLATE





- For use with carbide holesaw under 83 mm (3-1/4 in.)

Item No.	Size	EAN 69426292+	Inner	Outer
440525	83 mm (3-1/4 in.)	4801 9	6	36

PILOT DRILL BIT



- For 440303, 440311, 440315, 440317
- For Bi-metal hole saw with bult-in arbor : 440202-440237



HSS | 135°

Item No.	Description	EAN 69426292+	Inner	Outer
440365	6.35 x 75 mm (1/4 x 3 in.)	2538 6	20	120
440367	6.35 x 105 mm (1/4 x 4-1/4 in.)	2539 3	20	120

PILOT DRILL BIT





- For use with aluminium plate (440525)


YG8

Item No.	Description	EAN 69426292+	Inner	Outer
440523	9.5 x 140 mm (3/8 x 5-1/2 in.)	4800 2	10	60



MULTI SAW BLADE

- Quick change function
- Universal fit system
- Compatible with numerous multi-tools[1]





WOOD CUTTING | METAL CUTTING | MORTAR POLISHING | GROUT REMOVAL | WOOD GRINDING

MULTI SAW BLADE




HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437001	10 x 34 mm	3 pc	61636	10	60
437003	20 x 34 mm	3 pc	61643	10	60

MULTI SAW BLADE




HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437011	65 x 40 mm	1 pc	61681	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437033	20 x 36 mm	1 pc	61728	10	60

MULTI SAW BLADE




HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437005	32 x 40 mm	3 pc	61650	10	60

MULTI SAW BLADE




HCS

- High carbon steel
- Provide for right angle cuts
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437013	87 mm	1 pc	61698	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437035	28 x 48 mm	1 pc	61735	10	60

MULTI SAW BLADE




HCS FAST CUT

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292 (A) 69708346 (B)	Inner	Outer
437007	32 x 40 mm	1 pc	A + 61667	10	60
437008	32 x 40 mm	3 pc	B + 78031	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437045	65 x 40 mm	1 pc	61759	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437037	32 x 40 mm	1 pc	61742	10	60

MULTI SAW BLADE




HCS

- High carbon steel
- Suitable for wood, plasterboard and soft plastic
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437009	44 x 40 mm	3 pc	61674	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- Suitable for sheet metal, wood with nail, plastic and etc.
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437031	10 x 34 mm	1 pc	61711	10	60

MULTI SAW BLADE




BIM

- Bi-metal for long life
- suitable for metal, wood, plastic and etc
- Quick change function

Item No.	Work Size	Qty	EAN 69708346+	Inner	Outer
437039	87 mm	1 pc	78017	10	60

MULTI SAW BLADE





STAINLESS STEEL

- Stainless steel
- Suitable for removing carpet paint, tape, glue residue and mortar
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437021	52 x 28 mm	1 pc	7802 4	10	60

MULTI SAW BLADE ROUND CARBIDE





TCT

- Tungsten carbide tip
- Suitable for polishing cement, ceramic, tile
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437075	65 mm	1 pc	6179 7	10	60

MULTI SAW BLADE ROUND DIAMOND





- Diamond tip
- Suitable for chipping ceramic, tile, grout,concrete, mortar
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437083	88 mm	1 pc	6181 0	10	60

MULTI SAW BLADE ROUND





BIM

- High speed steel
- Suitable for metal, copper, wood, plasterboard, plastic and etc
- Quick change function

Item No.	Work Size	Qty	EAN 69708346+	Inner	Outer
437057	80 mm	1 pc	7799 7	10	60

MULTI SAW BLADE ROUND CARBIDE





TCT

- Tungsten carbide tip
- Suitable for polishing grout,ceramic tile, concrete, mortar
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437077	88 mm	1 pc	6180 3	10	60

MULTI SAW BLADE ROUND DIAMOND





- Diamond tip
- Suitable for chipping ceramic, tile, grout,concrete, mortar
- Quick change function

Item No.	Work Size	Qty	EAN 69708346+	Inner	Outer
437085	65 mm	1 pc	7800 0	10	60

MULTI SAW BLADE DELTA CARBIDE





TCT

- Tungsten carbide tip
- Suitable for polishing cement, ceramic, tile
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437071	78 mm	1 pc	6178 0	10	60

MULTI SAW BLADE CARBIDE





TCT

- Tungsten carbide tip
- Suitable for polishing grout, ceramic tile, concrete, mortar
- Quick change function

Item No.	Work Size	Qty	EAN 69708346+	Inner	Outer
437079	72 mm	1 pc	7797 3	10	60

DELTA SANDING PAD





STAINLESS STEEL

- Use with sand paper,
- Quick change function

Item No.	Work Size	Qty	EAN 69426292+	Inner	Outer
437093	92 mm	1 pc	6182 7	10	60

MULTI SAW BLADE CARBIDE





TCT

- Tungsten carbide tip
- Suitable for polishing grout, ceramic tile, concrete, mortar
- Quick change function


Item No.	Work Size	Qty	EAN 69708346+	Inner	Outer
437073	33 mm	1 pc	7798 0	10	60

[1]Compatible with most brands of Multi Tool including: ROCKWELL®, MAKITA®, DEWALT®, MILWAUKEE®, OZITO®, RYOBI®, BOSCH®, DREMEL®, AEG®, FEIN®, SKIL®, WORX®, RIDGID®, EINHELL®, CRAFTSMAN®, MASTERCRAFT®, BLACK & DECKER®

Rockwell® is a registered trade mark of Positec Group Limited | Makita® is a registered trade mark of Makita Corporation | DeWalt® is a registered trade mark of The Black & Decker Corporation | Milwaukee® is a registered trade mark of Milwaukee Electric Tool Corporation | Ozito® is a registered trade mark of Ozito Industries Pty Ltd | Ryobi® is a registered trade mark of Ryobi Ltd | Bosch® is a registered trade mark of Robert Bosch G.m.b.H | Dremel® is a registered trade mark of Robert Bosch Tool Corporation | AEG® is a registered trade mark of AB Electrolux | Fein® is a registered trade mark of C. & E. Fein GmbH | Skil® is a registered trade mark of Nanjing Chervon Industry Co., Ltd. | Worx® is a registered trade mark of Positec Group Limited | RIDGID® is a registered trade mark of RIDGID , INC | Einhell® is a registered trade mark of Einhell Germany AG | Craftsman® is a registered trade mark of Stanley Black & Decker , INC | Mastercraft® is a registered trade mark of Canadian Tire Corporation, Limited | Black & Decker® is a registered trade mark of The Black & Decker Corporation

IMPACT SCREWDRIVER BITS

TACTIX Impact bits achieve higher torsion compared to other Impact bits on the market






Torsion zone

- Absorb torque peaks reducing stress at the bit tip
- Outstanding durability
- Energy saving impact distribution



Superior performance out last the competition





SQUARE IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455301	#1	25 mm (1 in.)	3	6804 8	10	60
455302	#2	25 mm (1 in.)	3	6805 5	10	60
455303	#3	25 mm (1 in.)	3	6806 2	10	60
455312	#2	50 mm (2 in.)	2	6807 9	10	60
455322	#2	75 mm (3 in.)	1	6808 6	10	60

SLOTTED IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455005	5.5 mm	25 mm (1 in.)	3	6788 1	10	60
455006	6.5 mm	25 mm (1 in.)	3	6789 8	10	60

HEX IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455604	4 mm	25 mm (1 in.)	3	6821 5	10	60
455605	5 mm	25 mm (1 in.)	3	6822 2	10	60
455606	6 mm	25 mm (1 in.)	3	6823 9	10	60

TORX® IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455402	T-15	25 mm (1 in.)	3	6809 3	10	60
455403	T-20	25 mm (1 in.)	3	6810 9	10	60
455404	T-25	25 mm (1 in.)	3	6811 6	10	60
455406	T-30	25 mm (1 in.)	3	6812 3	10	60
455408	T-40	25 mm (1 in.)	3	6813 0	10	60
455423	T-20	50 mm (2 in.)	2	6814 7	10	60
455424	T-25	50 mm (2 in.)	2	6815 4	10	60
455426	T-30	50 mm (2 in.)	2	6816 1	10	60
455428	T-40	50 mm (2 in.)	2	6817 8	10	60
455441	T-10	75 mm (3 in.)	1	7249 6	10	60
455442	T-15	75 mm (3 in.)	1	7250 2	10	60
455443	T-20	75 mm (3 in.)	1	7251 9	10	60
455444	T-25	75 mm (3 in.)	1	6818 5	10	60
455446	T-30	75 mm (3 in.)	1	6819 2	10	60
455448	T-40	75 mm (3 in.)	1	6820 8	10	60

Torx® is a Trademark of Textron Fastening Systems

PHILLIPS IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455101	#1	25 mm (1 in.)	3	6790 4	10	60
455102	#2	25 mm (1 in.)	3	6791 1	10	60
455103	#3	25 mm (1 in.)	3	6792 8	10	60
455112	#2	50 mm (2 in.)	2	6793 5	10	60
455113	#3	50 mm (2 in.)	2	6794 2	10	60
455122	#2	75 mm (3 in.)	1	6795 9	10	60
455123	#3	75 mm (3 in.)	1	6796 6	10	60

POZI IMPACT SCREWDRIVER BITS

Item No.	Size	Length	Quantity	EAN 69426292+	Inner	Outer
455201	#1	25 mm (1 in.)	3	6797 3	10	60
455202	#2	25 mm (1 in.)	3	6798 0	10	60
455203	#3	25 mm (1 in.)	3	6799 7	10	60
455212	#2	50 mm (2 in.)	2	6800 0	10	60
455213	#3	50 mm (2 in.)	2	6801 7	10	60
455222	#2	75 mm (3 in.)	1	6802 4	10	60
455223	#3	75 mm (3 in.)	1	6803 1	10	60

IMPACT MAGNETIC NUT DRIVER

- Magnetic shaft holds bits securely
- Special material for impact function





Item No.	Size	Length	EAN 69426292+	Inner	Outer
456007	7 mm	50 mm (2 in.)	6824 6	10	60
456008	8 mm	50 mm (2 in.)	6825 3	10	60
456010	10 mm	50 mm (2 in.)	6826 0	10	60
456011	11 mm	50 mm (2 in.)	6827 7	10	60
456012	12 mm	50 mm (2 in.)	6828 4	10	60
456021	1/4 in.	50 mm (2 in.)	6829 1	10	60
456023	5/16 in.	50 mm (2 in.)	6830 7	10	60
456025	3/8 in.	50 mm (2 in.)	6831 4	10	60
456027	7/16 in.	50 mm (2 in.)	6832 1	10	60
456029	1/2 in.	50 mm (2 in.)	6833 8	10	60

IMPACT MAGNETIC BIT HOLDER

- Magnetic shaft holds bits securely







1.



2.



Item No.	Length	EAN 69426292+	Inner	Outer
456513	55 mm (2-3/16 in.)	6838 3	10	60

IMPACT QUICK CHUCK

- Easy one-hand auto loading







Item No.	Length	EAN 69426292+	Inner	Outer
456515	65 mm (2-9/16 in.)	6839 0	10	60



- Easy one-hand auto loading
- Push accessory into impact chuck to load



- Pull back sleeve to release accessory



IMPACT MAGNETIC BIT HOLDER

- Magnetic shaft holds bits securely
- Special material for impact function







Item No.	Length	EAN 69426292+	Inner	Outer
456511	60 mm (2-3/8 in.)	6837 6	10	60

IMPACT BIT SOCKET ADAPTOR

- Special material for impact function







Item No.	Size	Length	EAN 69426292+	Inner	Outer
456501	1/4 in.	50 mm (2 in.)	6834 5	10	60
456502	3/8 in.	50 mm (2 in.)	6835 2	10	60
456503	1/2 in.	50 mm (2 in.)	6836 9	10	60

IMPACT QUICK CHUCK

- Easy one-hand auto loading







Item No.	Length	EAN 69426292+	Inner	Outer
456517	150 mm (6 in.)	6840 6	10	60

7 PC PHILLIPS BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452001	7 pc PHILLIPS bit set	7240 3	12	48

7 PC TORX BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452003	7 pc TORX® bit set	7241 0	12	48

7 PC BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452004	7 pc bit set	7242 7	12	48

11 PC PHILLIPS BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452041	11 pc PHILLIPS bit set	7243 4	6	36

11 PC TORX BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452043	11 pc TORX® bit set	7244 1	6	36

11 PC BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
452044	11 pc bit set	7245 8	6	36

7 PC PHILLIPS IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455851	7 pc PHILLIPS impact bit set	7252 6	12	48

7 PC TORX IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455853	7 pc TORX® impact bit set	7253 3	12	48

7 PC IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455854	7 pc impact bit set	7254 0	12	48

11 PC PHILLIPS IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455871	7 pc PHILLIPS impact bit set	7255 7	6	36

11 PC TORX IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455873	11 pc TORX® impact bit set	7256 4	6	36

11 PC IMPACT BIT SET



Item No.	Description	EAN 69426292+	Inner	Outer
455874	11 pc impact bit set	7245 8	6	36



PHILLIPS SLOT POZI TORX HEX TORX TAMPER

56 PC COLOR QUICK CHANGE DRIVER BIT SET



48 pc 25 mm bit S2
- 4 mm x 2, 5.5 mm x 2,6.5 mm x 2
- #1 x 3, #2 x 3, #3 x 3
- #1 x 3, #2 x 3, #3 x 3
- 3, 4, 5 mm
- T-10 x 2, T-15 x 2, T-20 x 2, T-25 x 2, T-27 x 2, T-30 x 2, T-40 x 2
- T-10, T-15, T-20, T-25, T-27,T-30, T-40

7 pc 75 mm bit S2
- 6 mm
- #1, #2
- #2, #3
- T-20, T-25

1 pc stainless steel quick change chuck



Item No.	Description	EAN 69426292+	Inner	Outer
419856P	56 pc color bit set	5586 4	12	24

56 PC COLOR QUICK CHANGE DRIVER BIT SET



48 pc 25 mm bit S2
- 3 mm x 2, 4 mm x 2,6.5 mm x 2
- #1 x 3, #2 x 3, #2R x 3, #3 x 3
- #1 x 3, #2 x 3, #3 x 3
- 3, 4, 5 mm
- T-10 x 3, T-15 x 3, T-20 x 6, T-25 x 3, T-27, T-30, T-40

7 pc 75 mm bit S2
- #2R
- T-15, T-20, T-25, T-30, T-40
- #2

1 pc stainless steel quick change chuck



Item No.	Description	EAN 69426292+	Inner	Outer
419857P	56 pc color bit set	5586 4	12	24

29 PC COLOR QUICK CHANGE DRIVER BIT SET



21 pc 25 mm bit S2
- 3, 5.5 mm
- #1, #2 x 2, #3
- #1, #2 x 2, #3
- 3, 4, 5, 6 mm
- T-10, T-15, T-20, T-25, T-30, T-40

6 pc 50 mm bit S2
- 6.5 mm
- #1, #2
- #2
- T-20, T-25

1 pc bit adaptor



1 pc stainless steel quick change chuck



Item No.	Description	EAN 69426292+	Inner	Outer
419829P	29 pc color bit set	5939 8	12	48

32 PC COLOR QUICK CHANGE DRIVER BIT SET



30 pc 25 mm bit S2
- 3, 4, 5.5, 6.5 mm
- #0, #1 x 2, #2 x 2, #3 x 2
- #0, #1 x 2, #2 x 2, #3 x 2
- 3, 4, 5, 6 mm
- T-10, T-15, T-20, T-20,T-25, T-25, T-30, T-40

1 pc bit adaptor



1 pc stainless steel quick change chuck



Item No.	Description	EAN 69426292+	Inner	Outer
419832P	32 pc color bit set	5585 7	12	48

IMPACT SCREWDRIVER BITS



Extremely long lifetime
Unique bit design and high tech multi-stage production process ensure unrivalled service life of bit

Torsion zone
UTorsion area absorbs torque peaks which reduces stress at the tip during heavy loading

Exclusive material
Specially modified material composition exclusively developed for MXMTORQ

Save energy
Bit design gives even power distribution, no energy wasted in heavy loading





One click stacking bit case Easily lock bit case together for easy transport and handling.

28 PC IMPACT BIT SET



21 x
- 5.5, 6.5 mm
- #1, #2 x 5, #3
- #1, #2 x 3, #3
- T-15, T-20, T-25, T-25, T-25, T-30, T-40

1 x



6 x



- #2, #3
- T-20, T-25
- #2
- #2

Item No.	Description	EAN 69426292+	Inner	Outer
455828P	28 pc Impact Bit Set	6736 2	12	48

31 PC IMPACT BIT SET



30 x
- 5.5, 6.5 mm
- #1, #2 x 6, #3 x 2
- #1, #2 x 4, #3 x 2
- T-15, T-20, T-25, T-25, T-30, T-40
- #1, #2, #3
- 4, 5, 6 mm

1 x



Item No.	Description	EAN 69426292+	Inner	Outer
455831P	31 pc Impact Bit Set	6737 9	12	48

36 PC IMPACT BIT SET



24 x
- 5.5, 6.5 mm
- #1, #2, #2, #2, #3
- #1, #2, #2, #3
- T-15, T-20, T-20, T-25, T-25, T-30, T-40
- #1, #2, #3
- 4, 5, 6 mm

6 x



- #2, #3
- #2
- T-20, T-25
- #2

2 x



- #2
- T-25

1 x



2 x



7, 8 mm

1 x



1/4 in. Dr.

Item No.	Description	EAN 69426292+	Inner	Outer
455836P	36 pc Impact Bit Set	6738 6	6	24

3 PC QUICK-RELEASE HOLDER WITH CARABINER

NEW



- Quick release 1/4" Hex shank
- Carabiner for easy carry

Item No.	Description	EAN 69777135+	Inner	Outer
453107	3 pc	1786 3	24	48

5 PC IMPACT BITS SET

#1, #2, #3 T-25, T-30

NEW



- Absorb torque peaks reducing stress at the bit tip
- Outstanding durability
- Energy saving impact distribution

Item No.	Description	EAN 69777135+	Inner	Outer
455805	5pc Impact Bits Set	1628 6	24	48

5 PC BIT SETS - 50 mm (2 in.)



S2 | 50 mm / 2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450207	Slot	5 mm	4479 0	24	144
450209	Slot	6 mm	4480 6	24	144
450231	PH	#1	4481 3	24	144
450232	PH	#2	4482 0	24	144

10 PC BIT SETS - 50 mm (2 in.)



S2 | 50 mm / 2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450309	Slot	6 mm	4484 4	12	72
450331	PH	#1	4485 1	12	72
450332	PH	#2	4486 8	12	72

10 PC BIT SETS - 50 mm (2 in.)



CR-V | 50 mm / 2 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450917	PH	#2	3438 8	12	72

10 PC BIT SETS - 25 mm (1 in.)



S2 | 25 mm / 1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450005	Slot	4 mm	3088 5	24	144
450007	Slot	5 mm	3089 2	24	144
450009	Slot	6 mm	3090 8	24	144
450030	PH	#0	3091 5	24	144
450031	PH	#1	3092 2	24	144
450032	PH	#2	3093 9	24	144
450033	PH	#3	3828 7	24	144
450036	PZ	#1	4465 3	24	144
450037	PZ	#2	4466 0	24	144
450038	PZ	#3	4467 7	24	144
450042	TORX	T-10	5464 5	24	144
450043	TORX	T-15	2793 9	24	144
450044	TORX	T-20	2794 6	24	144
450045	TORX	T-25	2795 3	24	144
450047	TORX	T-30	5466 9	24	144
450048	TORX	T-40	5467 6	24	144

20 PC BIT SETS - 25 mm (1 in.)



S2 | 25 mm / 1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450105	Slot	4 mm	4468 4	12	72
450107	Slot	5 mm	4469 1	12	72
450109	Slot	6 mm	4470 7	12	72
450131	PH	#1	4472 1	12	72
450132	PH	#2	4473 8	12	72
450133	PH	#3	4474 5	12	72
450135	PZ	#0	4475 2	12	72
450136	PZ	#1	4476 9	12	72
450137	PZ	#2	4477 6	12	72
450138	PZ	#3	4478 3	12	72

20 PC BIT SETS - 25 mm (1 in.)



CR-V | 25 mm / 1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450427	PZ	#2	3436 4	12	72



25 PC BIT SETS - 25 mm (1 in.)



S2 | 25 mm / 1 in.

Item No.	Tip Type	Size	EAN 69426292+	Inner	Outer
450162	PH	#2	5468 3	12	48
450167	PZ	#2	5470 6	12	48
450170	TORX	T-10	5472 0	12	48
450171	TORX	T-15	5473 7	12	48
450172	TORX	T-20	5474 4	12	48
450173	TORX	T-25	5475 1	12	48





QUICK CHANGE CHUCK



- Stainless steel, magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453003	60 mm (2-3/8 in.)	3829 4	10	60

QUICK CHANGE CHUCK



- Stainless steel, magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453005	60 mm (2-3/8 in.)	3830 0	20	120

QUICK CHANGE CHUCK



- Easy one-hand auto loading

Item No.	Size	EAN 69426292+	Inner	Outer
453007	65 mm (2-9/16 in.)	3830 0	10	60

SCREW GUIDE



- Stainless steel outer sleeve slides over the screw and keeps it straight while driving
- Magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453020	80 mm (3-1/8 in.)	8423 9	10	60
453021	120 mm (4-3/4 in.)	3831 7	20	120

MAGNETIC EXTENSION



- One piece construction, stainless steel, magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453041	60 mm (2-3/8 in.)	8479 6	10	60

MAGNETIC EXTENSION



- Stainless steel, magnetic shaft holds bits securely

Item No.	Size	EAN 69426292+	Inner	Outer
453042	60 mm (2-3/8 in.)	3832 4	20	120

MAGNETIC NUT DRIVER



CR-V

Item No.	Size	Length	EAN 69426292+	Inner	Outer
453205	10 mm	48 mm (1-7/8 in.)	6773 7	20	120
453211	1/4 in.	48 mm (1-7/8 in.)	6774 4	20	120
453213	5/16 in.	48 mm (1-7/8 in.)	6775 1	20	120
453215	3/8 in.	48 mm (1-7/8 in.)	6776 8	20	120

3 PC POWER BIT SOCKET ADAPTOR



- 6.35 mm (1/4 in.) hex shank for using with quick chuck and extension
- Include hex to 1/4 in. Dr., hex to 3/8 in. Dr. and hex to 1/2 in. Dr.

1/4 in. (6.35 mm) | CR-V

Item No.	Size	EAN 69426292+	Inner	Outer
453063	1/4, 3/8, 1/2 in. Dr.	4803 3	10	60

5 PC QUICK-RELEASE HOLDER WITH CARABINER



- Quick release 1/4" Hex shank
- Suitable for hex-shank drill bits, screwdriver bits
- Aluminium alloy construction, lightweight design
- Carabiner for easy carry

Item No.	Size	EAN 69777135+	Inner	Outer
453105	5 pc	1627 9	24	48

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453111	1.5-10 mm 3/8-24UNF	8482 6	6	36
453112	1.5-13 mm 1/2-20UNF	8483 3	6	36

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453134	0.8-10 mm 3/8-24UNF	8488 8	6	36

ANGLE ADAPTER FOR DRILL





CR-V



- 90°
- 1/4 in. hex shank

Item No.	Size	EAN 69743345+	Inner	Outer
453125	150 mm	5307 2	6	36

KEYED DRILL CHUCK WITH CHUCK KEY



Item No.	Size	EAN 69426292+	Inner	Outer
453116	1.5-10 mm 3/8-24UNF	8484 0	6	36
453117	1.5-13 mm 1/2-20UNF	8485 7	6	36

CHUCK KEY



- For drill chucks

Item No.	Size	EAN 69426292+	Inner	Outer
453101	6 mm	8480 2	12	72
453102	10 mm	8481 9	12	72
453103	13 mm	4914 6	12	72

DRILL CHUCK WITH SDS PLUS ADAPTER AND CHUCK KEY



- SDS and chuck adapter kit increases the usefulness of your rotary hammer

Item No.	Size	EAN 69426292+	Inner	Outer
453122	1.5-10 mm 3/8-24UNF	8486 4	6	36
453123	1.5-13 mm 1/2-20UNF	8487 1	6	36





10 PC SANDING SHEETS



- Aluminum oxide, paper backed for general purpose sanding



8 HOLES

Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446000	230 X 93 mm (9 X 3-5/8 in.)	50#	4108 9	10	100
446001	230 x 93 mm (9 x 3-5/8 in.)	80#	2580 5	10	100
446005	230 x 93 mm (9 x 3-5/8 in.)	120#	2582 9	10	100
446007	230 x 93 mm (9 x 3-5/8 in.)	180#	2583 6	10	100
446009	230 x 93 mm (9 x 3-5/8 in.)	240#	2584 3	10	100



10 PC SANDING SHEETS



- Aluminum oxide, paper backed for general purpose sanding



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446043	230 X 93 mm (9 X 3-5/8 in.)	50#	3068 7	10	100
446045	230 x 93 mm (9 x 3-5/8 in.)	80#	3069 4	10	100
446047	230 x 93 mm (9 x 3-5/8 in.)	120#	3070 0	10	100
446049	230 x 93 mm (9 x 3-5/8 in.)	180#	3071 7	10	100
446051	230 x 93 mm (9 x 3-5/8 in.)	240#	3035 9	10	100

2 PC SANDING BELTS



- Heated aluminum oxide, cloth backed,
- For most hand-held belt sanders



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446101	457 X 76 mm (18 X 3 in.)	36#	2585 0	10	60
446103	457 X 76 mm (18 X 3 in.)	50#	4109 6	10	60
446107	457 X 76 mm (18 X 3 in.)	80#	3971 0	10	60
446111	457 X 76 mm (18 X 3 in.)	120#	2586 7	10	60
446121	533 X 76 mm (21 X 3 in.)	36#	3072 4	10	60
446123	533 X 76 mm (21 X 3 in.)	50#	3073 1	10	60
446125	533 X 76 mm (21 X 3 in.)	80#	3074 8	10	60
446127	533 X 76 mm (21 X 3 in.)	120#	3075 5	10	60
446131	610 X 100 mm (24 X 4 in.)	36#	3076 2	10	60
446133	610 X 100 mm (24 X 4 in.)	50#	3077 9	10	60
446135	610 X 100 mm (24 X 4 in.)	80#	3036 6	10	60
446137	610 X 100 mm (24 X 4 in.)	120#	3037 3	10	60

SANDING ROLL



- Aluminum oxide, paper backed for general purpose sanding



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446161	5m X 115 mm (16ft x 4-1/2 in.)	50#	3039 7	10	30
446163	5m X 115 mm (16ft x 4-1/2 in.)	80#	3040 3	10	30
446165	5m X 115 mm (16ft x 4-1/2 in.)	120#	3041 0	10	30
446167	5m X 115 mm (16ft x 4-1/2 in.)	240#	3042 7	10	30
446183	5m X 38 mm (16ft x 1-1/2 in.)	80#	5482 9	12	36
446185	5m X 38 mm (16ft x 1-1/2 in.)	120#	5483 6	12	36
446187	5m X 38 mm (16ft x 1-1/2 in.)	240#	5484 3	12	36

5 PC SANDING SHEETS



- Aluminum oxide, cloth backed
- For different applications



CLOTH BACK

Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446211	280 X 230 mm (11 X 9 in.)	40#	4535 3	10	60
446213	280 X 230 mm (11 X 9 in.)	60#	4536 0	10	60
446215	280 X 230 mm (11 X 9 in.)	80#	4537 7	10	60
446217	280 X 230 mm (11 X 9 in.)	120#	4538 4	10	60
446219	280 X 230 mm (11 X 9 in.)	150#	4539 1	10	60

5 PC SANDING SHEETS



- Silicon carbide wet use, waterproof and oilproof
- For different applications



WET

Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446221	280 X 230 mm (11 X 9 in.)	120#	3078 6	20	120
446223	280 X 230 mm (11 X 9 in.)	240#	3079 3	20	120
446225	280 X 230 mm (11 X 9 in.)	400#	3080 9	20	120
446227	280 X 230 mm (11 X 9 in.)	600#	3081 6	20	120
446229	280 X 230 mm (11 X 9 in.)	800#	3082 3	20	120
446231	280 X 230 mm (11 X 9 in.)	1200#	3083 0	20	120



10 PC SANDING SHEETS




- Aluminum oxide, use with tri-palm sanders, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446300	140 X 95 mm (5-1/2 X 3-3/4 in.)	50#	4110 2	20	120
446301	140 X 95 mm (5-1/2 X 3-3/4 in.)	80#	2591 1	20	120
446303	140 X 95 mm (5-1/2 X 3-3/4 in.)	120#	2592 8	20	120
446305	140 X 95 mm (5-1/2 X 3-3/4 in.)	240#	4111 9	20	120

10 PC SANDING DISCS



- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446691	125 mm (5 in.)	50#	3038 0	20	120
446693	125 mm (5 in.)	80#	3044 1	20	120
446695	125 mm (5 in.)	120#	3052 6	20	120
446697	125 mm (5 in.)	240#	3053 3	20	120

10 PC SANDING DISCS



- Heated aluminium oxide, hook and loop backed
- Coated to reduce clogging
- For surface preparation in metal fabrication and automotive/boat refinishing workshops



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446733	150 mm (6 in.)	80#	4526 1	20	120
446741	150 mm (6 in.)	320#	4528 5	20	120

10 PC SANDING SHEETS




- Aluminum oxide, use with tri-base (detail) sanders, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446400	93 X 93 mm (3-3/4 X 3-3/4 in.)	50#	4112 6	20	120
446401	93 X 93 mm (3-3/4 X 3-3/4 in.)	80#	2593 5	20	120
446403	93 X 93 mm (3-3/4 X 3-3/4 in.)	120#	2594 2	20	120
446407	93 X 93 mm (3-3/4 X 3-3/4 in.)	240#	2595 9	20	120

10 PC SANDING DISCS




- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292 (A) 69743345 (B)	Inner	Outer
446701	125 mm (5 in.)	50#	A + 2600 0	20	120
446703	125 mm (5 in.)	80#	A + 2601 7	20	120
446705	125 mm (5 in.)	120#	A + 3957 4	20	120
446707	125 mm (5 in.)	240#	A + 3958 1	20	120
446709	125 mm (5 in.)	320#	B + 5111 6	20	120

10 PC SANDING DISCS




- 2 x 40#, 2 x 60#, 2 x 80#, 2 x 120#, 2 x 180#



Item No.	Size	EAN 69777135+	Inner	Outer
446761	125 mm (5 in.)	1782 5	20	120



10 PC SANDING DISCS



- Aluminum oxide, hook and loop backed



Item No.	Size	Grit	EAN 69426292+	Inner	Outer
446711	150 mm (6 in.)	50#	3084 7	20	120
446715	150 mm (6 in.)	120#	3086 1	20	120
446721	150 mm (6 in.)	240#	3087 8	20	120

10 PC SANDING DISCS



- 2 x 40#, 2 x 60#, 2 x 80#, 2 x 120#, 2 x 180#



Item No.	Size	EAN 69777135+	Inner	Outer
446767	125 mm (5 in.)	1783 2	20	120



3 PC SANDING BLOCK



- Aluminum oxide
- For general purpose sanding
- #60, #120, #180



Item No.	Size	EAN 69777135+	Inner	Outer
446753	3 pc	1784 9	0	36

6 PC SANDING BLOCK



- Aluminum oxide
- For general purpose sanding
- 2 × #60, 2 × #120, 2 × #240



Item No.	Size	EAN 69777135+	Inner	Outer
446756	6 pc	1785 6	0	36

BACKING PAD FOR DRILL



- With 6 mm shank





Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446779	125 mm (5 in.)	2000	5485 0	10	60


3 PC SANDING AND POLISHING SET



- 1pc 125 mm (5 in.) 80# sanding disc
- 1pc 125 mm (5 in.) lambswool polishing cap
- 1pc backing pad with 8mm round shank adaptor

Item No.	Size	EAN 69426292+	Inner	Outer
446911	3 pc	5962 6	10	60

ARBOR FOR BUFFING WHEELS



- For buffing wheels
- 12.7 mm (1/2 in.) Arbor
- 6 mm shank



Item No.	Size	EAN 69426292+	Inner	Outer
446901	Arbor for Buffing Wheels	2606 2	12	144





FLAP DISC ALUMINUM OXIDE



- Aluminum Oxide
- Designed for grinding and finishing on low alloy steel

ø 22 mm (7/8 in.)

Item No.	Size	RPM	Grit	EAN 69777135+	Inner	Outer
446781AO	115×22 mm (4-1/2×7/8 in.)	13300	40#	1819 5	0	80
446783AO	115×22 mm (4-1/2×7/8 in.)	13300	60#	1820 1	0	80
446785AO	115×22 mm (4-1/2×7/8 in.)	13300	80#	1821 8	0	80
446797AO	125×22 mm (5×7/8 in.)	12200	40#	1822 5	0	80
446799AO	125×22mm (5×7/8 in.)	12200	60#	1823 2	0	80
446801AO	125×22mm (5×7/8 in.)	12200	80#	1824 9	0	80



FLAP DISC CALCINED ALUMINUM OXIDE



- Calcined Aluminum Oxide
- Perfect for grinding and finishing on low alloy steel
- High service life than Aluminum Oxide

ø 22 mm (7/8 in.)

Item No.	Size	RPM	Grit	EAN 69777135+	Inner	Outer
446781DA	115×22 mm (4-1/2×7/8 in.)	13300	40#	1825 6	0	80
446783DA	115×22 mm (4-1/2×7/8 in.)	13300	60#	1826 3	0	80
446785DA	115×22 mm (4-1/2×7/8 in.)	13300	80#	1827 0	0	80
446797DA	125×22 mm (5×7/8 in.)	12200	40#	1828 7	0	80
446799DA	125×22mm (5×7/8 in.)	12200	60#	1829 4	0	80
446801DA	125×22mm (5×7/8 in.)	12200	80#	1830 0	0	80

FLAP DISC ZIRCONIA



- Zirconia Oxide
- High stock removal applications
- Engineered for grinding and finishing on low alloy steel and stainless steel

ø 22 mm (7/8 in.)

Item No.	Size	RPM	Grit	EAN 69426292+	Inner	Outer
446781	115×22 mm (4-1/2×7/8 in.)	13300	40#	3065 6	12	72
446783	115×22 mm (4-1/2×7/8 in.)	13300	60#	3066 3	12	72
446785	115×22 mm (4-1/2×7/8 in.)	13300	80#	3067 0	12	72
446797	125×22 mm (5×7/8 in.)	12200	40#	5479 9	12	72
446799	125×22mm (5×7/8 in.)	12200	60#	5480 5	12	72
446801	125×22mm (5×7/8 in.)	12200	80#	2602 4	12	72

FLAP DISC CERAMIC



- Ceramic Grain
- High level of aggression for faster cutting and high removal rates
- Premium grinding and finishing for stainless steel and high alloy steel

ø 22 mm (7/8 in.)

Item No.	Size	RPM	Grit	EAN 69777135+	Inner	Outer
446781CA	115×22 mm (4-1/2×7/8 in.)	13300	40#	1831 7	0	80
446783CA	115×22 mm (4-1/2×7/8 in.)	13300	60#	1832 4	0	80
446785CA	115×22 mm (4-1/2×7/8 in.)	13300	80#	1833 1	0	80
446797CA	125×22 mm (5×7/8 in.)	12200	40#	1834 8	0	80
446799CA	125×22mm (5×7/8 in.)	12200	60#	1835 5	0	80
446801CA	125×22mm (5×7/8 in.)	12200	80#	1836 2	0	80

BACKING PAD VELCRO 50 mm QUICK CHUCK





- M14 Thread for grinding machine
- Round shank for PROTABLE drill
- Fit for all vecro back polishing accessories



M14 | 6 mm

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446773	50 mm (2 in.)	4500	7044 7	10	60

BACKING PAD VELCRO 125 mm QUICK CHUCK





- M14 Thread for grinding machine
- Round shank for PROTABLE drill
- Fit for all vecro back polishing accessories



M14 | 6 mm

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446775	125 mm (5 in.)	4500	7075 4	10	60

3 PC 75 mm (3 in.) SCRUB PAD VERY SOFT WHITE





- Window, Mirror, Furniture, Plastic

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3W	75 mm (3 in.)	4500	8941 8	10	60

3 PC 125 mm (5 in.) SCRUB PAD VERY SOFT WHITE





- Window, Mirror, Furniture, Plastic

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3W	125 mm (5 in.)	4500	8944 9	10	60

3 PC 75 mm (3 in.) SCRUB PAD SOFT BLUE



- Shower, Bathroom, Glass,Tile, Floor

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3B	75 mm (3 in.)	4500	8942 5	10	60

3 PC 125 mm (5 in.) SCRUB PAD SOFT BLUE





- Shower, Bathroom, Glass,Tile, Floor

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3B	125 mm (5 in.)	4500	8945 6	10	60

3 PC 75 mm (3 in.) SCRUB PAD MEDIUM RED





- Cookware, Metal, Stainless Steel, Copper

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446843.3R	75 mm (3 in.)	4500	8943 2	10	60

3 PC 125 mm (5 in.) SCRUB PAD MEDIUM RED





- Cookware, Metal, Stainless Steel, Copper

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446845.3R	125 mm (5 in.)	4500	8946 3	10	60

BUFFING WHEEL

3 LINES

HOLE 12.7 mm (1/2 in.)

12.7 mm (1/2 in.)





• For buffing jewelry, brass and other fine materials

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446851	100 mm (4 in.)	5000	2603 1	10	60

BUFFING WHEEL

9 LINES

HOLE 12.7 mm (1/2 in.)

12.7 mm (1/2 in.)





• For buffing jewelry, brass and other fine materials

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446855	150 mm (6 in.)	4000	2605 5	6	48

POLISHING CAP





• Lambswool & cotton
• For fine surface polishing
• Hook and loop backed

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446860	125 mm (5 in.)	2000	5486 7	20	120

POLISHING CUSHION-MEDIUM





• For fine surface polishing, with 6 mm shank

MEDIUM

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446897	125 mm (5 in.)	2000	5487 4	12	72

POLISHING SPONGE



Coarse Medium Fine

COARSE	MEDIUM	FINE

CUTTING LEVEL



2 PC POLISHING CAPS





• Lambswool & cotton
• For fine surface polishing

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446861	180 mm (7 in.)	2000	3050 2	12	72
446865	240 mm (9-3/8 in.)	2000	3051 9	6	24

2 PC POLISHING CAPS



• Lambswool & cotton
• For fine surface polishing
• Hook and loop backed

Item No.	Size	RPM	EAN 69708346 (A) 69426292 (B)	Inner	Outer
446863	75 mm (3 in.)	2000	A + 7693 8	12	72
446866	127 mm (5 in.)	2000	A + 7694 5	12	72
446867	180 mm (7 in.)	2000	B + 5943 5	12	72

POLISHING CAP





BACK

• Lambswool
• For fine surface polishing

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446869	180 mm (7 in.)	2000	6016 5	0	50

POLISHING SPONGE-COARSE



M14

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446881	150 mm (6 in.) - Coarse	4600	4532 2	6	24

POLISHING SPONGE-MEDIUM



M14

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446883	150 mm (6 in.) - Medium	4600	4533 9	6	24

POLISHING SPONGE-FINE



M14

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446885	150 mm (6 in.) - Fine	4600	4534 6	6	24

ABRASIVES
TACTIX®

WIRE BRUSH - POWER DRILL



WORKING SURFACE / WIRE MATERIAL	METAL	CONCRETE	STAINLESS STEEL	ALUMINUM	WOOD	PVC	★★ Recommended ★ Acceptable
STEEL WIRE	★★	★★	★	★			
STAINLESS STEEL WIRE	★★	★	★★	★			
BRASS WIRE (Prevents spark from producing during polishing process)	★★	★	★	★			
NYLON WIRE	★		★	★★	★★	★★	

CRIMPED WIRE WHEEL BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69426292 (A) 69708346 (B)	Inner	Outer
447305	50 mm (2 in.)	4500	A + 3059 5	6	36
447306	60 mm (2-3/8 in.)	4500	B + 7668 6	6	36
447307	75 mm (3 in.)	4500	A + 3060 1	6	36
447309	100 mm (4 in.)	4500	A + 3061 8	6	36

CRIMPED WIRE CUP BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
447325	50 mm (2 in.)	4500	3062 5	6	36
447327	75 mm (3 in.)	4500	3063 2	6	36

CRIMPED WIRE END BRUSH



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69426292 (A) 69708346 (B)	Inner	Outer
447322	12 mm (1/2 in.)	4500	B + 7671 6	12	72
447323	25 mm (1 in.)	4500	A + 4863 7	12	72

CRIMPED WIRE WHEEL BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
STAINLESS STEEL

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447335	50 mm (2 in.)	4500	7675 4	6	36
447337	75 mm (3 in.)	4500	7676 1	6	36
447339	100 mm (4 in.)	4500	7677 8	6	36

CRIMPED WIRE CUP BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
STAINLESS STEEL

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447329	50 mm (2 in.)	4500	7674 7	6	36

CRIMPED WIRE END BRUSH -STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
STAINLESS STEEL

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447331	25 mm (1 in.)	4500	7883 3	12	72

CRIMPED WIRE WHEEL BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6mm round shank
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces.
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
BRASS

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447318	75 mm (3 in.)	4500	7670 9	6	36

CRIMPED WIRE CUP BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
BRASS

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447328	50 mm (2 in.)	4500	7673 0	6	36

CRIMPED WIRE END BRUSH -BRASS WIRE



- 0.3 mm brass wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter in hard to reach spaces
- Use with portable and stationary drills

6 mm
WIRE DIA 0.3 mm
BRASS

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447324	25 mm (1 in.)	4500	7882 6	12	72

NYLON WIRE WHEEL BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for spot and corner surface preparation on metal, PVC and wood.
- Use with portable and stationary drills

6 mm
NYLON

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447805	75 mm (3 in.)	4500	7690 7	6	36

NYLON WIRE CUP BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for flat surface preparation on metal, PVC and wood.
- Use with portable and stationary drills

6 mm
NYLON

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447803	50 mm (2 in.)	4500	7689 1	6	36

NYLON WIRE END BRUSH



- #80 durable abrasive nylon wire,6 mm round shank
- Ideal for tight and narrow surface preparation on metal,PVC and wood.
- Use with portable and stationary drills

6 mm
NYLON

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447801	25 mm (1 in.)	4500	7688 4	12	72

KNOTTED WIRE WHEEL BRUSH



- 0.5 mm hardened steel wire, 6 mm round shank
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with portable and stationary drills

6 mm
WIRE DIA 0.5 mm

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447601	75 mm (3 in.)	20000	7682 2	6	36

3 PC WIRE BRUSH SET-BRASS COATED STEEL WIRE



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- Use with portable and stationary drills
- 1 pc 25 mm wire end brush • 1 pc 50 mm wire cup brush
- 1 pc 50 mm wire wheel brush

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447203	3 pc	4500	7657 0	10	60

4 PC WIRE BRUSH SET



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- 1 pc 250 mm knife brush • 1 pc 25 mm wire end brush
- 1 pc 50 mm wire cup brush
- 1 pc 50 mm wire wheel brush

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447204	4 pc	4500	7658 7	10	40

ABRASIVE TUBE BRUSH



- 0.3 mm steel wire, 8 mm round shank
- Ideal for cleaning, deburring and polishing of cylinders, tubes, pipes and bores,etc
- Use with portable drills or manually

Item No.	Size	EAN 69743345 (A) 69708346 (B)	Inner	Outer
447694	15 mm (5/8 in.)	A + 5271 6	10	60
447701	20 mm (3/4 in.)	B + 7684 6	12	48
447703	22 mm (7/8 in.)	B + 7685 3	12	48
447705	30 mm (1-1/8 in.)	B + 7686 0	12	48
447707	35 mm (1-3/8 in.)	B + 7687 7	12	48

5 PC WIRE BRUSH SET-BRASS COATED STEEL WIRE



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- Use with portable and stationary drills
- 1 pc 25 mm wire end brush • 1 pc 50 mm wire cup brush
- 1 pc 75 mm wire cup brush • 1 pc 50 mm wire wheel brush
- 1 pc 75 mm wire wheel brush

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447205	5 pc	4500	7659 4	10	40

4 PC WIRE BRUSH SET



- 0.3 mm steel wire, 6 mm round shank
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter
- 1 pc 28mm tube brush • 1 pc 25 mm wire end brush
- 1 pc 75 mm wire cup brush
- 1 pc 75 mm wire wheel brush

Item No.	Size	RPM	EAN 69743345+	Inner	Outer
447206	4 pc	4500	5270 9	10	40













CRIMPED WIRE CUP BRUSH



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with angle grinders

M14

WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447223	65 mm (2-1/2 in.)	12500	B + 7660 0		0	36
447225	75 mm (3 in.)	12500	A + 3058 8		0	36
447227	100 mm (4 in.)	8500	A + 4859 0		0	24
447229	125 mm (5 in.)	6500	B + 7661 7		0	24

KNOTTED WIRE CUP BRUSH



- 0.5 mm hardened steel wire, M14 x 2 thread
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with angle grinders

M14

WIRE DIA 0.5 mm

Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447243	65 mm (2-1/2 in.)	12500	B + 7663 1		0	36
447245	75 mm (3 in.)	12500	A + 4860 6		0	36
447247	100 mm (4 in.)	8500	A + 4861 3		0	24

KNOTTED WIRE WHEEL BRUSH




- 0.5 mm hardened steel wire, M14 x 2 thread
- Twist knotted wire design provides less flexibility for heavy duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with angle grinders

M14

WIRE DIA 0.5 mm

Item No.	Size	RPM	EAN	69426292 (A) 69708346 (B)	Inner	Outer
447264	100 mm (4 in.)	12500	A + 4862 0		0	36
447265	125 mm (5 in.)	10000	B + 7667 9		0	36

CRIMPED WIRE CUP BRUSH - STAINLESS STEEL WIRE



- 0.3 mm stainless steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with angle grinders


M14

WIRE DIA 0.3 mm

STAINLESS STEEL

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447253	60 mm (2-3/8 in.)	12500	7664 8	0	36
447255	75 mm (3 in.)	12500	7665 5	0	36
447257	100 mm (4 in.)	8500	7666 2	0	36

CRIMPED WIRE CUP BRUSH - BRASS WIRE



- 0.3 mm brass wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for removing coating,rust, scale and weld splatter on flat surfaces
- Use with angle grinders


M14

WIRE DIA 0.3 mm

BRASS

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447435	60 mm (2-3/8 in.)	12500	7884 0	0	36
447437	75 mm (3 in.)	12500	7681 5	0	36
447439	100 mm (4 in.)	8500	7885 7	0	24

CRIMPED WIRE BEVEL BRUSH



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for grooves, curves and corners, and for efficient action on irregular objects
- Use with angle grinders

M14

WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447603	100 mm (4 in.)	12500	7683 9	0	24



BENCH GRINDER BRUSHES



- 0.3 mm steel wire, 32 mm round bore
- Crimped wire design provides flexibility for light to medium duty brushing action
- Use with bench grinders

Ø 32 mm

WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69708346+	Inner	Outer
447401	150 x 25 x 32 mm	6000	7678 5	6	24
447403	180 x 25 x 32 mm	6000	7679 2	4	12
447405	200 x 25 x 32 mm	4500	7680 8	4	12

CRIMPED WIRE WHEEL BRUSH - COATED BRASS WIRE



- 0.3 mm steel wire, M14 x 2 thread
- Crimped wire design provides flexibility for light to medium duty brushing action
- Ideal for bead weld preparation and confined areas
- Use with angle grinders

M14

WIRE DIA 0.3 mm

Item No.	Size	RPM	EAN 69743345+	Inner	Outer
447268	115 mm (4-1/2 in.)	12500	5272 3	0	36

FLAP DISC



- For use with portable power drills
- For use on flat or contoured surfaces of wood, metal, plastic, rubber, stone etc.
- 6 mm shank

Item No.	Size	RPM	Grit	EAN 69426292+	Inner	Outer
446811	50 x 20 mm (2 x 3/4 in.)	12500	40#	3047 2	12	72
446813	50 x 20 mm (2 x 3/4 in.)	12500	80#	3048 9	12	72
446815	50 x 20 mm (2 x 3/4 in.)	12500	180#	3049 6	12	72

3 PC ROTARY RASP SET



HCS

- Made of high carbon steel
- For wood polishing

Item No.	Description	EAN 69426292+	Inner	Outer
447121	3 pc Rotary Rasp Set	3826 3	20	120

CLEAN & STRIP DISC



- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for prepartion and cleaning of welds, rust removal and removal of discoloration
- 6 mm shank

Item No.	Size	RPM	EAN 6942629 2+	Inner	Outer
446953	100 mm (4 in.) with Arbor	6000	2607 9	6	48

5 PC MOUNTED STONE SET



- 6 mm shank diameter
- For use on most metals

RPM 18000

Item No.	Description	EAN 69426292+	Inner	Outer
447125	5 pc Mounted Stone Set	4915 3	12	72

3 PC ROTARY FILE SET



HSS

- Made of high carbon steel
- For steel polishing

Item No.	Description	EAN 69426292+	Inner	Outer
447123	3 pc Mounted Stone Set	3827 0	20	120

CLEAN & STRIP DISC



- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for prepartion and cleaning of welds, rust removal and removal of discoloration

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446955	100 mm (4 in.) with Arbor	6000	2608 6	10	60

72 PC ROTARY ACCESSORY SET



- Includes
  grinding points, polishing wheels, cutter/milling points, grinding wheels, cutting wheels, sanding drums, HSS drill bits and brush wheels

Item No.	Description	EAN 69426292+	Inner	Outer
447040	72 pc Rotary Accessory Set	3056 4	6	24



CLEAN & STRIP DISC



- Use with angle grinders
- Made of intertwined nylon woven cord with polyurethane coating
- Ideal for preparation and cleaning of welds, rust removal and removal of discoloration

Item No.	Size	RPM	EAN 69426292+	Inner	Outer
446957	100 mm (4 in.) - 16 mm bore	6000	2609 3	10	60
446958	100 mm (4 in.) - 22 mm bore	6000	6283 1	10	60

50 mm (2 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447502	50 mm (2 in.)	5972 5	6	36

100 mm (4 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447504	100 mm (4 in.)	6361 6	6	24

63 mm (2-1/2 in.) DRILL BRUSH YELLOW PE



- For cleaning Bathroom, Tile, Kitchen

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447507	63 mm (2-1/2 in.)	7043 0	6	36

50 mm (2 in.) DRILL BRUSH WHITE PE SOFT WHITE



- For cleaning Glass, Furniture, Automobile

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447502W	50 mm (2 in.)	8938 8	6	36

100 mm (4 in.) DRILL BRUSH WHITE PE SOFT WHITE



- For cleaning Glass, Furniture, Automobile

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447504W	100 mm (4 in.)	8939 5	6	24

63 mm (2-1/2 in.) DRILL BRUSH WHITE PE Brush SOFT WHITE



- For cleaning Glass, Furniture, Automobile

1/4 in.

Item No.	Size	EAN 69426292+	Inner	Outer
447507W	63 mm (2-1/2 in.)	8940 1	6	36

3 PC DRILL BRUSH SET - HARD WIRES



1/4 in.

- 1 pc 84mm dome brush
- 1 pc 50mm wheel brush
- 1 pc 100mm wheel brush
- For cleaning Bathroom, tile, kitchen

Item No.	Size	EAN 69743345+	Inner	Outer
447303	3 pc	5332 4	6	24

3 PC DRILL BRUSH SET - SOFT WIRES



1/4 in.

NEW

- 1 pc 84 mm dome brush
- 1 pc 50 mm wheel brush
- 1 pc 100 mm wheel brush
- For cleaning Glass, Furniture, Automobile

Item No.	Size	EAN 69777135+	Inner	Outer
447303W	3 pc	1620 0	6	24



WELDING ACCESSORIES & CONSUMABLES





MIG TORCH CONTACT TIP BINZEL



MIG

- Bronze material
- Binzel type replacement tips for MIG welders using (Binzel type) torches

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591001	0.6 mm	5 pc	7534 4	12	144
591002	0.8 mm	5 pc	7535 1	12	144
591003	0.9 mm	5 pc	7536 8	12	144

MIG TORCH CONTACT TIP TWECO



MIG

- Bronze material
- Tweco type replacement tips for MIG welders using (Tweco type) torches

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591004	0.6 mm	5 pc	7537 5	12	144
591005	0.8 mm	5 pc	7538 2	12	144
591006	0.9 mm	5 pc	7539 9	12	144

OXY FLINT LIGHTER



- Cup type lighter allows for fast, easy ignition. Replaceable flint.

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591007	193 mm	1 pc	7540 5	6	48

OXY TIP CLEANING SET



- Contents: 13pc tip cleaning set: 6, 7, 8, 10, 12, 14, 15, 16, 17, 18, 22, 24, 26 mm; 1pc mini file
- Removes carbon build up and keep tips clean

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591009	75 mm	14 pc	7542 9	12	144

OXY TIP CLEANING SET



- Contents: 12pc tip cleaning set: 7, 8, 10, 12, 14, 15, 16, 17, 18, 22, 24, 25 mm; 1pc mini file
- Removes carbon build up and loose slag

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591010	100 mm	13 pc	7543 6	6	96

REPLACEMENT OXY FLINTS



- Replacement flints for Tactix flint lighter 591007.

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591008	12 mm	10 pc	7541 2	12	144

ELECTRODE HOLDER

300 AMP



- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591011	300 AMP	6.4 mm max.	1 pc	7544 3	6	36

ELECTRODE HOLDER

500 AMP



- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591012	500 AMP	9.0 mm max.	1 pc	7545 0	6	36

ELECTRODE HOLDER

300 AMP



- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591013	300 AMP	6.4 mm max.	1 pc	7546 7	6	36

ELECTRODE HOLDER

300 AMP



- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591014	300 AMP	6.4 mm max.	1 pc	7547 4	6	36

ELECTRODE HOLDER

500 AMP



- Brass plated mouth
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591015	500 AMP	9.0 mm max.	1 pc	7548 1	6	36

ELECTRODE HOLDER

500 AMP



- Brass mouth (long working life)
- Fully insulated

Item No.	Amperage	Electrode diameter	Qty	EAN 69708346+	Inner	Outer
591016	500 AMP	9.0 mm max.	1 pc	7549 8	6	36

EARTH CLAMP





300 AMP

- Brass plated clamp mouth
- Replacement Earth Clamp to fit most welding machines

Item No.	Amperage	Qty	EAN 69708346+	Inner	Outer
591017	300 AMP	1 pc	7550 4	6	36

EARTH CLAMP





500 AMP

- Brass plated clamp mouth
- Replacement Earth Clamp to fit most welding machines


Item No.	Amperage	Qty	EAN 69708346+	Inner	Outer
591041	500 AMP	1 pc	7017 2	6	36



GAS SHIELDED WELDING PLIERS

1. Wire drawing out
2. Tip removal and installation
3. Hammering
4. Wire cutting
5. Spring loaded for easy opening and closing
6. Nozzle removal and installation
7. Insulation bushing removal and installation





Spatter removal from inside and outside the nozzle



Spatter removal from the nozzle end



Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591021	215 mm	1 pc	7554 2	6	36

CHIPPING HAMMER






- Dual head / Spring handle

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591019	500 g	1 pc	7552 8	6	24

WELDING TROLLY







- Sturdy all metal construction
- 50 kg capacity
- Front caster wheels for easy maneuverability
- Built in tool storage
- Built in cable holders

Item No.	Hight	Length	Width	Qty	EAN 69708346+	Inner	Outer
591018	625 mm	370 mm	525 mm	1 pc	7551 1	0	1

ELECTRODE STORAGE HOLDER





- Max Temperature: 120˚C
- Protects from moisture
- Avoid flux chipping

Item No.	Capacity	Electrode Length	Qty	EAN 69708346+	Inner	Outer
591023	4.5 kg	350 mm	1 pc	7556 6	0	10

4 METRE TIG TORCH & CABLE





TIG

- Rating:150A DC, 120A AC
- Duty cycle:60%
- Electrodes:0.5-2.4mm





Item No.	Description	EAN 69708346+	Inner	Outer
591022	4 Metre TIG Torch & Cable	7555 9	0	5

4 PC TIG TORCH ACCESSORY SET



TIG

- Contents:
  1pc long back cap
  1pc collet body
  1pc collet
  1pc ceramic nozzle

Item No.	Qty	EAN 69708346+	Inner	Outer
591024	4 pc	7557 3	12	144



MIG TORCH GAS NOZZEL



MIG

- Binzel type replacement tips for MIG welders using (Binzel type) torches

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591020	12 mm	1 pc	7553 5	12	144

GAS DIFUSER MIG BINZEL



MIG

- Brass material
- Binzel type
- Suitable for use with MIG welders

Item No.	Qty	EAN 69708346+	Inner	Outer
591025	1 pc	7558 0	12	144

GAS DIFUSER MIG TWECO



MIG

- Brass material
- Tweco type
- Suitable for use with MIG welders

Item No.	Qty	EAN 69743345+	Inner	Outer
591032	1pc	5512 0	12	144

TEFLON MIG LINER



MIG

- Binzel type
- Size: 0.8 mm to 1.0 mm
- Replaceable liner for aluminium welding
- Can be used with MIG wires

Item No.	Size	Qty	EAN 69708346+	Inner	Outer
591026	3.3 m	1pc	7559 7	12	24

WIRE BRUSH



- Steel wire
- 4 x 18 wires
- Used to clean for welding

Item No.	Size	Qty	EAN 69426292+	Inner	Outer
724003	175 mm (7 in.)	1 pc	3337 4	6	24

WOOD HANDLE WIRE BRUSH



- Steel wire
- 4 x 16 wires
- Used to clean for welding

Item No.	Size	Qty	EAN 69426292+	Inner	Outer
724104	280 mm (11 in.)	1 pc	3338 1	12	48

MAGNETIC WELDING HOLDER



11 KG

- 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591027	76 mm (3 in.)	11 kg (25 lbs.)	1 pc	7561 0	10	60

MAGNETIC WELDING HOLDER



22 KG

- 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591028	100 mm (4 in.)	22 kg (50 lbs.)	1 pc	7562 7	6	36

MAGNETIC WELDING HOLDER



33 KG

- 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591029	125 mm (5 in.)	33 kg (75 lbs.)	1 pc	7563 4	6	24

MAGNETIC WELDING HOLDER



44 KG

- 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591030	150 mm (6 in.)	44 kg (100 lbs.)	1 pc	7564 1	6	12


4PCS MINI MAGNETIC WELDING HOLDERS



4 KG

- 45°, 90°, 135°

Item No.	Size	Pull Force	Qty	EAN 69708346+	Inner	Outer
591031	60 × 50 mm (2-3/8 × 2 in.)	4 kg (9 lbs.)	4 pc	7565 8	10	40



AUTOMATIC WELDING GOGGLE



- Light State: DIN4
- Dark State: DIN5~DIN9/DIN9~DIN13
- Switching Time: 3/10000S=20%
- Delay Time: 0.1S~1.0S
- Power Supply: Lithium battery
- Suitable for Welding, Cutting, Grinding
- Conforms to CE EN ISO 16321

NEW

Suitable for Welding, Cutting, Grinding






Item No.	Size	Qty	EAN 69777135+	Inner	Outer
480501		1 pc	1642 2	6	12

WELDING SCREEN



- Welding screen used to reduce glare and protect welders
- Specially formulated vinyl 16mil (0.4 mm) thick
- Certified UV resistant and flame retardant
- Kevlar stitching
- Edges with eyelets at 300 mm intervals
- Welding frame not included



Item No.	Size	Qty	EAN 69708346+	Inner	Outer
593001	174 × 174 mm	1 pc	7560 3	6	12

TACTIX®
WELDING ACCESSORIES & CONSUMABLES

MILD STEEL WIRE



MIG | 0.6 Ø | 0.8 KG

- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592001	0.8 kg	0.6 mm	1 pc	7571 9	6	18

MILD STEEL WIRE



MIG | 0.8 Ø | 0.8 KG

- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592002	0.8 kg	0.8 mm	1 pc	7572 6	6	18

STAINLESS STEEL WIRE



MIG | 0.8 Ø | 1.0 KG

- Conforms AWS ER-308 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592003	1.0 kg	0.8 mm	1 pc	7573 3	6	18

GASLESS FLUX CORE MILD STEEL WIRE



MIG | FC | 0.8 Ø | 0.45 KG

- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592005	0.45 kg	0.8 mm	1 pc	7575 7	6	24

GASLESS FLUX CORE MILD STEEL WIRE



MIG | FC | 0.9 Ø | 0.45 KG

- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592006	0.45 kg	0.9 mm	1 pc	7576 4	6	24

ALUMINIUM WIRE



MIG | 0.8 Ø | 0.5 KG

- Conforms AWS ER5356 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592004	0.5 kg	0.8 mm	1 pc	7574 0	6	24

MILD STEEL WIRE



MIG | 5.0 KG

- Conforms AWS ER70S-6 standard
- For Gas MIG Welding
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592007	5 kg	0.6 mm	1 pc	7577 1	0	4
592008	5 kg	0.8 mm	1 pc	7578 8	0	4

GASLESS FLUX CORE MILD STEEL WIRE



MIG | FC | 4.5 KG

- Conforms AWS E71T-GS standard
- Suits most popular brands of MIG Welders

Item No.	Weight	Diameter	Qty	EAN 69708346+	Inner	Outer
592012	4.5 kg	0.8 mm	1 pc	7582 5	0	4
592013	4.5 kg	0.9 mm	1 pc	7583 2	0	4

TUNGSTEN RODS



TIG

- Conforms AWS A5.12
- 2% Thoriated Tungsten Electrode
- Used with DC Current to weld mild and stainless steel
- Red tip ground finish

Item No.	Diameter	Length	Qty	EAN 69708346+	Inner	Outer
592015	1.6 mm	175 mm	10 pc	7585 6	12	48
592016	2.4 mm	175 mm	10 pc	7586 3	12	48

PTA DRILL BITS DISPLAY

- Maximum 24 compartments
- For bulk drill bits
- Material: 0.8 mm cold rolled steel
- Window: 3 mm transparent acrylic
- 365 x 320 x 272.5 mm
- Door & lock in the backside





(Drills not included)



Lock on the back side

Item No.	Size	EAN 69426292+
454502	32 x 27 x 35.5 cm (12-1/2 x 10-1/2 x 14 in.)	7246 5

STEEL DISPLAY

- 24 pc hook included





(Drills not included)

Item No.	Size	EAN 69426292+
454505	47 x 32 x 71 cm (18-1/2 x 12-5/8 x 27-7/8 in.)	7247 2

PTA QP DISPLAY BOX



Item No.	Size
QP1	59.5 x 39.5 x 100 cm (23-1/2 x 15-3/4 x 40 in.)

PTA QP DISPLAY BOX



Item No.	Size
QP2	57 x 38 x 95 cm (22-1/2 x 15 x 37-1/2 in.)

PTA QP DISPLAY BOX



Item No.	Size
QP3	56 x 43 x 77 cm (22 x 17 x 30 in.)



PERSONAL PROTECTIVE EQUIPMENT



SAFETY GLASSES

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69426292+	Inner	Outer
480001	clear	5490 4	6	24

SAFETY GLASSES

- Polycarbonate lenses provide excellent protection from impact
- Adjustable temple length
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69426292+	Inner	Outer
480013	clear	5491 1	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Adjustable temple length
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69762270+	Inner	Outer
480016	clear	3366 1	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69426292+	Inner	Outer
480021	clear	5492 8	6	24

SAFETY GLASSES SMOKE

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69426292+	Inner	Outer
480022	smoke	5493 5	6	24

SAFETY GLASSES SMOKE MIRROR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69426292+	Inner	Outer
480023	mirror	5494 2	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69777135+	Inner	Outer
480005	clear	1640 8	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact • Adjustable temple angles
- Comfort built-in brow guard
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69708346+	Inner	Outer
480008	clear	7835 2	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69777135+	Inner	Outer
480061	clear	1638 5	6	24

SAFETY GLASSES SMOKE

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69777135+	Inner	Outer
480006	smoke	1641 5	6	24

SAFETY GLASSES

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



480025.BRM 480025.BM

Item No.	Size	EAN 69708346+	Inner	Outer
480025	clear	7858 1	6	24

SAFETY GLASSES CLEAR

- Polycarbonate lenses provide excellent protection from impact
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69762270+	Inner	Outer
480031	clear	3367 8	6	24

AUTOMATIC WELDING GOGGLE

- Light State: DIN4
- Dark State: DIN5~DIN9/DIN9~DIN13
- Switching Time: 3/10000S±20%
- Delay Time: 0.1S~1.0S
- Power Supply: Lithium battery
- Suitable for Welding, Cutting, Grinding
- Conforms to CE EN ISO 16321



Suitable for Welding, Cutting, Grinding



Item No.	Size	EAN 69777135+	Inner	Outer
480501		1642 2	6	12

SAFETY GOGGLES

- Polycarbonate lenses provide excellent protection from impact



Item No.	Size	EAN 69426292+	Inner	Outer
480161	clear	5495 9	6	48

SAFETY GOGGLE CLEAR

- Polycarbonate lenses provide excellent protection from impact • Indirect Ventilation system
- Conforms to CE EN ISO 16321



Item No.	Size	EAN 69762270+	Inner	Outer
480163	clear	3370 8	6	48



3 PC FFP1 DUST MASK

- Conforms to EN149:2001



Item No.	Size	EAN 69426292+	Inner	Outer
486013	3 pc FFP1	5496 6	12	120

2 PC FFP3 DUSK MASK WITH VALVE

- Conforms to EN149:2001



Item No.	Size	EAN 69708346+	Inner	Outer
486033	2 pc FFP3	7859 8	12	120

30 PC DISPOSABLE DUST MASK



Item No.	Size	EAN 69426292+	Inner	Outer
486530	30 pc	5501 7	12	48

3 PC FFP2 DUST MASK WITH VALVE

- Conforms to EN149:2001



Item No.	Size	EAN 69426292+	Inner	Outer
486023	3 pc FFP2	5497 3	12	120

3 PC N95 DUST MASK

- NIOSH approved



Item No.	Size	EAN 69426292+	Inner	Outer
486203	3 pc N95	5499 7	12	120

3 PC FFP2 CARBON FILTER DUST MASK WITH VALVE

- Conforms to EN149:2001



Item No.	Size	EAN 69743345+	Inner	Outer
486313	3 pc FFP2	5896 1	12	120



7 PAIRS EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN 69426292+	Inner	Outer
488006	7 pairs	5502 4	24	144

5 PAIRS GREEN EAR PLUGS

- PU material
- SNR: 35dB
- CE certified



Item No.	Size	EAN 69793168+	Inner	Outer
488010	5 pairs	5003 3	24	144

100 PAIRS EAR PLUGS WITH PLASTIC BOX

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
488008	100 pairs	5898 5	6	12

5 PAIRS CORDED BLUE EAR PLUGS

- PU material
- SNR: 35dB
- CE certified



Item No.	Size	EAN 69793168+	Inner	Outer
488019	5 pairs	5004 0	24	144

BANDED EAR PLUGS PU

- SNR: 29dB



Item No.	Size	EAN 69743345+	Inner	Outer
488042		5904 3	12	72

5 PAIRS CORDED EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
488017	5 pairs	5900 5	24	144

100 PAIRS CORDED EAR PLUGS

- PU material
- SNR: 38dB
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
488018	100 pairs	5901 2	6	12

2 PAIRS CORDED EAR PLUGS WITH BOX

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN 69426292+	Inner	Outer
488024	2 pairs	5503 1	24	144

5 PAIRS CORDED EAR PLUGS

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
488031	5 pairs	5902 9	24	144

50 PAIR CORDED EAR PLUGS

- SILICONE material
- SNR: 32dB
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
488032	50 pairs	5903 6	10	60



EAR MUFFS

- Light weight, padded frame
- Soft ear cushions
- Conforms to EN352-1
- SNR: 29dB





SNR 29 dB | CE 2797 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69426292+	Inner	Outer
488109		8350 8	6	12

KID EAR MUFFS

- Light weight, padded frame
- Soft ear cushions
- Conforms to EN352-1
- SNR: 28dB
- For kids

0-5





SNR 28 dB | CE 2797 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69426292+	Inner	Outer
488110	Pink	8351 5	6	12
488111	Blue	8352 2	6	12

EAR MUFFS

- SNR: 29dB





CE

Item No.	Size	EAN 69426292+	Inner	Outer
488103		5504 8	6	12

3 PC SAFETY SET

- 1 pc ear muffs, SNR 29dB
- 1 pc safety glasses
- 1 pc dust mask FFP1

NEW









SNR 29 dB | CE 2777 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69743345+	Inner	Outer
492105	4 pc	5917 3	6	12

DELUXE EAR MUFFS

- SNR: 31dB
- Foldable compact design







CE

Item No.	Size	EAN 69426292+	Inner	Outer
488107		5505 5	6	12

NECKBAND EAR MUFFS

- Adjustable
- Neck band should be placed behind the head
- Soft ear cushions
- SNR: 30dB







CE

Item No.	Size	EAN 69743345+	Inner	Outer
488114		5906 7	0	20

DETACHABLE EAR MUFFS FOR HELMET

- Soft and wide sealing rings
- Mounts to safety helmet (Safety Helmet not included)
- SNR: 26dB



NEW



CE

Item No.	Size	EAN 69743345+	Inner	Outer
488113		5905 0	0	20

7 PC SAFTY SET

- Impact resistant lenses
- Smooth, soft PU ear plugs, SNR 38dB
- Adjustable ear muffs, SNR 29dB









SNR 29 dB | CE 2797 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69762270+	Inner	Outer
488516	7 pc	3109 4	8	16

3 PC SAFTY SET

- 1 pc ear muffs, SNR 29dB
- 1 pc safety glasses clear
- 1 pc dust mask FFP1



NEW







SNR 29 dB | CE 2797 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69762270+	Inner	Outer
488517	3 pc	3727 0	8	16

3 PC SAFTY SET

- 1 pc ear muffs, SNR 29dB
- 1 pc safety glasses clear
- 1 pc NITRILE DIPPED GLOVES XL#10



NEW







SNR 29 dB | CE 2797 EN352-1 | <85% | 3°C 40°C

Item No.	Size	EAN 69762270+	Inner	Outer
488518	3 pc	3726 3	8	16

2 PC EAR CUSHION REPLACEMENT

- Suitable for 488131



Item No.	Size	EAN 69426292+	Inner	Outer
488201	2 pc	8629 5	12	48

BLUETOOTH® HEARING PROTECTION G2.0

- BLUETOOTH®
- LISTENING MODE (LIS)
- FM radio 88-108 MHZ
- Bulit-in 1500 mAh rechargeable Li-battery
- Type-C USB charging (cord included)
- IPX 4 water resistant
- SNR: 29dB

CE EN352
Bluetooth®





Item No.	Size	EAN 69426292+	Inner	Outer
488131	Bluetooth/Listening/FM	8354 6	0	8

2 PC EAR CUSHION REPLACEMENT

- Suitable for 488133



Item No.	Size	EAN 69777135+	Inner	Outer
488202	2 pc	1255 4	12	48

BLUETOOTH® HEARING PROTECTION G3.0

- Bluetooth® version 5.3
- Built-in Li-ion 800 mAh, 18+ hours working life
- Type-C USB charging (cord included)
- SNR: 31dB

CE EN352
Bluetooth®





Item No.	Size	EAN 69743345+	Inner	Outer
488133	Bluetooth	5572 4	0	12

BLUETOOTH® NOISE-ISOLATING EARBUDS

- Bluetooth® version 5.2
- ENC microphone (Environmental Noise Cancellation)
- Li-ion 250 mAh, 20+ hours working life
- With 4 pairs foam eartips & 1 pair silicone eartips
- Type-C USB charging (cord included)
- SNR: 27dB





Item No.	Size	EAN 69743345 (A) EAN 69762270 (B)	Inner	Outer
488135	Bluetooth	A+5694 3	8	24
488210	5 pairs ear tip replacements	B+3373 9	0	48

BLUETOOTH® HEARING PROTECTION G4.0

Scan for detail video

- Bluetooth® version 5.3
- FM radio 88-108 MHZ
- LISTENING MODE (LIS)
- Built-in Li-ion 1500 mAh, 30+ hours working life
- Type-C USB charging (cord included)
- SNR: 30dB

CE EN352
Bluetooth®



Item No.	Size	EAN 69743345+	Inner	Outer
488134	Bluetooth/FM/Listening	5693 6	0	8





Telescopic steel sheet



Listening Mode (LIS) – normal conversation without removing earmuff

BLUETOOTH® HEARING PROTECTION G4.0

- DAB+ 170-240 MHZ
- Bluetooth® version 5.3
- FM radio 88-108 MHZ
- LISTENING MODE (LIS)
- Built-in Li-ion 1500 mAh, 30+ hours working life
- Type-C USB charging (cord included)
- SNR: 30dB

DAB+
CE EN352
Bluetooth®



Item No.	Size	EAN 69762270+	Inner	Outer
488136	DAB+/Listening/ FM /Bluetooth	3375 3	0	8



2 PC EAR CUSHION REPLACEMENT

- Suitable for 488134/488136



Item No.	Size	EAN 69762270+	Inner	Outer
488203	2 pc	3187 2	12	48

reddot winner 2025

Scan for detail video

NOISE-ISOLATING TURE WIRELESS AWARENESS EARBUDS

- Bluetooth® version 5.3
- SNR: 31dB
- Awareness mode-Level dependent protection to enhance your safety
- ENC microphone (Environmental Noise Cancellation)
- 8Hrs battery life / 28Hrs additional hours by charging case
- Type-C USB charging (cord included)
- IP65 dust & sweat and water protection

Item No.	Size	EAN 69762270	Inner	Outer
488137	Bluetooth	3578 8	6	12





SAFETY HELMET-HDPE

- Conforms to EN 397
- HDPE material
- Chin strap



Item No.	Size	EAN 69793168+	Inner	Outer
492002		5020 0	0	16

FACE SHIELD-CLEAR VISOR

- PC clear visor
- CE EN166



Item No.	Size	EAN 69743345+	Inner	Outer
492071		5917 3	10	40

4 PC FORESTRY SAFETY SET

- 1 pc safety helmet-ABS-vented (492021) , comply CE EN397
- 1 pc detachable earmuff (488113), comply CE EN352
- 1 pc PC visor-foldable,
- 1 pc metal mesh visor-foldable



Item No.	Size	EAN 69793168+	Inner	Outer
492107	4 pc	5023 1	0	6

SAFETY HELMET-ABS-VENTED

- Conforms to EN 397
- ABS material
- Chin strap



Item No.	Size	EAN 69793168+	Inner	Outer
492021		5021 7	0	16

FACE SHIELD-MESH VISOR

- Metal mesh visor
- CE EN1731



Item No.	Size	EAN 69743345+	Inner	Outer
492072		5918 0	10	40

LED HI-VIS BUMP CAP

- High-density PE interiror shell
- Soft inner foam cushion
- Conforms to EN 812
- Rechargeable Li-Ion. 4-8 hours working time. 4 LED bulbs, 60 Lumens



Item No.	Size	EAN 69793168+	Inner	Outer
492065		5022 4	0	30

SAFETY HELMET-ABS-VENTED

- 30 mm slot for ear muff and other accessories
- Conforms to EN 397
- ABS shell
- Cooling vents
- Elastic chin strap



Item No.	Size	EAN 69743345+	Inner	Outer
492013	54-62 cm (white)	5913 5	0	20
492014	54-62 cm (orange)	5914 2	0	20
492015	54-62 cm (yellow)	5915 9	0	20

BUMP CAP

- High-density PE interiror shell
- Soft inner foam cushion
- Conforms to EN 812



Item No.	Size	EAN 69743345+	Inner	Outer
492061	56-60 cm	5916 6	0	30

2 PC KNEE PADS

- Thick foam knee pads with gel-effect cushions
- With hook and loop straps
- CE certified



Item No.	Size	EAN 69426292+	Inner	Outer
482001	2 pc	3478 4	0	8

2 PC KNEE PADS

- Hard PVC cap • 600D polyester
- EVA & GEL inner foam • Wide velcro straps



Item No.	Size	EAN 69743345+	Inner	Outer
482010	2 pc	5883 1	0	10

2 PC KNEE PADS

- EVA & GEL inner foam
- 1680D polyester
- Wide velcro straps



Item No.	Size	EAN 69743345+	Inner	Outer
482014	2 pc	5887 9	0	6

2 PC KNEE PADS

- Hard PE outer shell
- Foam rubber inner for superior comfort
- Wide velcro straps with hook and loop closure
- CE certified



Item No.	Size	EAN 69426292+	Inner	Outer
482007	2 pc	2790 8	6	24

2 PC KNEE PADS

- Hard PP outer shell
- 2 layer inner foam for superior comfort wide velcro straps with hook and loop closure



Item No.	Size	EAN 69743345+	Inner	Outer
482011	2 pc	5884 8	0	12

2 PC KNEE PADS

- Hard PVC outer shell
- Foam rubber inner for superior comfort wide velcro straps with hook and loop closure
- CE certified



Item No.	Size	EAN 69762270+	Inner	Outer
482015	2 pc	3552 8	0	12

2 PC KNEE PADS

- Hard PP cap • 600D polyester
- EVA inner foam • Buckle for secure



Item No.	Size	EAN 69743345+	Inner	Outer
482008	2 pc	5881 7	0	20

2 PC KNEE PADS

- Hard PVC outer shell
- Foam rubber inner for superior comfort wide velcro straps with hook and loop closure
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
482012	2 pc	5885 5	0	12

KNEE PADS INSERTS FOR WORK PANTS

- SIZE: 245 x 160 cm • EVA material
- Cut freely to fit dimensions.
- Color option: Black / Orange / Yellow



Item No.	Size	EAN 69793168+	Inner	Outer
482023	245 x 160 cm	5000 2	0	50

2 PC KNEE PADS

- Hard PP cap • 600D polyester
- EVA inner foam • Wide velcro straps



Item No.	Size	EAN 69743345+	Inner	Outer
482009	2 pc	5882 4	0	12

2 PC KNEE PADS

- Soft PU leather outer • 600D polyester
- EVA & GEL inner foam • Wide velcro straps



Item No.	Size	EAN 69743345+	Inner	Outer
482013	2 pc	5886 2	0	24

RUBBER MAT

- EVA rubber



Item No.	Size	EAN 69426292+	Inner	Outer
482021	450 x 210 x 28 mm	5647 2	0	20

EN388

ABCDEF

AGAINST MECHANICAL RISKS REFERENCE STANDARD EN388. GLOVES under EN388 standard show their resistance to a specific hazard by a number matrix. Abrasion resistance 1-4; blade cut resistance 1-5; tear strength resistance 1-4; puncture resistance 1-4; cut resistance method A-F; impact protect.
The rating is based on 1-4 or 1-5 or A-F (lowest to highest). X=no test performed.

	Protection offered	Performance levels
A	Abrasion resistance	1 - 4
B	Blade cut resistance	1 - 5
C	Tear strength resistance	1 - 4
D	Puncture resistance	1 - 4
E	Cut resistance method	A - F
F	Impact protection	

• Coating Materials

Material	Properties
Nitrile	Abrasion resistant, puncture resistant, oil resistant, chemical resistant
Textured Nitrile	Anti-slip, abrasion resistant, excellent grip in both dry and wet conditions
Foam Nitrile	Breathable, abrasion resistant, excellent grip in both dry and wet conditions
Latex	Soft, elastic, excellent grip in dry conditions
PU (Polyurethane)	Lightweight, soft, flexible, abrasion resistant, excellent grip in dry conditions
PVC (Polyvinyl Chloride)	Acid/alkali resistant, highly chemical resistant

• Glove Liner Materials

Material	Properties
Cotton	Soft, comfortable, warm, breathable, low allergenic
Nylon	Abrasion resistant, comfortable, anti-static
Polyester	Abrasion resistant, comfortable, high tensile strength, elastic, wrinkle resistant
Spandex	Abrasion resistant, comfortable, stretch resistant, high elasticity
Aramid	Cut resistant, heat resistant
HPPE (Glass Fiber)	Cut resistant, abrasion resistant, tear resistant



LATEX DIPPED GLOVES

- Latex coated palms and fingers
- Conforms to EN 388 2.1.4.2 (Abrasion 2; Blade cut 1; Tear strength 4; Puncture 2)
- CE certified



EN388 2142X

Item No.	Size	EAN 69426292+	Inner	Outer
490003	L (#9)	5641 0	0	120
490004	XL (#10)	5642 7	0	120

HI-VIS LATEX DIPPED GLOVES

- 13 guage polyester fiber liner
- Wrinkled latex coated, wear resistant and anti-skid
- Tear resistance, excellent mechanical property



EN388 3142X

Item No.	Size	EAN 69793168+	Inner	Outer
490013	L (#9)	5005 7	0	120
490014	XL (#10)	5006 4	0	120

COLD RESISTANT LATEX DIPPED GLOVES

- Double layer full latex coating, 15 G polyester
- Sandy latex coating, anti-slip, abrasion and tear resistant
- Double layer liner, cold resistant and warm keeping



EN388 2242

Item No.	Size	EAN 69793168+	Inner	Outer
490023	L (#9)	5007 1	0	120
490024	XL (#10)	5008 8	0	120

NITRILE DIPPED GLOVES

- Nitrile coated palms and fingers
- Conforms to EN 388 4.1.2.1 (Abrasion 4; Blade cut 1; Tear strength 2; Puncture 1)
- CE certified



EN388 4121X

Item No.	Size	EAN 69426292+	Inner	Outer
490043	L (#9)	5643 4	0	120
490044	XL (#10)	5644 1	0	120

SANDY NITRILE DIPPED GLOVES

- 15 gauge nylon spandex
- Palm coated sandy nitrile, high elastic fit hand
- Sandy coating provide anti-slip and perfect performance



EN388 4131X

Item No.	Size	EAN 69793168+	Inner	Outer
490033	L (#9)	5009 5	0	120
490034	XL (#10)	5010 5	0	120

NITRILE DIPPED GLOVES WITH DOTS

- 13 G orange polyester + spandex golve coating nitrile
- Fingertips with the copper fiber, micro foam finish,dot beads
- Comfortable fit, touch screen function



EN388 4131X

Item No.	Size	EAN 69793168+	Inner	Outer
490053	L (#9)	5011 8	0	120
490054	XL (#10)	5012 5	0	120

PU DIPPED GLOVES

- PU coated palms and fingers
- EN388 3121X
- CE certified



EN388 3121X

Item No.	Size	EAN 69743345+	Inner	Outer
490063	L (#9)	5908 1	0	120
490064	XL (#10)	5909 8	0	120

CUT RESISTANT GLOVES

- 13guage HPPE/Glass fiber liner
- EN388:2016/cut D & A4 cut resistance
- Palm dipped with black foam nitrile for superior grip in dry, wet and oily conditions



EN388:2016 +A1:2018 4X42D

Item No.	Size	EAN 69762270+	Inner	Outer
490073	L (#9)	3376 0	0	120
490074	XL (#10)	3377 7	0	120

ASSEMBLY WORKING GLOVES

- Durable imitative nubuck leather palm with padding
- Back with strethy fabric
- Elastic slip-on cuff



EN388 4121X

Item No.	Size	EAN 69793168+	Inner	Outer
490243	L (#9)	5017 0	0	120
490244	XL (#10)	5018 7	0	120

EXTREME PERFORMANCE MECHANICS GLOVES

- Durable synthetic leather palm with touchscreen capable fingertips
- Non-slip PU patches with EVA padding reduce shock and vibration
- All-sided knuckle guard and finger guards protect against impact & shock
- Velcro adjustment with pull system
- EN 388 2121XP • CE certified



Anti Impact | Non-Slip | Abrasion Resistance | Ventilation | Touch Screen | Shock Absorption

SHOCK PROOF MECHANICAL GLOVES

- Palm coated twice foam nitrile, 13 gauge HPPE
- TPR rubber, anti vibration and impact resistant
- Anti-slip, wear resistant, leather reinforcement between thumb and index.
- Cut C resistant, breathable, tear and puncture resistant



EN388 4X43CP

Item No.	Size	EAN 69793168+	Inner	Outer
490233	L (#9)	5015 6	12	48
490234	XL (#10)	5016 3	12	48

NITRILE COATED GLOVES

- Fully nitrile coated
- EN388 4111X • CE certified



EN388 4111X

Item No.	Size	EAN 69743345+	Inner	Outer
490302	XL (#10)	5911 1	0	48

CUT RESISTANT GLOVES

- 13guage Polysafe liner construction
- EN388:2016/cut C & A3 cut resistance
- PU coating gives great abrasion resistance for superior grip while offering excellent tactile sensitivity



EN388:2016 +A1:2018 4131C

Item No.	Size	EAN 69762270+	Inner	Outer
490083	L (#9)	3378 4	0	120
490084	XL (#10)	3379 1	0	120



EN388 2121XP

Item No.	Size	EAN 69426292+	Inner	Outer
490223	L (#9)	0718 4	0	48
490224	XL (#10)	0719 1	0	48

CLIP OF GLOVES

- Attiaches to blet loops to prevent glove & sleeve misplacement
- Built in safety breakaway in case of glove entanglement



Item No.	Size	EAN 69793168+	Inner	Outer
490301		5019 4	24	120

PU COATED CARBON FIBER GLOVES

- PU coating, 13 G nylon/carbon liner
- Dense carbon fiber provides strong anti-static abllity
- Light PU coating, anti-slip, abrasion and tear resistant
- High dexterity, soft and confortable



EN388 4131X

Item No.	Size	EAN 69793168+	Inner	Outer
490093	L (#9)	5013 2	0	120
490094	XL (#10)	5014 9	0	120

LEATHER GLOVES

- EN388 2143X
- CE certified



EN388 2143X

Item No.	Size	EAN 69743345+	Inner	Outer
490273	XL (#10)	5910 4	0	48





Safety Toe	Midsole	Outsole	Upper	Performances	Insole
STEEL	HIGH FLEX	PU PU	MESH KPU		EVA MESH

Safety Toe	Midsole	Outsole	Upper	Performances	Insole
STEEL	HIGH FLEX	PU PU	SPLIT SUEDE LEATHER		EVA MESH

489001
100 PC



S1 PL SR FO EN ISO 20345

Item No.	Size			EAN 69743345 (A)	Inner	Outer
	EUR	UK	US	EAN 69762270 (B)		
494011	#39	5	6	A+5921 0	0	10
494012	#40	6	7	A+5922 7	0	10
494013	#41	7	8	A+5923 4	0	10
494014	#42	8	9	A+5924 1	0	10
494015	#43	9	10	A+5925 8	0	10
494016	#44	10	11	A+5926 5	0	10
494017	#45	11	12	B+3347 0	0	10
494018	#46	12	13	B+3348 1	0	10
494019	#47	13	14	B+3349 8	0	10

489001
100 PC



S3L SR FO EN ISO 20345

Item No.	Size			EAN 69743345 (A)	Inner	Outer
	EUR	UK	US	EAN 69762270 (B)		
494031	#39	5	6	A+5927 2	0	10
494032	#40	6	7	A+5928 9	0	10
494033	#41	7	8	A+5929 6	0	10
494034	#42	8	9	A+5930 2	0	10
494035	#43	9	10	A+5931 9	0	10
494036	#44	10	11	A+5932 6	0	10
494037	#45	11	12	B+3350 4	0	10
494038	#46	12	13	B+3351 1	0	10
489001	100 PC OVERSHOE COVER			A+8386 7	0	36



SAFETY T-SHIRT

- Fabric: 100% polyester, 140g birdeye , high-visibility
- Colour: Orange/Yellow
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484006	M-5XL	5890 9	20	60

SAFETY JACKET

- Fabric:100% polyester 300D Oxford oxford with PU coating, high-visibility
- 2 inches reflection tape
- Detachable hood
- Adjustable cuffs
- Colour: Orange/Yellow
- Two outside lower pockets with flaps
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484010	M-5XL	5894 7	0	10

SAFETY VEST

- Fabric: 100% polyester, 120g tricot, high-visibility
- 2 inches reflection tape
- Hook and loop front closure
- Colour: Orange/Yellow
- Featrues: Velcro closure
- CE certified



Item No.	Size	EAN 69426292+	Inner	Outer
484003	M-5XL	9350 7	20	60

SAFETY SHIRT

- Fabric: 100% polyester, 140g birdeye, high-visibility
- Colour: Orange/Yellow
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484007	M-5XL	5891 6	20	60

SAFETY PANTS

- Fabric:100% polyester 150D Oxford, high-visibility with PU coating
- 2 inches reflection tape
- Colour: Orange/Yellow
- Featrues: Elastic waist
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484011	M-5XL	5895 4	0	10

SAFETY VEST

- Fabric: 100% polyester, 120g tricot, high-visibility
- 2 inches reflection tape
- hook and loop front closure
- Colour: Orange/Yellow
- Featrues: Velcro closure
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484004	M-5XL	5888 6	20	60

SAFETY SHIRT

- Fabric: 100% polyester, 130gsm birdeye, high-visibility
- Color: Lime/Orange with black bottom
- Feature: Frontsnap closure One chest pocket with snap



Item No.	Size	EAN 69743345+	Inner	Outer
484008	M-5XL	5892 3	20	60

BASIC SAFETY VEST

- Fabric: 100% polyester, 80g tricot, high-visibility
- 3CM reflection tape
- Velcro closure, Elastic webbing on both sides
- Colour: Orange/Yellow
- Featrues: Velcro closure

NEW



Item No.	Size	EAN 69793168+	Inner	Outer
484021	M-5XL	5001 9	0	100

HEAVY DUTY SAFETY VEST

- Fabric: 100% polyester, 120g tricots, high-visibility
- Colour: Orange/Yellow
- Zipper closure / One phone pocket / One clear ID pocket / two lower pockets
- CE certified



Item No.	Size	EAN 69743345+	Inner	Outer
484005	M-5XL	5889 3	20	60

SAFETY LONG SLEEVE POLO

- Fabric: 100% polyester, 130gsm birdeye, high-visibility
- Color: Lime/Orange with black bottom
- Feature: Frontsnap closure One chest pocket with snap



Item No.	Size	EAN 69743345+	Inner	Outer
484009	M-5XL	5893 0	20	60

SAFETY BELT

- Fabric: 100% polyester, Elastic webbing 4.0CM, 1.5CM high-visibility reflective film;
- Plastic snap closure
- Colour: Orange/Yellow
- Featrues: Velcro closure

NEW



Item No.	Size	EAN 69793168+	Inner	Outer
484022	M-5XL	5002 6	0	100

TACTIX PEN

- Retractable ballpoint pen
- Soft grip for comfort



Item No.	Size	EAN 69426292+	Inner	Outer
999001		9901 1	20	200

TACTIX LANYARD



Item No.	Size	EAN 69426292+	Inner	Outer
999012		6740 9	0	500

TACTIX CAP

- Hook and loop closure
- One size fits all



Item No.	Size	EAN 69426292+	Inner	Outer
999101		9902 8	12	72

BANNER PEN

- Retractable ballpoint pen



Item No.	Size	EAN 69426292+	Inner	Outer
999002		6489 7	50	1000

MICRO FIBER LENS CLOTH



Item No.	Size	EAN 69426292+	Inner	Outer
999011		9932 5	0	2500

TACTIX BANNER

- Suitable for indoor or outdoor use



Item No.	Size	EAN 69426292+	Inner	Outer
999201	1.2 x 0.59 m (47 x 23 in.)	9918 9	0	20

TACTIX POLO SHIRT

- Cotton/polyester



Item No.	Size	EAN 69426292+	Inner	Outer
999111S	BLACK S	7181 9	0	60
999111	BLACK M	9903 5	0	60
999112	BLACK L	9904 2	0	60
999113	BLACK XL	9905 9	0	60
999114	BLACK XXL	9919 6	0	60
999115	BLACK XXXL	9933 2	0	60
999116S	WHITE S	7182 6	0	60
999116	WHITE M	9906 6	0	60
999117	WHITE L	9907 3	0	60
999118	WHITE XL	9908 0	0	60
999119	WHITE XXL	9920 2	0	60
999120	WHITE XXXL	9934 9	0	60

TACTIX T-SHIRT

- 100% cotton



Item No.	Size	EAN 69426292+	Inner	Outer
999121	BLACK M	9909 7	0	60
999122	BLACK L	9910 3	0	60
999123	BLACK XL	9911 0	0	60
999124	BLACK XXL	9921 9	0	60
999126	WHITE M	9912 7	0	60
999127	WHITE L	9913 4	0	60
999128	WHITE XL	9914 1	0	60
999129	WHITE XXL	9922 8	0	60

3 PC GIFT SET

- 1 pc 32 GB dual drive USB 3.1 & Type-C
- 1 pc TACTIX pen
- 1 pc TACTIX 2 m (6 ft.) tape measure



Item No.	Size	EAN 69426292+	Inner	Outer
999033	3 pc		0	1

HAND TOOLS

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.	
200001	1		200719	6		205409	10		206055	14		206331	15		215631	17	
200003	1		200721	6		205411	10		206056	14		206333	15		215632	17	
200005	1		201001	6	new	205426	10		206057	14		206335	15		215633	17	
200007	1		201003	6		205431	11		206058	14		206337	15		215634	17	
200008	1		201005	6		205433	11		206059	14		206339	15		215636	17	
200009	1		201009	6		205435	11		206060	14		206343	15		215638	17	new
200011	1		201011	6		205437	11		206061	14		206345	15		215701	17	
200013	1		201017	6		205439	11		206062	14		206347	15		215703	17	
200015	1		201025	6		205440	11		206071	14		206360	15		215704	17	
200017	1		201063	7		205441	11		206072	14		206366	15		215705	17	
200019	1		201071	7	new	205445	11		206073	14		206367	15		215706	17	
200021	1		201083	7		205500	12		206074	14		206377	15		215707	17	
200023	1		202011	7		205501	12		206076	14		206378	15		215771	17	
200024	1		202013	7		205503	12		206078	14		206379	15		215772	17	
200025	1		202015	7		205505	12		206080	14		206380	15		215803	17	
200029	2		202017	7		205509	12		206082	14		206381	15		215805	17	
200029DISPLAY	2		202024	7		205511	12		206084	14		206382	15		215851	17	
200045	2	new	204001	7		205513	12		206091	14		206383	15		215901	17	
200051	2		204005	7		205515	12		206092	14		206384	15		215907	17	
200053	2		204007	7		205523	12		206093	14		206385	15		216004	17	
200061	2		204009	8		205601	12		206094	14		206386	15		216005	17	
200063	2		204024	8		205604	12		206095	14		206393	15		216006	17	
200065	2		204025	8		205605VD	12		206096	14		206397	15		216008	17	new
200071	2		204036	8		205611	13		206097	14		207201	15		216033	18	
200075	2		205000	8		205612	13		206098	14		210001	16		216034	18	
200081	2		205001	8		205613	13		206099	14		210003	16		216035	18	
200083	2		205002	8		205614	13		206100	14		210005	16		216036	18	
200085	2		205003	8		205617	13		206101	14		210007	16		216038	18	
200087	3		205004	8		205618	13		206102	14		210009	16		216054	18	
200089	3		205009	8		205621	13		206111	14		210011	16		216055	18	
200091	3		205010	8		205622	13		206112	14		210013	16		216056	18	
200101	3		205013	8		205623	13		206113	14		210015	16		216058	18	
200103	3		205014	8		205624	13		206114	14		210017	16		216093	18	
200104	3		205015	8		205626	13		206116	14		210019	16		216203	18	
200105	3		205017	8		205627	13		206118	14		210021	16		216211	18	
200107	3		205020	8		205628	13		206120	14		210023	16		216404	18	
200108	3		205031	8		205629	13		206122	14		210025	16		216447	18	
200109	3		205032	8		205632	13		206124	14		210027	16		217001	18	
200111	3		205033	8		205635	13		206131	14		210029	16		217022	18	
200113	3		205035	8		205641	13		206132	14		210123	16		217025	18	
200114	3		205037	8		205642	13		206133	14		210142VD	16		217029	18	
200115	3		205038	8		205645	13		206134	14		210143VD	16		217051	18	
200117	3		205041	8		205646	13		206135	14		215001	16		217053	18	
200119	3		205045	8		205647	13		206136	14		215003	16		217055	18	
200121	3		205047	8		205651	13		206137	14		215005	16		217057	18	
200123	4		205052	8		205652	13		206138	14		215007	16		217201	19	
200124	4		205054	8		205653	13		206139	14		215009	16		217203	19	
200151	4		205055	8		205655	13		206140	14		215011	16		217210	19	
200153	4		205057	8		205656	13		206141	14		215213	16		217211	19	
200161	4		205061	8		205659	13		206142	14		215217	16		217401	19	
200163	4		205063	8		205660	13		206151	14		215227	16		217403	19	new
200165	4		205069	8		205705	13		206152	14		215229	16		218003	19	
200181	4		205071	8		205706	13		206153	14		215233	16		218005	19	
200183	4		205073	8		205707	13		206154	14		215237	16		218011	19	
200185	4		205075	8		205708	13		206156	14		215282	16	new	218013	19	
200187	4		205077	8		205709	13		206158	14		215283	16	new	218101	19	
200189	4		205081	8		205710	13		206160	14		215403	16		218103	19	
200191	4		205083	8		205711	13		206162	14		215405	16		218105	19	
200201	4		205085	8		205774	13		206164	14		215409	16		218107	19	
200221	4		205151	8		205775	13		206171	14		215413	16		218109	19	
200223	5		205153	8		205776	13		206172	14		215417	16		218121	19	
200225	5		205155	8		205791	11		206173	14		215425	16	new	218123	19	
200227	5		205157	8		205793VD	12		206174	14		215427	16		218147	19	
200303	5		205159	8		206001	13		206175	14		215429	16		218151	19	
200313	5		205161	8		206003	13		206176	14		215431	16	new	218161	19	
200316	5		205173	8		206005	13		206177	14		215433	16		218162	19	
200501	5		205177	8		206007	13		206178	14		215435	16	new	218163	19	
200503	5		205183	8		206009	13		206179	14		215437	16		218164	19	
200505	5		205185	8		206015	13		206180	14		215438	16	new	218165	19	
200507	5		205187	8		206017	13		206181	14		215439	16	new	220011	20	
200509	5		205189	8		206028	13		206182	14		215453	16		220013	20	
200513	5		205211	9		206031	14		206195	14		215455	16		220015	20	
200551	5		205213	9		206032	14		206201	15		215457	16		220017	20	
200553	5		205233	9		206033	14		206203	15		215459	16		220019	20	
200555	5		205241	9		206034	14		206205	15		215475	16		220021	20	
200557	5		205245	9		206036	14		206209	15		215479	16		220031	20	
200559	5		205247	9		206038	14		206224	14	new	215601	16		220033	20	
200563	5		205248	9		206040	14		206225	14	new	215603	16		220035	20	
200565	5		205249	9		206042	14		206301	15		215604	16		220037	20	
200603	5		205250	9		206044	14		206303	15		215605	16		220039	20	
200611	5		205253	9		206046	14		206305	15		215607	16		220051	20	
200613	5		205387	10		206048	14		206307	15		215609	16		220103	20	
200621	6		205401	10		206050	14		206309	15		215611	17		220105	20	
200623	6		205403	10		206051	14		206311	15		215613	17		220107	20	
200633	6		205405	10		206052	14		206313	15		215614	17		220109	20	
200711	6		205407	10		206053	14		206315	15		215615	17		220111	20	
200713	6		205408	10		206054	14		206317	15		215617	17		220113	20	

HAND TOOLS

Item No.	Page No.	
220115	20	
220531	20	
220533	20	
220535	20	
220631	20	
220635	20	
220637	20	
221001	20	
221003	20	
221005	20	
221007	20	
221031	20	
221051	20	
221053	20	
221055	20	
221057	21	
221071	21	
221073	21	
221075	21	
221201	21	
221203	21	
221205	21	
221209	21	
221211	21	
221213	21	
221215	21	
222003	21	
222005	21	
222007	21	
222009	21	
222011	21	
222013	21	
222103	21	
222107	21	
222111	21	
222551	21	
222557	21	
222559	21	
222561	21	
222563	21	
222565	21	
222701	21	
222703	21	
222705	21	
222751	21	
222753	21	
223001	22	
223003	22	
223005	22	
223007	22	
223035	22	new
223037	22	
223101	22	
223102	22	
223103	22	
223203	22	
224001	22	
224101	22	
224103	22	
224105	22	
224106	22	
224107	22	
225011	22	
225015	22	
225017	22	
225018	22	
225019	22	
225021	22	
225023	22	
225025	22	
225029	22	
225031	22	
225053	22	
225061	23	
225065	23	
225067	23	
225069	23	
225071	23	
225073	23	
225075	23	
225079	23	
225081	23	
225093	23	
225625	23	
227001	23	
227003	23	
227005	23	

Item No.	Page No.	
227009	23	
227011	23	
227013	23	
227015	23	
227017	23	
227027	23	
227101	23	
227303	23	
227323	23	
230011	23	
230033	23	
230085	23	
230103	24	
230112	24	
233005	24	
233181	24	
233183	24	
233185	24	
233305	24	
233307	24	
235083	24	
235085	24	
235088	24	
235089	24	
235183	24	
235185	24	
235188	24	
235283	24	
235285	24	
235288	24	
235292	24	
235341	24	
235343	24	
235345	24	
235347	24	
235353	25	
235355	25	
235357	25	
235361	24	
235363	24	
235365	24	
235367	24	
235373	25	
235375	25	
235377	25	
235381	24	
235383	24	
235385	24	
235387	24	
235393	25	
235395	25	
235397	25	
236401	24	
236403	24	
236405	24	
236411	24	
236413	24	
236415	24	
239012	25	
239013	25	
239043	25	
239055	25	
239057	25	
239071	25	new
239081	25	
239083	25	
239091	25	
239093	25	
239095	25	new
239096	25	new
239111	26	
239161	26	
239201	26	new
239202	26	new
239203	26	new
239211	26	
239212	26	
239215	26	
239216	26	
239219	26	
239220	26	
239241	26	
239243	26	
239245	26	
239263	26	
239267	26	new
240010	26	

Item No.	Page No.	
240020	26	
240030	26	
240120	26	
240130	26	
240230	26	
240260	26	
240510	26	
240520	26	
240530	26	
240620	26	
240630	26	
240730	26	
240760	26	
241001	27	
241005	27	
245011	27	
245012	27	new
245111	27	
245311	27	
245411	27	
254000	27	
254005	27	
250051	28	
250053	28	
250056	28	
250059	28	
251061	28	new
251063	28	new
251065	28	new
251067	28	new
251069	28	new
251072	28	new
250110	28	
250112	28	
250113	28	
250116	28	
250119	28	
251011	28	
251013	28	
251016	28	
251019	28	
251033	28	
253001	28	
253005	28	
253007	28	
253008	28	new
253011	28	
253022	29	
254101	29	
254105	29	
254111	29	
254191	29	
258051	29	
258055	29	
258101	29	
258103	29	
258105	29	
260001	30	
260005	30	
260011	30	
260021	30	
260031	30	
260035	30	
260036	30	
260038	30	
260039	30	
260043	30	
260511	30	
260513	30	
260515	30	
261003	30	
261007	30	
261015	31	
261051	31	
261125	31	
261201	31	
261203	31	
261215	31	
261216	31	new
261223	31	
261501	31	
261503	31	
263015	32	
263017	31	
265001	32	
265003	32	
265005	32	

Item No.	Page No.	
265011	32	
265013	32	
265015	32	
265021	32	
265022	32	
265023	32	
265025	32	
265070	32	new
265071	32	
265073	32	
265074	32	
265075	32	
265104	32	
265122	32	
265123	32	
265125	32	
265127	32	
265308	33	new
266011	33	
266051	33	
266255	33	
267000	33	new
267005	33	
267007	33	
267031	34	
267032	34	
267053	34	
267105	34	
267111	34	
267117VD	34	
267311	34	
267313	34	
267315	34	
267317	34	
267321	34	
267323	34	
267341	34	
267403	34	
268001	34	
268004	34	
268011	34	
268012	34	
269001	35	
269005	35	
269006	35	
270003	35	
270007	35	
270009	35	
270015	35	
273011	35	
273013	35	
273015	35	
273023	35	
273027	36	
273031	36	new
273111	36	
273113	36	
273115	36	
273117	36	
273121	36	new
273203	36	
273212	36	
273214	36	
273218	36	
273237	36	
275111	36	
275113	36	
275115	36	
275117	36	
275119	36	
275121	36	
275123	36	
280208	37	
280210	37	
280212	37	
281040	37	
281111	37	
281113	37	
281211	37	
281330	37	
281402	37	
281408	37	
281423	37	
281432	37	
282051	37	
282061	37	
283012	37	

Item No.	Page No.	
283014	37	
283022	38	
283024	38	
283026	38	
283033	38	
283063	38	
283065	38	
283073	38	
283083	38	
283085	38	
283094	38	
283096	38	
283111	38	
283149	38	new
283151	38	
283153	38	
283164	39	
283903	39	
283907	39	
283909	39	
284001	39	
284013	39	
284015	39	
284031	39	
284035	39	
284051	39	
284071	39	
284079	39	
284091	39	
284103	40	
284150	40	
284151	40	
284152	40	
284153	40	
284154	40	
284155	40	
284157	40	
284201	40	
284202	40	
284203	40	
284204	40	
284206	40	
284215	40	
284223	40	
284301	40	
284302	40	
284305	40	new
284306	41	
284307	41	
284313	41	
284903	41	
284907	41	
289015	41	
290801	41	
290802	41	
290803	41	
290804	41	
290805	41	
290806	41	
290901	41	
290902	41	
290903	41	
290904	41	
290905	41	
290906	41	
291301	41	
291302	41	
291303	41	
293001	42	
293005	42	
293021	42	
293023	42	
293025	42	
293401	42	
293402	42	
293403	42	
293441	42	
293442	42	
293701	42	
293702	42	
293751	43	
293752	43	
294801	43	
294802	43	
294803	43	
294820	43	
298002	43	new

Item No.	Page No.	
298101	43	
298103	43	
298113	43	
298117	43	
298201	44	
298205	44	
298213	44	
298221	44	
298225	44	
298391	44	new
298401	44	
298403	44	
298409	44	
298421	44	
298422	44	
298423	44	
298424	44	
298501	44	
298503	44	
298505	44	
300000	45	
300001	45	
300003	45	
300005	45	
300007	45	
300009	45	
300010	45	
300012	45	
300021	45	
300033	45	
300103	45	
301001	45	
301003	45	
301005	45	
301103	45	
301256	46	
301601	46	
301603	46	
301607	46	
301609	46	
301612	46	
301615	46	
301631	46	
301633	46	
301635	46	
305000	46	
305001	46	
305002	46	
305003	46	
305004	46	
305005	46	
305006	46	
305031	46	
305033	46	
305056	46	
305101	47	
305102	47	
305103	47	
305104	47	
305106	47	
305111	47	
305113	47	
305116	47	
305193	47	
305195	46	
305401	47	
305471	47	
308003	47	
308007	47	
308035	47	
310151	47	
310173	47	
310191	47	
310213	48	
310231	48	
310233	48	
310235	48	
315003	48	
315011	48	
315013	48	
315021	48	
315031	48	
315037	48	
315039	48	
330001	49	
330031	49	
330032	49	new

HAND TOOLS

Item No.	Page No.	
330042	49	
330043	49	
330045	50	
330047	49	new
330081	50	
330083	50	
335001	50	
335003	50	
335005	50	
335007	50	
335009	50	
335011	50	
335013	50	
335021	50	
335025	50	
335027	50	
335029	50	
335031	50	
335101	50	
335103	50	
335105	50	
335109	50	
335113	50	
335201	50	
335202	50	
335203	50	
335210	50	
335211	50	
335212	50	
335213	50	
336002	50	
336040	51	
336070	51	
338003	51	
338015	51	
338017	51	
338082	51	
339013	51	
339060	51	
340008	51	
340030	51	
340041	51	
340201	51	
340206	51	
340225	51	
340513	52	
340601	52	
340603	52	
340615	52	
340617	52	
340621	52	
340626	52	
340632	52	
340904	52	
342002	52	
342003	52	
342004	52	
360001	53	
360002	53	
360003	53	
360004	53	
360005	53	
360006	53	
360007	53	
360008	53	
360009	53	
360010	53	
360021	53	
360022	53	
360023	53	
360024	53	
360025	53	
360026	53	
360027	53	
360028	53	
360029	53	
360030	53	
360031	53	
360032	53	
360033	53	
360041	53	
360042	53	
360043	53	
360044	53	
360045	53	
360046	53	
360047	53	

Item No.	Page No.	
360048	53	
360049	53	
360051	53	
360052	53	
360053	53	
360054	53	
360055	53	
360056	53	
360057	53	
360058	53	
360059	53	
360061	53	
360062	53	
360063	53	
360064	53	
360065	53	
360066	53	
360067	53	
360068	53	
360069	53	
360070	53	
360071	53	
360072	53	
360101	53	
360102	53	
360103	53	
360104	53	
360105	53	
360120	53	
360121	53	
360122	53	
360123	53	
360124	53	
360131	53	
360132	53	
360133	53	
360140	53	
360141	53	
360142	53	
360143	53	
360144	53	
360150	53	
360151	53	
360152	53	
360153	53	
360160	53	
360161	53	
360162	53	
360163	53	
360164	53	
360165	53	
360166	53	
360167	53	
360501	53	
360502	53	
360503	53	
360504	53	
360505	53	
360506	53	
360507	53	
360508	53	
360509	53	
360510	53	
360511	53	
360521	53	
360522	53	
360523	53	
360524	53	
360525	53	
360526	53	
360527	53	
360528	53	
360529	53	
360530	53	
360531	53	
360532	53	
360533	53	
360534	53	
360535	53	
360536	53	
360537	53	
360538	53	
360539	53	
360540	53	
360541	53	
360542	53	
360543	53	

Item No.	Page No.	
360544	53	
360545	53	
360546	53	
360547	53	
360548	53	
360549	53	
360550	53	
360561	53	
360562	53	
360563	53	
360564	53	
360565	53	
360566	53	
360567	53	
360568	53	
360569	53	
360570	53	
360571	53	
360572	53	
360580	54	
360581	54	
360582	54	
360583	54	
360584	54	
360585	54	
360586	54	
360587	54	
360588	54	
360589	54	
360591	54	
360592	54	
360593	54	
360594	54	
360595	54	
360596	54	
360597	54	
360598	54	
360599	54	
360600	54	
360601	54	
360602	54	
360603	54	
360604	54	
360611	54	
360612	54	
360613	54	
360614	54	
360615	54	
360616	54	
360617	54	
360618	54	
360619	54	
360620	54	
360631	54	
360632	54	
360633	54	
360634	54	
360641	54	
360642	54	
360643	54	
360645	54	
360646	54	
360647	54	
360649	54	
360651	54	
360653	54	
360703	54	
360705	54	
360707	54	
360721	54	
360722	54	
360723	54	
360724	54	
360731	54	
360732	54	
360733	54	
360741	54	
360742	54	
360743	54	
360744	54	
360745	54	
360746	54	
360751	54	
360753	54	
360754	54	
360755	54	
360756	54	

Item No.	Page No.	
360757	54	
360758	54	
360803	54	
360804	54	
360805	54	
360806	54	
360807	54	
360808	54	
360809	54	
360823	54	
360824	54	
360825	54	
360826	54	
361002	55	
361003	55	
361004	55	
361005	55	
361006	55	
361007	55	
361008	55	
361009	55	
361010	55	
361011	55	
361012	55	
361013	55	
361014	55	
361015	55	
361016	55	
361017	55	
361018	55	
361019	55	
361020	55	
361031	55	
361032	55	
361033	55	
361034	55	
361035	55	
361036	55	
361037	55	
361038	55	
361039	55	
361040	55	
361041	55	
361042	55	
361043	55	
361044	55	
361045	55	
361046	55	
361047	55	
361048	55	
361049	55	
361050	55	
361051	55	
361052	55	
361053	55	
361054	55	
361072	55	
361073	55	
361074	55	
361075	55	
361076	55	
361077	55	
361078	55	
361079	55	
361080	55	
361081	55	
361082	55	
361083	55	
361084	55	
361085	55	
361086	55	
361087	55	
361088	55	
361089	55	
361090	55	
361101	55	
361102	55	
361103	55	
361104	55	
361105	55	
361106	55	
361107	55	
361108	55	
361109	55	
361110	55	
361111	55	
361112	55	

Item No.	Page No.	
361113	55	
361114	55	
361115	55	
361116	55	
361117	55	
361118	55	
361119	55	
361120	55	
361121	55	
361122	55	
361123	55	
361124	55	
361141	55	
361142	55	
361143	55	
361144	55	
361145	55	
361146	55	
361147	55	
361148	55	
361149	55	
361150	55	
361151	55	
361161	55	
361162	55	
361163	55	
361164	55	
361165	55	
361166	55	
361167	55	
361168	55	
361169	55	
361170	55	
361171	55	
361172	55	
361173	55	
361174	55	
361175	55	
361176	55	
361177	55	
361178	55	
361179	55	
361180	55	
361181	55	
361191	55	
361192	55	
361193	55	
361194	55	
361203	55	
361204	55	
361205	55	
361206	55	
361207	55	
361208	55	
361209	55	
361210	55	
361211	55	
361212	55	
361213	55	
361214	55	
361215	55	
361221	55	
361223	55	
361224	55	
361225	55	
361226	55	
361227	55	
361228	55	
361229	55	
361230	55	
361231	55	
361232	55	
361233	55	
361234	55	
361235	55	
361236	55	
361237	55	
361238	55	
361239	55	
361240	55	
361241	55	
361242	55	
361251	55	
361252	55	
361253	55	
361255	55	
361257	55	

Item No.	Page No.	
361259	55	
361261	55	
361263	55	
361265	55	
361273VD	60	
361275VD	60	
361276VD	60	
361277VD	60	
361280VD	60	
361282VD	60	
361285VD	60	
361287VD	60	
361301	56	
361302	56	
361303	56	
361304	56	
361322	56	
361323	56	
361324	56	
361332	56	
361333	56	
361334	56	
361341	56	
361342	56	
361343	56	
361344	56	
361345	56	
361346	56	
361347	56	
361351	56	
361352	56	
361353	56	
361354	56	
361355	56	
361356	56	
361361	56	
361362	56	
361363	56	
361364	56	
361366	56	
361368	56	
361401	56	
361402	56	
361403	56	
361404	56	
361405	56	
361406	56	
361407	56	
361408	56	
361409	56	
361501	56	
361503	56	
361505	56	
361506	56	
361507	56	
361508	56	
361509	56	
361511	56	
361512	56	
361513	56	
361514	56	
361515	56	
361516	56	
361517	56	
361518	56	
361519	56	
361520	56	
361521	56	
361522	56	
361523	56	
361524	56	
361525	56	
361527	56	
361528	56	
361529	56	
361530	56	
361531	56	
361532	56	
361534	56	
361603	56	
361605	56	
361607	56	
361609	56	
361611	56	
361613	56	
361615	56	
361617	56	

HAND TOOLS

Item No.	Page No.	
361619	56	
361621	56	
361623	56	
361625	56	
361627	56	
361629	56	
361631	56	
361633	56	
361635	56	
361637	56	
361639	56	
361641	56	
361643	56	
361645	56	
361647	56	
361649	56	
361651	56	
361653	56	
362001	56	
362002	57	
362003	57	
362004	57	
362005	57	
362006	57	
362007	57	
362008	57	
362009	57	
362021	57	
362022	57	
362031	56	
362032	57	
362101	57	
362102	58	
362103	58	
362104	58	
362105	58	
362106	58	
362107	58	
362108	58	
362109	58	
362111	58	
362112	58	
362113	58	
362123	57	
362131	57	
362132	58	
362301	58	
362302	59	
362303	59	
362304	59	
362305	59	
362306	59	
362307	59	
362308	59	
362309	59	
362311	59	
362312	59	
362313	59	
362314	59	
362315	59	
362316	59	
362317	60	new
362318	60	new
362321	59	
362323	59	
362331	58	
362332	59	
362335	59	
362351VD	60	
362353VD	60	
362355VD	60	
362401	60	
362403	60	
362405	60	
362407	60	
362409	60	
362411	60	
362413	60	
362415	60	
363001	61	
363003	61	
363005	61	
363006	61	
363007	61	
363008	61	
363009	61	
363010	61	

Item No.	Page No.	
363011	61	
363012	61	
363013	61	
363014	61	
363015	61	
363016	61	
363017	61	
363018	61	
363019	61	
363020	61	
363022	61	
363024	61	
363025	61	
363026	61	
363028	61	
363029	61	
363030	61	
363032	61	
363034	61	
363051	61	
363052	61	
363053	61	
363054	61	
363055	61	
363056	61	
363057	61	
363058	61	
363059	61	
363060	61	
363061	61	
363062	61	
363063	61	
363065	61	
363066	61	
363067	61	
363068	61	
363069	61	
363071	61	
363073	61	
363074	61	
363075	61	
363077	61	
363080	61	
363081	61	
363082	61	
363083	61	
363084	61	
363085	61	
363086	61	
363087	61	
363088	61	
363089	61	
363090	61	
363091	61	
363092	61	
363093	61	
363095	61	
363096	61	
363097	61	
363098	61	
363099	61	
363101	61	
363103	61	
363104	61	
363105	61	
363107	61	
363108	61	
363109	61	
363111	61	
363113	61	
363133	61	
363134	61	
363135	61	
363136	61	
363137	61	
363138	61	
363139	61	
363140	61	
363141	61	
363142	61	
363143	61	
363144	61	
363145	61	
363146	61	
363147	61	
363350	61	
363351	61	

Item No.	Page No.	
363353	61	
363355	61	
363357	61	
363359	61	
363361	61	
363363	61	
363365	61	
363367	61	
363369	61	
363371	61	
363373	61	
363375	61	
363377	61	
363379	61	
363403	61	
363405	61	
363407	61	
363409	61	
363411	61	
363413	61	
363415	61	
363417	61	
363419	61	
363421	61	
363423	61	
363425	61	
363427	61	
363429	61	
363431	61	
363433	61	
363435	61	
363437	61	
363439	61	
363441	61	
363442	61	
363443	61	
363445	61	
363447	61	
363603	61	
363604	61	
363605	61	
363607	61	
363609	61	
363611	61	
363613	61	
363615	61	
363617	61	
363619	61	
363621	61	
363623	61	
363624	61	
363625	61	
363627	61	
363629	61	
363631	61	
363632	61	
363633	61	
363635	61	
363636	61	
363637	61	
363639	61	
363641	61	
363663	61	
363664	61	
363665	61	
363666	61	
363667	61	
363668	61	
363669	61	
363670	61	
363671	61	
363672	61	
363673	61	
363674	61	
363675	61	
363676	61	
363677	61	
363678	61	
363703	62	
363705	62	
363707	62	
363709	62	
363711	62	
363715	62	
363787	62	
363803	62	
363807	62	

Item No.	Page No.	
363820	62	
363901	62	
363902	62	
365011	64	
365015	64	
365019	64	
365025	64	
365029	65	
365042	65	
365046	65	
365052	65	
365055	65	
365060	66	
365064	66	new
365065	65	
365067	66	
365072	66	
365075	66	
365101	62	
365103	62	
365105	62	
365107	62	
365109	63	
365111	63	
365113	63	
365115	63	
365117	63	
365119	63	
365123	63	
365151	63	
365153	63	
365171	63	
365173	63	
365175	63	
365177	63	
365179	63	
365181	63	
365183	63	
365185	63	
365194	63	new
365223	64	
365224	64	
365225	64	
365226	64	
365241	67	
365242	67	
365243	67	
365261	67	
365261WB	67	
365321	67	
365321WB	67	
365354	68	
365405	67	
365413	67	
365592	68	new
365593	68	new
365594	68	new
368001	70	new
368002	70	new
368051	70	new
368052	70	new
368061	70	new
368062	70	new
368151	70	new
368152	70	new
368153	70	new
369201	72	
369202	72	
369203	72	
369204	72	
369205	72	
369206	72	
369207	72	
369208	72	
369380	72	
369381	72	
370003	73	
370005	73	
370007	73	
370009	73	
370011	73	
370013	73	
370015	73	
370017	73	
370019	73	
370021	73	
370023	73	

Item No.	Page No.	
370025	73	
370027	73	
370029	73	
370031	73	
370033	73	
370035	73	
370037	73	
370039	73	
370041	73	
370043	73	
370045	73	
370047	73	
370049	73	
370051	73	
370053	73	
370054	73	
370055	73	
370056	73	
370057	73	
370058	73	
370059	73	
370062	73	
370063	73	
370064	73	
370065	73	
370066	73	
370067	73	
370068	73	
370070	73	
370075	73	
370080	73	
370085	73	
370103	73	
370105	73	
370107	73	
370109	73	
370111	73	
370113	73	
370115	73	
370117	73	
370119	73	
370121	73	
370123	73	
370125	73	
370127	73	
370129	73	
370131	73	
370133	73	
370134	73	
370135	73	
370136	73	
370137	73	
370139	73	
370143	73	
370145	73	
370147	73	
370151	73	
370155	73	
370159	73	
370163	73	
370501	73	
370503	73	
370511	73	
370512	73	
370513	73	
370534	73	
370535	73	
370536	74	
370708VD	74	
370710VD	74	
370712VD	74	
370713VD	74	
370714VD	74	
370715VD	74	
370717VD	74	
370719VD	74	
371003	74	
371005	74	
371007	74	
371009	74	
371011	74	
371013	74	
371015	74	
371017	74	
371019	74	
371021	74	
371023	74	

Item No.	Page No.	
371025	74	
371026	74	new
371027	74	new
371028	74	new
371030	74	new
371033	74	new
371036	74	new
371064	74	
371065	74	
371103	74	
371105	74	
371107	74	
371109	74	
371111	74	
371113	74	
371115	74	
371117	74	
371165	74	
371208	74	
371209	74	
371210	74	
371211	74	
371212	74	
371213	74	
371214	74	
371215	74	
371216	74	
371217	74	
371218	74	
371219	74	
371222	74	
371224	74	
371267	74	
371301	74	
371903	75	
371905	75	
371907	75	
371909	75	
371911	75	
371913	75	
372003	75	
372005	75	
372007	75	
372009	75	
372011	75	
372013	75	
372015	75	
372017	75	
372018	75	
372019	75	
372020	75	
372024	75	
372405	75	
372408	75	
372503	75	
372505	75	
372507	75	
372509	75	
372511	75	
372513	75	
372515	75	
372517	75	
372519	75	
372521	75	
372522	75	
372524	75	
372526	75	
372528	75	
372908	75	
373005	75	
373006	75	
373007	75	
373101	75	
373103	75	
373105	75	
373107	75	
373109	75	
373111	75	
373113	75	
373115	75	
373117	75	
373119	75	
373121	75	
373123	75	
373125	75	
373127	75	
373129	75	

HAND TOOLS

Item No.	Page No.	
373131	75	
373133	75	
373135	75	
373137	75	
373139	75	
373141	75	
373143	75	
373145	75	
373147	75	
373149	75	
373165	75	
373246	76	
373258	76	
373259	76	
373260	76	
373261	76	
373262	76	
373263	76	
373264	76	
373265	76	
373266	76	
373267	76	
373268	76	
373269	76	
373307	76	
373318	76	
373341	76	
373482	76	
373486	76	
373487	76	
373488	76	new
373503	76	
373507	76	
373601	76	
375007	77	
375013	77	new
375021	77	new
375022	77	new
375023	77	new
376001	77	
376002	77	
376004	77	
376021	77	
376022	77	
376024	77	
376031	77	
376032	77	
376034	77	
376041	77	
376042	77	
376061	77	
376206	78	
376401	78	
376402	78	
376403	78	
376418	78	
376420	78	
380016	78	
380025	78	
380035	78	
381002	78	
381006	78	
381010	78	
381014	78	
381018	78	
382503	78	
382505	78	
382513	78	
382515	78	
382601	79	
382602	79	
382604	79	
382605	79	
383001	79	
383002	79	
383003	79	
383004	79	
383011	79	
383012	79	
383013	79	
383014	79	
385004	79	
385006	79	
385030	79	
385301	79	
385302	79	
385304	79	

Item No.	Page No.	
385306	79	
385308	79	
385351	79	
385353	79	
385355	79	
385358	79	
385384	80	
385386	80	
386115	80	
386126	80	
386135	80	
386201	80	
386203	80	
386223	80	new
386225	80	
386405	80	
386501	80	
389019	80	
400001	81	
400011	81	
400015	81	
400030	81	
401001	81	
401009	81	
401013	81	
401035	81	
401802	82	
401803VD	82	
403001	82	
403005	82	
403021	82	
403035	82	
403057	82	
405001	83	
405005	83	
405021	83	
405503	83	
405552	83	
405603	83	
406001EU	84	
406004EU	84	
406008EU	84	
406001US	84	
406004US	84	
406008US	84	
406101	84	
406113	84	
406301EU	83	
406502BS	85	
406502EU	85	
406503EU	85	
406504EU	85	
406506EU	85	
406508EU	85	
406510EU	85	
406502US	85	
406503US	85	
406504US	85	
406506US	85	
406508US	85	
406510US	85	
406710EU	85	
406710US	85	
406901	85	
406903	85	
406905	85	
406907	85	
406909	85	
408011	84	
408013	84	
408015	84	
408017	84	
408019	84	
408021	84	
408023	84	
408025	84	
408027	84	
408029	84	
408031	84	
408033	84	
471005	90	
471015	90	
473001	90	
473005	90	
473021	90	
473022VD	90	
473031	90	

Item No.	Page No.	
473039	90	
473055	90	
475051	91	
475113	91	
475115	91	
475119	91	
475201	91	
475210	91	
475211	91	
475226	91	
475227	91	
475501	91	
500003	92	
500005	92	
500005.2	92	
500007	92	
500007.2	92	
500007.3	92	
500009	92	
500009.2	92	
500009.3	92	
500011	92	
500011.2	92	
500013	92	
500021	92	
500023	92	
500307	92	
506104	92	
506105	92	
508008	92	
508108	92	
508123	92	
510041	92	
510047	92	
510051	92	new
510063	93	new
510101	93	new
510102	93	new
510103	93	new
510121	93	new
510221	93	new
510222	93	new
510241	93	new
510243	93	new
510247	93	new
510401	93	new
510412	93	new
530004	94	
530005	94	
530008	94	
530050	94	
530052	94	
530098	94	
530100	94	
530102	94	
530104	94	
530106	94	
530108	94	
530110	94	
530112	94	
530114	94	
530116	94	
530154	94	
530186	94	
530188	94	
530190	94	
530300	94	
530314	94	
530316	95	
530318	95	
530320	95	
530322	95	
530332	95	
530334	95	
530335	95	
530336	95	
530337	95	
530350	95	
530380	95	
530422	95	
530424	95	
530430	96	
530431	96	
530432	96	
530456	96	
530471	96	
530480	96	

Item No.	Page No.	
530491	96	
548113	96	new
549901	96	
549902	96	
549922	96	
549931	96	
555001	97	
555026	97	
555053	98	
555065	97	
556137	98	
557008	98	new
557024	98	
557028	98	new
557046	99	
557065	99	new
557075	99	
557501	99	
557522	99	
557553	99	
565001	100	
565003	100	
565051	100	
565061	100	
565063	100	
565065	100	
565101	101	
565113	101	
565117	101	
565119	101	
565121	101	
565123	101	
565125	101	
565127	101	
565131	101	
565141	102	
565143	102	
565145	102	
565155	102	
565161	102	
565167	102	
565201	102	
565203	102	
565225	104	
565251	102	
565255	103	
565261	103	
565267	103	
565301	103	
565303	103	
565311	103	
565313	103	
565351	103	
565391	104	
565393	104	
565421	103	
565427	104	
565431	104	
565433	104	
565434	105	new
565437	104	
565441	105	
565445	105	
565447	105	
565451	105	
565463	105	
565467	105	
565469	105	
900016	106	
900017	106	
900060	106	
900061	106	
900062	106	
900063	106	
900064	106	
900065	106	
900079	107	
900092	107	
900107	106	
900111	107	
900122	108	
900123	108	
900154	107	
900155	107	
900161	108	
900163	109	
900168	106	

Item No.	Page No.	
900179	108	
900180	108	
900181	109	
900182	109	
900183	109	
900184	109	
900191	108	
900192	109	
900194	110	
900196	110	
900199	110	new
900225	107	
900226	107	
900236	110	
900302	111	
900304	110	
900305	110	
900401	111	
900402	111	
900404	111	
900405	112	
900984	113	
901102	112	new
901108	112	new
910023	112	
910024	112	
910025	112	
910101	113	
910102	113	
911001	113	
911004	113	
916001	114	
916002	114	
916003	114	
916004	114	
950009	113	
950025	114	
950026	114	
950028	114	
990009	114	

TACTIX PRO

Item No.	Page No.	
201501P	116	
201503P	116	
201505P	116	
201507P	116	
201511P	116	
201513P	116	
201523P	116	
201533P	116	
201534P	116	
205300P	117	
205301P	117	
205303P	117	
205305P	117	
205306P	117	
205310P	117	
205313P	117	

Item No.	Page No.	
205322P	117	
205325P	117	
205326P	117	
205327P	117	
205330P	117	
205341P	117	
205344P	117	
205345P	117	
205346P	117	
205348P	117	
205351P	117	
205352P	117	
205353P	117	
205354P	117	
205355P	117	
205356P	117	
205357P	117	
205358P	117	
206401P	118	
206402P	118	
206403P	118	
206405P	118	
206407P	118	
206409P	118	
206411P	118	
206413P	118	
206415P	118	
206421P	118	
206423P	118	
206425P	118	
206427P	118	
206429P	118	
206431P	118	
206433P	118	
206435P	118	
206441P	118	
206442P	118	
206443P	118	
206444P	118	
206445P	118	
206446P	118	
206447P	118	
206448P	118	
206449P	118	
206450P	118	
206457P	118	
206458P	118	
206459P	118	
206503P	117	
206504P	117	
206505P	117	
210061P	117	
210063P	117	
210065P	117	
210067P	117	
221805P	118	
555928P	118	

TACTIX GEAR

Item No.	Page No.
999001	227
999002	227
999011	227
999012	227
999033	227
999101	227
999111S	227
999111	227
999112	227
999113	227
999114	227
999115	227
999116S	227
999116	227

Item No.	Page No.
999117	227
999118	227
999119	227
999120	227
999121	227
999122	227
999123	227
999124	227
999126	227
999127	227
999128	227
999129	227
999201	227

PRECISION TOOLS

Item No.	Page No.
545005	125
545007	125
545009	125
545025	125
545031	122
545033	122
545035	125
545037	125
545045	125
545051	122
545057	122
545065	125
545069	122
545071	126
545073	126
545075	123
545076	123
545079	122
545089	123
545093	122
545103	123
545105	123
545107	123
545109	123
545111	123
545113	123
545115	123
545117	123
545119	123
545121	123
545123	123
545128	124
545131	124
545133	124
545141	125
545143	123
545145	123
545147	124
545149	124
545151	124
545153	124
545155	124
545157	124
545165	124
545173	124
545175	124
545207	122
545218	120
545221	120
545223	120
545231	120
545237	125
545255	126
545261	125
545263	125
545265	126
545267	126
545269	126
545273	126
545275	126
545279	126
545283	124
545285	124
545291	126
545293	126
545295	127
545297	122
545299	127
545300	127
545301	127
545313	127
545317	127
545319	127
545321	127
545323	127
545325	127
545532	121
545551	120
545557	120
545571	120
545575	120
545601	121
545603	121
545605	121
545625	121
545714	121
545717	122
545299GRO	127
545300GRO	127

POWER TOOLS ACCESSORIES

Item No.	Page No.
410000BS	137
410001	133
410001BM	136
410003	133
410005	133
410005BS	137
410007	133
410009	133
410009BM	136
410009BS	137
410011	133
410011BM	136
410013	133
410013BS	137
410015	133
410015BM	136
410017	133
410017BM	136
410017BS	137
410019	133
410021	133
410021BM	136
410023	133
410023BM	136
410025	133
410025BS	137
410027	133
410027BM	136
410029	133
410031	133
410033	133
410033BS	137
410035	133
410035BM	136
410037	133
410039	133
410041	133
410041BM	136
410041BS	137
410043	133
410043BM	136
410045	133
410047	133
410047BS	137
410049BM	136
410051	133
410051BM	136
410051BS	137
410053	133
410053BM	136
410055	133
410055BS	137
410056BM	136
410057BS	137
410058BS	137
410059BS	137
410061	133
410062	133
410062BM	136
410062BS	137
410063	133
410064	133
410065	133
410066	133
410068	133
410070	133
410072	133
410074	133
410076	133
410078	133
410080	133
410081	133
410082	133
410084	133
410085	133
410086	133
410087	133
410088	133
410089	133
410101	134
410103	134
410105	134
410107	134
410109	134
410109BS	137
410111	134
410111BM	136
410113	134
410113BS	137
410115	134
410115BM	136
410117	134
410117BM	136
410117BS	137
410119	134
410121	134
410121BM	136
410123	134
410125	134
410125BS	137
410127	134
410127BM	136
410129	134
410131	134
410131BS	137
410133	134
410133BS	137
410135	134
410135BS	137
410137	134
410139	134
410139BS	137
410141	134
410143	134
410143BM	136
410143BS	137
410145	134
410145BS	137
410147	134
410147BS	137
410149	134
410149BM	136
410151	134
410151BM	136
410151BS	137
410153	134
410153BM	136
410153BS	137
410155	134
410155BS	137
410157BS	137
410180	151
410181	134
410183	151
410185	134
410187	134
410189	134
410203	135
410205	135
410207	135
410209	135
410211	135
410213	135
410215	135
410217	135
410219	135
410221	135
410223	135
410253	135
410255	135
410257	135
410259	135
410261	135
410263	135
410265	135
410267	135
410269	135
410271	135
410273	135
410303	137
410304	137
410305	137
410306	137
410310	137
410314	137
410315	137
410316	137
410320	137
410324	137
410346	137
410348	137
410350	137
410352	137
410354	137
410356	137
410358	137
410360	137
410362	137
410364	137
410370	135
410370BM	136
410371	135
410371BM	136
410372	135
410372BM	136
410373	135
410373BM	136
410374	135
410374BM	136
410375	135
410376	135
410376BM	136
410377	135
410378	135
410379	135
410379BM	136
410380	135
410381	135
410382	135
410382BM	136
410383	135
410383BM	136
410384	135
410384BM	136
410385	135
410385BM	136
410386	135
410386BM	136
410387	135
410387BM	136
410388	135
410388BM	136
410389	135
410389BM	136
410390	135
410390BM	136
410391	135
410391BM	136
410392	135
410392BM	136
410393	135
410393BM	136
410394	135
410395	135
410395BM	136
410396	135
410396BM	136
410397	135
410397BM	136
410411	135
410413	135
410414	135
410415	135
410416	135
410417	135
410418	135
410419	135
410421	135
410423	135
410425	135
410429	135
410433	135
410437	135
410441	135
410482	133
410483	134
410484	133
410485	134
410486	133
410487	134
410488	135
410489	135
410492	133
410493	134
410494	133
410495	134
410496	133
410497	134
410498	135
410499	135
410501	141
410503	141
410505	141
410506	141
410507	141
410508	141
410509	141
410511	141
410513	141
410515	141
410517	141
410519	141
410521	141
410523	141
410525	141
410527	141
410547	141
410548	141
410550	141
410551	141
410551BS	141
410552	141
410552BS	141
410553	141
410553BS	141
410554	141
410555	141
410555BS	141
410556	141
410557	141
410558	141
410558BS	141
410559	141
410559BS	141
410560	141
410561	141
410561BS	141
410563	141
410565	141
410567	141
410573	141
410575	141
410577	141
410601	142
410603	142
410605	142
410607	142
410609	142
410611	142
410613	142
410615	142
410617	142
410619	142
410621	142
410623	142
410625	142
410627	142
410655	142
410657	142
410663	142
410665	142
410673	142
410674	142
410675	142
410677	142
410679	142
410680	142
410694	141
410695	141
410701	143
410703	143
410705	143
410707	143
410713	143
410717	143
410719	143
410720	143
410721	143
410723	143
410725	143
410727	143
410731	143
410735	143
410736	143
410739	143
410744	143
410747	143
410749	143
410753	143
410757	143
410761	143
410765	143
410769	143
410771	143
410773	143
410779	143
410781	143
410785	143
410789	143
410793	143
410797	143
410799	143
410801	143
410803	143
410805	143

POWER TOOLS ACCESSORIES

Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.		Item No.	Page No.	
410807	143		411613	146		412510	148		418607	151		421057	138		425309	167	
410839	143		411617	146		412512	148		418713	152		421059	138		425311	167	
410841	143		411621	146		412516	148		418714	152		421061	138		425321	167	
410843	143		411623	146		412518	148		418737	153		421063	138		425323	167	
410845	143		411625	146		412520	148		418739	153		421065	138		425325	167	
410847	143		411627	146		412522	148		418740	153		421067	138		425327	167	
410849	143		411629	146		412525	148		418744	154		421069	138		425329	167	
410851	143		411631	146		412530	148		418746	154		421071	138		425331	167	
410853	143		411633	146		412532	148		418748	153	new	421073	138		425333	167	
410855	143		411635	146		413001	148		419013	151		421075	138		425335	167	
410857	143		411637	146		413006	148		419014	151		421077	138		425337	167	
410901	143		411639	146		413110	148		419829P	187		421079	138		425339	167	
410902	143		411641	146		416001	139		419832P	187		421081	138		425360	167	
410903	143		411643	146		416005	139		419856P	187		421083	138		425362	167	
410904	143		411647	146		416015	139		419857P	187		421100	138	new	425364	167	
410950	144		411661	146		416017	139		420001	149		421101	138	new	425366	167	
410951	143		411662	146		416019	139		420011	149		421102	138	new	425368	167	
410953	143		411663	146		416027	139		420012	149		421103	138	new	425370	167	
410954	143		411664	146		416033	139		420013	149		421104	138	new	425372	167	
410955	143		411665	146		416035	139		420017	149		421105	138	new	425374	167	
410961	144		411666	146		416061	140		420031	149		421106	138	new	425376	167	
410962	144		411667	146		416063	140		420041	149		421161	138		425378	167	
411012	144		411668	146		416101	148		420051	149		421163	138		425380	167	
411014	144		411669	146		416103	148		420071	150		421301	138		425382	167	
411016	144		411670	146		416105	148		420081	149		421303	138		425384	167	
411018	144		411671	146		416107	148		420093	150		421311	138		425386	167	
411020	144		411672	146		416141	148		420103	150		421313	138		425388	167	
411022	144		411673	146		416143	148		420111	149		421601	138		425390	167	
411025	144		411674	146		416146	148		420115	149		421603	138		425392	168	
411028	144		411675	146		416149	148		420121	150		421660	138		425394	168	
411030	144		411676	146		416151	148		420135	150		421905	137		425396	168	
411054	144		411901	147		416201	142		420141	150		425021	162		425398	168	
411056	144		411903	147		416203	142		420145	149		425023	162		425399	168	
411058	144		412003	147		416205	142		420151	149		425025	162		425501	163	
411060	144		412005	147		416207	142		420155	149		425029	162		425503	163	
411062	144		412007	147		416209	142		420161	150		425033	162		425505	163	
411065	144		412009	147		416223	142		420212	150		425051	162		425507	163	
411068	144		412011	147		416225	142		420311	149		425053	162		425509	163	
411070	144		412013	147		416227	142		420313	149		425055	162		425521	163	
411072	144		412015	147		416229	142		420315	149		425059	162		425523	163	
411075	144		412017	147		416231	142		420317	149	new	425063	162		425525	163	
411080	144		412035	147		416241	142		420331	149		425100	162		425527	163	
411082	144		412037	147		416250	142	new	420350	149		425103	162		425531	163	
411085	144		412039	147		416252	142	new	420371	150		425105	162		425541	163	
411088	144		412041	147		416254	142	new	420372	150		425109	162		425543	163	
411090	144		412043	147		416256	142	new	420373	150		425113	162		425545	163	
411095	144		412045	147		416258	142	new	420381	149		425151	162		425547	163	
411103	143		412047	147		416260	142	new	420391	150		425155	162		425549	163	
411105	143		412049	147		416507	148		420393	150		425157	162		425573	163	
411106	143		412051	147		418011	156		420401	150		425161	162		425603	165	new
411108	143		412053	147		418013	156		420403	150		425165	162		425605	165	new
411110	143		412055	147		418014P	135		420411	149		425171	161		425607	165	new
411116	143		412081	147		418021	156		420421	150		425173	161		425609	165	new
411118	143		412085	147		418023	156		420461	150		425175	161		426001	166	
411120	143		412109	147		418033	151		421001	138		425177	161		426003	166	
411501	146		412115	147		418051	156		421003	138		425179	161		426011	166	
411503	146		412121	147		418053	156		421005	138		425181	161		426013	166	
411505	146		412127	147		418081	156		421007	138		425201	164		426021	166	
411509	146		412132	147		418083	156		421009	138		425202	164		426023	166	
411513	146		412145	145		418101	156		421011	138		425203	164		434368	169	
411515	146		412147	145		418103	156		421013	138		425205	164		434424	169	
411517	146		412149	145		418107	156		421015	138		425206	164		434431	169	
411519	146		412150	145		418109	156		421017	138		425211	165	new	434624	169	
411521	146		412170	145		418113	155		421019	138		425212	165	new	434636	169	
411523	146		412171	147		418115	155		421021	138		425213	165	new	434637	169	
411525	146		412173	147		418130	152		421023	138		425221	164	new	434646	169	
411527	146		412190	145		418132	152		421025	138		425222	164	new	434736	169	
411529	146		412201	148		418159	152		421027	138		425223	164	new	434848	169	
411601	146		412207	148		418162	152		421029	138		425225	164	new	434860	169	
411603	146		412213	148		418210	152		421031	138		425301	167		434936	169	
411605	146		412219	148		418321	151		421051	138		425303	167		434948	169	
411609	146		412225	148		418455	152		421053	138		425305	167		434960	169	
411611	146		412239	148		418505	154		421055	138		425307	167		434980	169	

POWER TOOLS ACCESSORIES

Item No.	Page No.	
435019	169	
435022	169	
435023	169	
435025	169	
435026	169	
435060	169	
435068	169	
435078	169	
435160	169	
435180	169	
435248	169	
435260	169	
435501	170	
435503	170	
435505	170	
435509	170	
435513	170	
435515	170	
435523	170	
435601	170	
435603	170	
435605	170	
435607	170	
435609	170	
435701	170	
435703	170	
435705	170	
435707	170	
436001	174	
436003	174	
436005	174	
436007	174	
436009	174	
436011	174	
436013	174	
436015	174	
436017	174	
436019	174	
436021	174	
436023	176	
436025	176	
436101	175	
436103	175	
436105	175	
436107	175	
436109	175	
436111	175	
436115	175	
436117	175	
436201	175	
436205	175	
436207	175	
436213	176	
436215	176	
436217	176	
436251	176	
436253	176	
436257	176	
436259	176	
436261	176	
436263	176	
436265	176	
436269	177	
436271	177	
436301	177	
436303	177	
436305	177	
436313	177	
436315	177	
436351	177	
436355	177	
436363	177	
436367	177	

Item No.	Page No.	
436381	173	
436382	173	
436385	173	
436386	173	
436401	178	
436402	178	
436403	178	
436405	178	
436410	160	new
436410	178	new
436431	178	
436433	178	
436435	178	
436437	178	
436439	178	
436471	178	
437001	182	
437003	182	
437005	182	
437007	182	
437008	182	
437009	182	
437011	182	
437013	182	
437021	183	
437031	182	
437033	182	
437035	182	
437037	182	
437039	182	
437045	182	
437057	183	
437071	183	
437073	183	
437075	183	
437077	183	
437079	183	
437083	183	
437085	183	
437093	183	
440007	179	
440013	179	
440017	179	
440021	179	
440025	179	
440029	179	
440033	179	
440035	179	
440037	179	
440041	179	
440047	179	
440051	179	
440055	179	
440061	179	
440065	179	
440067	179	
440069	179	
440071	179	
440073	179	
440077	179	
440079	179	
440081	179	
440085	179	
440089	179	
440091	179	
440095	179	
440097	179	
440101	179	
440103	160	new
440104	160	new
440105	179	
440202	179	
440204	179	

Item No.	Page No.	
440207	179	
440209	179	
440211	179	
440213	179	
440215	179	
440217	179	
440219	179	
440221	179	
440223	179	
440224	179	
440226	179	
440228	179	
440230	179	
440231	179	
440235	179	
440237	179	
440303	180	
440311	180	
440315	180	
440317	180	
440361	180	
440365	180	
440367	180	
440385	179	
440426	180	
440440	180	
440465	180	
440471	180	
440477	180	
440523	180	
440525	180	
440537	180	
440587	179	
440693	179	
440695	179	
440703	179	
441016	179	
441019	179	
441020	179	
441021	179	
441022	179	
441025	179	
441026	179	
441028	179	
441030	179	
441032	179	
441035	179	
441038	179	
441040	179	
441041	179	
441042	179	
441043	179	
441045	179	
441048	179	
441051	179	
441054	179	
441058	179	
441060	179	
441064	179	
441076	179	
445001	171	
445003	171	
445005	171	
445009	171	
445011	171	
445015	171	
445017	171	
445021	171	
445025	171	
445050	171	
445055	171	
445057	171	
445059	171	

Item No.	Page No.	
445059TIN	172	
445063	171	
445065	171	
445065TIN	172	
445071	171	
445072	171	
445073	171	
445075	171	
445076	171	
445085	171	
445086	171	
445103	171	
445105	171	
445109	171	
445111	171	
445131	171	
445132	171	
445135	171	
445136	171	
445137	171	
445139	171	
445140	171	
445141	171	
445151	171	
445152	171	
445161	171	
445162	171	
445181	171	
445183	171	
445185	171	
445187	171	
445189	171	
445201	172	
445203	172	
445205	172	
445207	172	
445209	172	
446000	192	
446001	192	
446005	192	
446007	192	
446009	192	
446043	192	
446045	192	
446047	192	
446049	192	
446051	192	
446101	192	
446103	192	
446107	192	
446111	192	
446121	192	
446123	192	
446125	192	
446127	192	
446131	192	
446133	192	
446135	192	
446137	192	
446161	192	
446163	192	
446165	192	
446167	192	
446183	192	
446185	192	
446187	192	
446211	192	
446213	192	
446215	192	
446217	192	
446219	192	
446221	192	
446223	192	

Item No.	Page No.	
446225	192	
446227	192	
446229	192	
446231	192	
446300	193	
446301	193	
446303	193	
446305	193	
446400	193	
446401	193	
446403	193	
446407	193	
446691	193	
446693	193	
446695	193	
446697	193	
446701	193	
446703	193	
446705	193	
446707	193	
446709	193	
446711	193	
446715	193	
446721	193	
446733	193	
446741	193	
446753	194	new
446756	194	new
446761	193	new
446767	193	new
446773	196	
446775	196	
446779	194	
446781	195	
446781AO	195	new
446781CA	195	new
446781DA	195	new
446783	195	
446783AO	195	new
446783CA	195	new
446783DA	195	new
446785	195	
446785AO	195	new
446785CA	195	new
446785DA	195	new
446797	195	
446797AO	195	new
446797CA	195	new
446797DA	195	new
446799	195	
446799AO	195	new
446799CA	195	new
446799DA	195	new
446801	195	
446801AO	195	new
446801CA	195	new
446801DA	195	new
446811	203	
446813	203	
446815	203	
446843.3B	196	
446843.3R	196	
446843.3W	196	
446845.3B	196	
446845.3R	196	
446845.3W	196	
446851	197	
446855	197	
446860	197	
446861	197	
446863	197	
446865	197	
446866	197	

Item No.	Page No.	
446867	197	
446869	197	
446873	197	
446874	197	
446876	197	
446877	197	
446878	197	
446879	197	
446880	197	
446881	197	
446883	197	
446885	197	
446897	197	
446901	194	
446911	194	
446953	203	
446955	203	
446957	203	
446958	203	
447040	203	
447121	203	
447123	203	
447125	203	
447203	200	
447204	200	
447205	200	
447206	200	
447223	202	
447225	202	
447227	202	
447229	202	
447243	202	
447245	202	
447247	202	
447253	202	
447255	202	
447257	202	
447264	202	
447265	202	
447268	202	
447303	204	
447303W	204	new
447305	199	
447306	199	
447307	199	
447309	199	
447318	199	
447322	199	
447323	199	
447324	199	
447325	199	
447327	199	
447328	199	
447329	199	
447331	199	
447335	199	
447337	199	
447339	199	
447401	202	
447403	202	
447405	202	
447435	202	
447437	202	
447439	202	
447502	204	
447502W	204	
447504	204	
447504W	204	
447507	204	
447507W	204	
447601	200	
447603	202	
447694	200	

POWER TOOLS ACCESSORIES

Item No.	Page No.	
447701	200	
447703	200	
447705	200	
447707	200	
447801	200	
447803	200	
447805	200	
450005	189	
450007	189	
450009	189	
450030	189	
450031	189	
450032	189	
450033	189	
450036	189	
450037	189	
450038	189	
450042	189	
450043	189	
450044	189	
450045	189	
450047	189	
450048	189	
450105	189	
450107	189	
450109	189	
450131	189	
450132	189	
450133	189	
450135	189	
450136	189	
450137	189	
450138	189	
450162	189	
450167	189	
450170	189	
450171	189	
450172	189	
450173	189	
450207	189	
450209	189	
450231	189	
450232	189	
450309	189	
450331	189	
450332	189	
450427	189	
450917	189	
452001	186	
452003	186	
452004	186	
452041	186	
452043	186	
452044	186	
453003	190	
453005	190	
453007	190	
453020	190	
453021	190	
453041	190	
453042	190	
453063	190	
453101	191	
453102	191	
453103	191	
453105	190	new
453107	188	new
453111	191	
453112	191	
453116	191	
453117	191	
453122	191	
453123	191	

Item No.	Page No.	
453125	191	
453134	191	
453205	190	
453211	190	
453213	190	
453215	190	
454502	211	
454505	211	
455005	184	
455006	184	
455101	184	
455102	184	
455103	184	
455105	160	new
455112	184	
455113	184	
455122	184	
455123	184	
455201	184	
455202	184	
455203	184	
455212	184	
455213	184	
455222	184	
455223	184	
455301	184	
455302	184	
455303	184	
455312	184	
455322	184	
455402	184	
455403	184	
455404	184	
455406	184	
455408	184	
455423	184	
455424	184	
455426	184	
455428	184	
455441	184	
455442	184	
455443	184	
455444	184	
455446	184	
455448	184	
455604	184	
455605	184	
455606	184	
455805	188	new
455810	158	
455820	158	
455828P	188	
455831P	188	
455836P	188	
455842	158	
455844	158	
455846	158	
455848	158	
455851	186	
455853	186	
455854	186	
455871	186	
455873	186	
455874	186	
455905	159	new
455912	159	new
455918	159	new
455919	159	new
455920	160	new
455931	160	new
456007	185	
456008	185	
456010	185	

Item No.	Page No.	
456011	185	
456012	185	
456021	185	
456023	185	
456025	185	
456027	185	
456029	185	
456501	185	
456502	185	
456503	185	
456511	185	
456513	185	
456515	185	
456517	185	
480501	209	new
591001	206	
591002	206	
591003	206	
591004	206	
591005	206	
591006	206	
591007	206	
591008	206	
591009	206	
591010	206	
591011	206	
591012	206	
591013	206	
591014	206	
591015	206	
591016	206	
591017	207	
591018	207	
591019	207	
591020	208	
591021	207	
591022	208	
591023	207	
591024	208	
591025	208	
591026	208	
591027	209	
591028	209	
591029	209	
591030	209	
591031	209	
591032	208	
591041	207	
592001	210	
592002	210	
592003	210	
592004	210	
592005	210	
592006	210	
592007	210	
592008	210	
592012	210	
592013	210	
592015	210	
592016	210	
593001	209	
724003	208	
724104	208	
QP1	211	
QP2	211	
QP3	211	

PERSONAL PROTECTIVE EQUIPMENT

Item No.	Page No.	
480001	213	
480005	214	new
480006	214	new
480008	214	new
480013	213	
480016	213	
480021	213	
480022	213	
480023	213	
480025	214	new
480025.BM	214	new
480025.BRM	214	new
480031	214	
480041	214	
480061	214	new
480062	214	new
480161	214	
480163	214	
480501	214	new
482001	222	
482007	222	
482008	222	
482009	222	
482010	222	
482011	222	
482012	222	
482013	222	
482014	222	
482015	222	new
482021	222	
482023	222	new
484003	226	
484004	226	
484005	226	
484006	226	
484007	226	
484008	226	
484009	226	
484010	226	
484011	226	
484021	226	new
484022	226	new
486013	215	
486023	215	
486033	215	new
486203	215	
486313	215	
486530	215	
488006	216	
488008	216	
488010	216	new
488017	216	
488018	216	
488019	216	new
488024	216	
488031	216	
488032	216	
488042	216	
488103	217	
488107	218	
488109	217	
488110	217	
488111	217	
488113	218	new
488114	218	new
488131	219	
488133	219	
488134	220	

Item No.	Page No.	
488135	219	
488136	220	
488137	220	
488201	219	
488202	219	
488203	220	
488210	219	
488516	218	
488517	218	new
488518	218	new
489001	225	
490003	223	
490004	223	
490013	223	new
490014	223	new
490023	223	new
490024	223	new
490033	223	new
490034	223	new
490043	223	
490044	223	
490053	223	new
490054	223	new
490063	224	
490064	224	
490073	224	
490074	224	
490083	224	
490084	224	
490093	224	new
490094	224	new
490223	224	
490224	224	
490233	224	new
490234	224	new
490243	224	new
490244	224	new
490273	224	
490301	224	new
490302	224	
492002	221	new
492013	221	
492014	221	
492015	221	
492021	221	new
492061	221	
492065	221	new
492071	221	
492072	221	
492105	217	
492107	221	new
494011	225	
494012	225	
494013	225	
494014	225	
494015	225	
494016	225	
494017	225	
494018	225	
494019	225	
494031	225	
494032	225	
494033	225	
494034	225	
494035	225	
494036	225	
494037	225	
494038	225	